



2400 5th Avenue S, Suite 200 | Birmingham, Alabama 35233  
Tel 205.879.4462 | GMCNETWORK.COM

### TRANSMITTAL COVER SHEET

DATE: October 17, 2024  
TO: ALL PLAN HOLDERS OF RECORD  
FROM: JACQUI HART, AIA, IIDA, LEED AP, PROJECT MANAGER  
PROJECT: TUSCALOOSA DEPARTMENT OF HUMAN RESOURCES  
GMC PROJECT NO. ABHM220021  
RE: ADDENDUM NO. 6 AND  
ACKNOWLEDGEMENT OF RECEIPT OF ADDENDUM NO. 6

---

### ACKNOWLEDGEMENT OF RECEIPT:

PLEASE PRINT RECIPIENT'S NAME, FIRM, AND DATE RECEIVED.

THEN E-MAIL BACK TO [alyssa.martin@gmcnetwork.com](mailto:alyssa.martin@gmcnetwork.com) FOR OUR RECORDS AND TO ACKNOWLEDGE YOUR RECEIPT OF THIS ADDENDUM.

-----  
NAME *(PLEASE PRINT)*

-----  
FIRM *(PLEASE PRINT)*

-----  
DATE RECEIVED *(PLEASE PRINT)*

If there are any problems with this transmittal, please contact sender, at the number listed above.



**ADDENDUM NUMBER 06**

October 17, 2024

---

**PROJECT: TUSCALOOSA DEPARTMENT OF HUMAN RESOURCES  
GM&C PROJECT NO. ABHM220021**

---

**AD6-1 GENERAL:**

- A. The following revisions and/or additions to the Drawings and Project Manual are hereby made a part of same, and shall be incorporated in the Work of the Contract the same as if originally included in the Bid and Construction Documents.
- B. Bidders shall acknowledge receipt of this Addendum in writing, as provided on the Proposal Form.
- C. When a revision and/or addition is called for to the Drawings or Project Manual, they shall be fully coordinated with and carried through all applicable Drawings and portions of the Project Manual, including in part, all related Civil, Landscaping, Architectural, Structural, Plumbing, Mechanical, Electrical, and other Documents.

**AD6-2 PROJECT MANUAL AND SPECIFICATIONS:**

- A. Revised Proposal Form
- B. Revised Section 01 0150 – Special Conditions. Be advised that the duration of the project is now four hundred eighty (480) consecutive calendar days from the written Notice to Proceed.

**AD6-3 DRAWINGS:**

- A. Revised Sheet G1.21
- B. Revised Sheet A1.01
- C. Revised Sheet A4.01
- D. Revised Sheet A4.03
- E. Revised Sheet A5.11
- F. New Sheet A5.13
- G. Revised Sheet A6.11
- H. Revised Sheet A7.01
- I. Revised Sheet A8.01
- J. Revised Sheet A8.02

**AD6-4 MISCELLANEOUS:**

- A.

**AD6-5 ATTACHMENTS:**

- A. Revised Proposal Form
- B. Revised Section 01 0150
- C. Revised Sheet G1.21
- D. Revised Sheet A1.01

- E. Revised Sheet A4.01
- F. Revised Sheet A4.03
- G. Revised Sheet A5.11
- H. New Sheet A5.13
- I. Revised Sheet A6.11
- J. Revised Sheet A7.01
- K. Revised Sheet A8.01
- L. Revised Sheet A8.02

END OF ADDENDUM NUMBER 06

PREPARED BY

**GMC**

2400 5th Avenue S, Suite 200 | Birmingham, Alabama 35233  
Tel 205.879.4462 | GMCNETWORK.COM  
Goodwyn Mills Cawood, LLC.



# PROPOSAL FORM

To: TUSCALOOSA COUNTY PUBLIC BUILDING AUTHORITY Date: \_\_\_\_\_  
(Awarding Authority)

In compliance with your Advertisement for Bids and subject to all the conditions thereof, the undersigned,

\_\_\_\_\_  
(Legal Name of Bidder)

hereby proposes to furnish all labor and materials and perform all work required for the construction of **WORK:**  
TUSCALOOSA COUNTY DEPARTMENT OF HUMAN RESOURCES, Tuscaloosa, Alabama, for TUSCALOOSA  
PUBLIC BUILDING AUTHORITY in accordance with Drawings and Specifications, dated September 9, 2024,  
prepared by GOODWYN MILLS CAWOOD, LLC. (Architect's Project No. ABHM220021), Architect/Engineer.

The Bidder, which is organized and existing under the laws of the State of \_\_\_\_\_,

having its principal offices in the City of \_\_\_\_\_,

is:  a Corporation  a Partnership  an Individual  (other) \_\_\_\_\_.

**LISTING OF PARTNERS OR OFFICERS:** If Bidder is a Partnership, list all partners and their addresses;  
if Bidder is a Corporation, list the names, titles, and business addresses of its officers:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**BIDDER'S REPRESENTATION:** The Bidder declares that it has examined the site of the Work, having become fully informed regarding all pertinent conditions, and that it has examined the Drawings and Specifications (including all Addenda received) for the Work and the other Bid and Contract Documents relative thereto, and that it has satisfied itself relative to the Work to be performed.

**ADDENDA:** The Bidder acknowledges receipt of Addenda No's. \_\_\_\_\_ through \_\_\_\_\_ inclusively.

**BASE BID:** For construction complete as shown and specified, the sum of:

\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

**ALTERNATES:** NONE

**ALLOWANCES:** Refer to Section 01 2100 – “Allowances”, and Drawings for descriptions and requirements.  
**(Allowance Calculations DUE along with Proposal Form on Bid Date.)**

**COMPLETION DATE:** All Base Bid and any Alternate Work in the Contract shall be “Substantially Complete” within 480 consecutive days, from the date of the Owner’s written “Notice To Proceed”.

**UNIT PRICES:** Refer to "Attachment A to Proposal Form"  
(Attachment A to Proposal Form DUE along with Proposal Form on Bid Date).

**MAJOR SUBCONTRACTOR & SUPPLIER LISTING:** Refer to "Attachment B to Proposal Form"  
(DUE along with Proposal Form on Bid Date, or at Contractor's option, turned in to the Owner within 24-hours after receipt of Bids, with a copy to the Architect).

NOTE THAT ALL SUBCONTRACTORS AND SUPPLIERS ARE SUBJECT TO APPROVAL BY THE OWNER.

**ACCOUNTING OF SALES TAX:** Refer to "Attachment C to Proposal Form".  
(DUE along with Proposal Form on Bid Date).

**CHANGES IN WORK:** Changes in the Work shall be addressed as described in General Conditions Article on Changes in the Work (and as modified by Supplementary Conditions).

**IMMIGRATION STATUS VERIFICATION:** Refer to "General Conditions" portion of the Project Manual.  
(DUE along with Proposal Form on Bid Date.)

1. Executed E-VERIFY "Memorandum of Understanding".

**BID SECURITY:** The undersigned agrees to enter into a Construction Contract and furnish the prescribed Performance and Payment Bonds and evidence of insurance within fifteen calendar days, or such other period stated in the Bid Documents, after the contract forms have been presented for signature, provided such presentation is made within 60 calendar days after the opening of bids, or such other period stated in the Bid Documents. As security for this condition, the undersigned further agrees that the funds represented by the Bid Bond (or cashier's check) attached hereto may be called and paid into the account of the Awarding Authority as liquidated damages for failure to so comply.

Attached hereto is a: *(Mark the appropriate box and provide the applicable information.)*

Bid Bond, executed by \_\_\_\_\_ as Surety,  
 a cashier's check on the \_\_\_\_\_ Bank of \_\_\_\_\_,  
for the sum of \_\_\_\_\_ Dollars  
(\$ \_\_\_\_\_) made payable to the Awarding Authority.

**BIDDER'S ALABAMA LICENSE:**

State License for General Contracting: \_\_\_\_\_  
License Number Contractor's DUNS No. Bid Limit  
\_\_\_\_\_  
Type(s) of Work

**CERTIFICATIONS:** The undersigned certifies that he or she is authorized to execute contracts on behalf of the Bidder as legally named, that this proposal is submitted in good faith without fraud or collusion with any other bidder, that the information indicated in this document is true and complete, and that the bid is made in full accord with State law. Notice of acceptance may be sent to the undersigned at the address set forth below.

The Bidder also declares that a list of all proposed major subcontractors and suppliers is included and attached to the Proposal Form, or will be turned in to the Owner within twenty-four (24) hours after receipt of bids, with a copy to the Architect.

Bidder certifies that vendors, subcontractors and affiliates, that make sales for delivery into Alabama or leases for use in Alabama are registered, collecting, and remitting Alabama state and local sales, use, and /or lease tax on all taxable sales and leases into Alabama. By submitting a proposal, contractor is hereby certifying that he and his company are in full compliance with Act No. 2006-557, and not barred from bidding or entering into a contract pursuant to 41-4-116 (Code of Alabama 1975), and acknowledge that the awarding authority may declare the contract void if the certification is false.

**Legal Name of Bidder** \_\_\_\_\_

Mailing Address \_\_\_\_\_

**\* By (Legal Signature)** \_\_\_\_\_

\* Name (type or print) \_\_\_\_\_ *(Seal)*

\* Title \_\_\_\_\_

Telephone Number \_\_\_\_\_

\* If other than the individual proprietor, or an above named member of the Partnership, or the above named president, vice-president, or secretary of the Corporation, attach written authority to bind the Bidder. Any modification to a bid shall be over the initials of the person signing the bid, or of an authorized representative.

**END OF PROPOSAL FORM**

**SECTION 01 0150**  
**SPECIAL CONDITIONS**

**1.01 TIME FOR COMPLETION OF WORK:**

- A. The Contractor may proceed to award sub-contracts, assemble materials, etc., after written "Notice To Proceed" with Work is given by the Owner. The Contractor's official time for construction to start on work shall be the date of the Owner's written "Notice to Proceed" with Work; and completion of the Work shall be within the number of consecutive calendar days or by the date(s) indicated on the Contractor's Proposal Form.
  - 1. Properly supervised work, per requirements, will be permitted on Saturdays and Sundays.
- B. Acceptance of the completed Work of this Contract will be at a single date, and not in phases, unless otherwise indicated.
- C. All Work of this Contract shall be substantially complete within **FOUR HUNDRED EIGHTY (480)** consecutive calendar days from the Owner's official written Notice to Proceed.
- D. Nothing in the Contract Documents shall permit or be construed to permit payment to the Contractor for any extended overhead or profit due to completion of the project extending beyond the Contractual completion date. In no event shall the Owner or Architect be liable to the Contractor for damage due to any delay to any portion of the Work of this Contract.
- E. Delays: See Article 8.3, and related articles of AIA General Conditions.

**1.02 LIQUIDATED DAMAGES:**

- A. Actual damages for delay in completion may be impossible to determine, and the Contractor shall be liable for and the Owner shall deduct as liquidated damages from the final payment due the Contractor, the following, in addition to 6% per annum of the total contract amount:
  - 1. For each calendar day of delay in completion of any part of the work beyond the number of days specified, the sum of \$250.00.
  - 2. In the event that work on this project is incomplete and ongoing after the contractual completion date, beginning at ten (10) additional days thereafter, the Owner will also charge the Contractor, an additional \$250.00 per day, for the Owner's nominal reimbursement to the Architect for continued work on the project, which charges will continue until "Substantial Completion" is accomplished.
- B. The submittal of a Bid and/or Proposal by any Contractor and their Subcontractors shall be construed as, in part, acknowledgement and acceptance of these provisions.

**1.03 SITE RESTRICTIONS:**

- A. The limits of work and known restrictions are indicated on the Site Plan and various portions of the Drawings and the Project Manual.
  - 1. Refer also to Section 01 1000 - "Summary of The Work," for additional information and requirements.

**1.04 PRE-BID CONFERENCE:**

- A. Refer to "Advertisement for Prequalification and Bids" for additional information and requirements.

**1.05 PRE-CONSTRUCTION CONFERENCES:**

- A. Refer to Section 01 3000 - "Administrative Requirements".

**1.06 PRE-ROOFING CONFERENCE:**

- A. A pre-roofing conference is required before any roofing materials are installed. This conference shall be conducted by a representative of the Architect and attended by representatives of the Owner, General Contractor, Roofing Contractor, Sheet Metal Contractor, Roof Deck Manufacturer (if applicable) and the Roofing Materials Manufacturer (if warranty is required of this manufacturer). If equipment of substantial size is to be placed on the roof, the Mechanical Contractor must also attend this meeting.

- B. The pre-roofing conference is intended to clarify demolition (for renovation or re-roofing projects) and application requirements for work to be completed before roofing operations can begin. This would include a detailed review of the specifications, roof plans, roof deck information, flashing details and approved shop drawings, submittal data, and samples. If conflict exists between the specifications and the Manufacturer's requirements, this shall be resolved. If this pre-roofing conference cannot be satisfactorily concluded without further inspection and investigation by any of the parties present, it shall be reconvened at the earliest possible time to avoid delay of the work. In no case should the work proceed without inspection of all roof deck areas and substantial agreement on all points.
- C. The following are to be accomplished during the conference:
  - 1. Review all Factory Mutual and Underwriters Laboratories requirements listed in the specifications and resolve any questions or conflicts that ay arise.
  - 2. Establish trade-related job schedules, including the installation of roof-mounted mechanical equipment.
  - 3. Establish roofing schedule and work methods that will prevent roof damage.
  - 4. Require that all roof penetrations and walls be in place prior to installing the roof.
  - 5. Establish those areas on the job site that will be designated as work and storage areas for roofing operations.
  - 6. Establish weather and working temperature conditions to which all parties must agree.
  - 7. Establish acceptable methods of protecting the finished roof if any trades must travel across or work on or above any areas of the finished roof.
- D. The Architect shall prepare a written report indicating actions taken and decisions made at this pre-roofing conference. This report shall be made a part of the project record and copies furnished the General Contractor, and the Owner.
- E. Refer to Section 01 3000 - "Administrative Requirements" for additional information and requirements.

**1.07 CONTRACTOR ACCESS TO SITE:**

- A. The Contractor will have access to the site immediately upon receipt of the Owner's written Notice to Proceed with work. All routes of access to the site and gate locations by the Contractor or their subcontractors, are subject to approval by Owner, Architect, and other authorities having jurisdiction. Check site plan for location of work limits. Refer to Section 01 1000 - "Summary of The Work" and Section 01 5000 - "Temporary Facilities," for additional information and requirements.
- B. The Contractor shall be required to coordinate the Work of the project with the Owner's activities, to the extent that the Work of this Contract has little or no effect on normal operations.

**1.08 CONTRACTOR'S PLAN FOR CONSTRUCTION OF PROJECT:**

- A. Contractor shall prepare and submit within 7 days from award of contract to the Architect for review and approval a Bar Graph, indicating his proposed plan and sequence of operations to complete each phase of this project, on schedule as required by contract. This Bar Graph is expected to be a Critical Path graph.
  - 1. Schedule should identify project milestones and expected durations.
- B. Refer to Section 01 3216 - "Construction Progress Schedule" for additional information and requirements.

**1.09 CONTRACTOR JOB MEETINGS:**

- A. On-Site Meetings with Architect , and various trades, general contractors and subcontractors, shall be conducted by the Contractor as directed by the Architect for purpose of furthering the progress of the work, solving construction problems, and issuing instructions.
- B. Refer to "Pre-construction Conferences" paragraph above, "General Conditions of the Contract", and Section 01 3000 - "Administrative Requirements" for additional information and requirements.

**1.10 STORED MATERIALS:**

- A. It is recognized that the size of the site is restrictive and that it may be necessary for the Contractor to store some materials for project at locations on the site, prior to removal or disposal. When such on site storage is necessary, comply with requirements of authorities having jurisdiction, including in part, on site retention of earth, storm water run-off, slopes of debris, earth, etc.
- B. Store items to be incorporated in the Work in stable and secure manner, off of ground, separated by hardwood or treated wood blocking, and under cover or in storage building.
  - 1. Any materials found stored directly on ground or paving, in standing water, etc., will be rejected, immediately removed from site, and replaced with new materials at the Contractor's expense.
  - 2. Distribute materials around framing and the roof in such manner as to prevent any damage to structure, construction, improvements, etc.
- C. Refer to Section 01 6000 - "Product Requirements", for additional information and requirements for any off-site stored materials.

**1.11 PROTECTION:**

- A. The Contractor shall provide and maintain adequate fencing and barricades, where indicated, and wherever required. Building entrances and exits shall remain unobstructed at all times when buildings are occupied.
- B. The Contractor shall provide suitable protection for all employees, the public, students, children, users of other adjacent facilities, and the occupants of existing buildings at all times during the execution of and until the completion of the Work.
  - 1. Construction equipment shall not come in contact with or swing over existing facilities to remain, public areas, occupied buildings, right-of-ways, etc., which are to remain.
- C. The Contractor shall avoid damage as a result of their operations, to the existing buildings, walks, pavement, curbs, grass, shrubbery, trees, utilities, adjoining property, etc., and shall at his/her own expense, completely repair any damage thereto caused by his operations. All repair work is subject to Architect's approval, and that of its Owner.
- D. Refer to Section 01 5000 - "Temporary Facilities and Controls" for additional information and requirements.

**1.12 WORK LIMITS PROTECTION:**

- A. The Contractor shall locate all temporary buildings, storage of equipment, materials, etc., within a protected area to protect the public, and others from the construction activities. Type and location of such protection shall be as existing at the site, or if not existing or complete, as proposed and furnished by the Contractor, subject to acceptance of the Architect, Owner, and authorities having jurisdiction.
- B. Refer to Section 01 5000 - "Temporary Facilities and Controls" for additional information and requirements.

**1.13 EMPLOYMENT OF AND PAYMENT FOR TESTING SERVICES:**

- A. The following information regarding Employment of and Payment for Testing Services under the work of Specifications shall take precedence over any conflicting statements otherwise, which may have remained in the Project Manual after editing:
  - 1. Initial testing required by the Contract Documents for Divisions 2 through 5, and Divisions 31-33 (except not utility systems testing) shall be provided by an independent testing agency selected, employed and paid by the Owner.
  - 2. Initial testing required by the Contract Documents for all other testing and Divisions 6 through 26 shall be provided by a testing agency acceptable to the Owner, and selected, employed, and paid by the Contractor from his/her Contract amount.
  - 3. Any retesting required (due to failure of initial testing to meet the requirements of the Contract Documents) shall be at the Contractor's expense.
  - 4. Any retesting required (due to questionable materials or construction methods, for verification purposes, and etc.) shall be at the Contractor's expense when the results of

such retesting indicate any work or materials do not comply with requirements of the Contract Documents. Otherwise, such retesting will be at Owner's expense.

5. Any retesting under the above provisions shall be performed by the same Owner accepted testing agency.
  6. Nothing in the Contract Documents shall prevent the Contractor from performing any other or additional Quality Control testing at his/her own expense, to verify compliance with the Bid and Contract Documents.
- B. The Contractor shall be responsible for contacting and directions to the accepted testing agency and for any follow-up communications required, for all testing required by the Contract Documents.
  - C. No unsuitable or unsatisfactory existing soils or building materials (other than work in Contract) shall be removed without either the presence of or concurrence of and prior approval of the Architect and the accepted testing agency, so as to assure quality of the Work is maintained, and to verify quantities of any additional work under bid "Unit Prices", for which the Contractor is due payment by the Owner.
  - D. The Contractor shall be responsible for contacting and directions to the accepted testing agency and for any follow-up communications required, for all testing required by the Contract Documents.
  - E. Refer to Section 01 4000 - "Quality Requirements" for additional information and requirements.

**1.14 PROHIBITED MATERIALS:**

- A. ASBESTOS: All materials, equipment, components, accessories, and etc., installed in the work of this contract, both field installed and bought-out manufactured items from any source shall be 100-percent free of asbestos.
- B. LEAD CONTENT: All water-bearing lines, water dispensing equipment, finish materials, and paint other than exposed exterior roof flashings, shall be 100-percent free of lead.
- C. CALCIUM CHLORIDE: Calcium chloride and/or derivatives or additives thereof shall not be permitted in any concrete, concrete product, grout, masonry and/or mortar.
- D. ENVIRONMENTAL REGULATIONS: All materials, their application, installation, and completion, shall comply with applicable environmental regulations, including in part, erosion, air-borne contaminants, and volatile organic compounds (VOC's).
- E. FORMALDEHYDE: All insulation and other products shall be 100-percent free of formaldehyde.

**1.15 PROHIBITED EQUIPMENT:**

- A. The elevated and framed floor slabs are not designed to accommodate heavy rolling point loads. Scissor lifts are not permitted on any elevated or framed slab during the construction of the project.

**1.16 PERSONNEL EXPERIENCE AND SUPERINTENDENTS:**

- A. Subcontractors shall have no less than 5-years verifiable experience in their trade and no less than 5-years verifiable experience in their business enterprise contracting for work under this project; The type of work subcontracted for this project shall be the principal business of the Subcontractor.
- B. Superintendents and foremen, or other individual in the lead or supervisory position for any portion of the Work under this Contract shall have no less than 7-years verifiable experience in performing the type of work they are responsible for.
  1. The Contractor shall submit resumes of work and project experience for their Superintendent and foremen, as soon as possible and at least within five calendar days of receipt of the Contract to be executed for the work, for review and acceptance by the Owner and Architect.
  2. If the Superintendent is replaced on the job after work begins, the same qualifications as above apply. Submit for review and acceptance by the Owner and Architect.

**1.17 SUBMITTALS:**

- A. Submittal requirements are indicated throughout the Contract Documents, and the following supplements those requirements.
  - 1. Contractor will be required to make submittals for every item and product so indicated; Also upon request, for any additional or other item or products intended for use or incorporation in the Work.
    - a. The Contractor shall submit to the Architect within 30 days of "Notice to Proceed", a complete listing of all required submittals, warranties, guarantees, close-out documents, and materials requiring extra or "attic" stock delivered to the Owner, for review and acceptance. Include for each item, the anticipated date of Submittal to the Architect. Re-submit until accepted or approved.
  - 2. The Contractor shall review, mark all necessary changes, revisions, and questions; and then stamp, sign, approve, and submit to the Architect, all Shop Drawings, Product Data, Samples, and similar submittals required by the Contract Documents, and shall do so with reasonable promptness and in such sequence as to cause no delay in the Work or in the activities of the Owner, or of separate contractors.
    - a. The Contractor shall not make submittals to the Architect which they have not reviewed, stamped, signed and approved by the Contractor; or in such case, no action will be taken by the Architect or their Consultants regarding that or those submittals.
  - 3. The Contractor shall submit number of copies for review as indicated in Section 01 3000 - Administrative Requirements.
  - 4. Review time will be limited to two weeks, except for more complex submittals, such as Structural, and Divisions 21-26.
  - 5. Colors will not be selected until most or all submittals required have been received and reviewed. Actual color chip samples shall be required along with standard color selection paperwork. No exceptions.
  - 6. Samples: Submit the number specified in Section 01 3000.
  - 7. Submit test reports as required or otherwise requested, in the same quantity as other submittal data.
  - 8. Contractor shall provide letter from Mechanical Contractor stating the Mechanical Contractor has coordinated all power requirements with the Electrical Contractor. Mechanical submittals will not be reviewed without receipt of this letter.
  - 9. Contractor shall distribute reviewed submittals to all concerned and appropriate Subcontractors and Suppliers.
  - 10. Contractor shall maintain 1-set of reviewed and approved submittals at his on-site job office.
- B. Review and/or approval of submittals by the Architect, Owner and/or their Consultants shall not relieve the Contractor of his responsibility to comply with the requirements of the Contract Documents.
  - 1. Any proposed change in the Work shall be submitted separate from any other item during construction, with same documentation as pre-bid requests, or they will not be considered.
  - 2. No actual or proposed change shall be included in Shop Drawings or other Construction submittals, and none so included will be considered approved under any circumstances.
  - 3. Shop Drawings are communications between the Contractor and various suppliers, fabricators, and subcontractors. The design professional's role is to review the drawings to answer questions that arise about design intent.
  - 4. Even if a reviewed Shop Drawing or other Submittal has deviations from the original design and the Contract Documents, it in itself is not a Change Order and it is not, IN ITSELF, an approval of the change. Changes can only be approved by Change Order.
  - 5. Dimensions, quantities, and coordination remain the Contractor's responsibility.
- C. Refer to Section 01 3000 - "Administrative Requirements" for additional information and requirements.



**1.18 SITE MAINTENANCE:**

- A. The Owner will require all mud or debris resulting from this construction to be removed from streets, sidewalks, etc., by the Contractor as it appears, one or more times daily.
- B. Trash, debris, etc., must be removed from the site as Contractor's trash cans, waste receptacles, etc., are filled. Same will not be allowed to accumulate or blow around the site, within the buildings, etc.
- C. The Contractor shall be responsible for maintaining existing landscaping and lawns within and below any construction fencing, for the duration of the Work of the Contract, or until any such fencing is removed.
- D. Refer to Sections 01 1000, 01 5000, 01 7000 and other locations in the Bid and Contract Documents for additional information and requirements.

**1.19 INSURANCE AND SPECIAL PROVISIONS:**

- A. The Contractor and their insurer, by execution of the Contract, shall waive all rights of subrogation against "the Owner, the Architect, and their Consultants", and same shall be indicated on all insurance provided by the Contractor and each Subcontractor.
- B. The Contractor and their insurer, and each Subcontractor, shall name "the Owner, Architect, and their Consultants", as additional named primary insureds on all insurance provided by the Contractor and each Subcontractor, except not for "Workers Compensation and Employers Liability".
- C. Refer to "General Conditions" and other portions of the Bid and Contract Documents, for additional information and insurance requirements. Note that Builder's Risk insurance is required, as described in "General Conditions", as modified by "Supplementary Conditions".
  - 1. Extent of coverage required and/or any approval or acceptance of the insurance carried shall not act to modify the liability of the Contractor, nor to imply that the limits, features and/or coverages described are adequate to protect the interests or exposures of the Contractor.
- D. The Contractor shall "hold harmless" and indemnify the Owner, Architect, and their Consultants from any claim or legal action resulting from any circumstances related to the Work of this project, including in part, payment of any legal or other expenses, fines, judgments, etc.
- E. Insurance policies required by the Contract Documents shall not be canceled, altered, or changed, without first having given thirty (30) days written notice to the Owner, with a copy sent to the Architect, except ten(10) days written notice for non-payment of premium.
  - 1. Copies of all policies, endorsements, and insurance certificates, including new, renewed, altered, and/or changed during this Contract shall be delivered to the Owner within ten (10) days of effective date(s), with a copy sent to the Architect, by the Contractor.
- F. Refer to General Conditions of the Contract for additional information and requirements regarding minimum insurance and indemnity requirements.
- G. Special Provision: Nothing in this or other paragraphs of the Contract Documents shall create or give to third parties any claim or right of action beyond such as may legally exist irrespective of the Contract.

**1.20 ACCESSIBILITY OF ALL COMPLETED WORK:**

- A. All products and installations of the Work of this Contract, shall be as designed by the fabricator, manufacturer, etc., and installed by the Contractor, Subcontractors, etc., so as to provide full accessibility to the handicapped and/or disabled, unless specifically indicated otherwise. This shall include in part, the following:
  - 1. Mounting heights of all electrical devices, switches, etc., all designated plumbing fixtures, and their operation, in all areas except mechanical and electrical rooms, and service areas which are not accessible at any time to the public or Owner's administrative (not service or maintenance) personnel.
  - 2. Signage.
  - 3. Door operation and hardware.

**TUSCALOOSA COUNTY DEPARTMENT OF HUMAN RESOURCES TUSCALOOSA, ALABAMA**  
**TUSCALOOSA COUNTY PUBLIC BUILDING AUTHORITY**

4. Elevator (if any).
  5. Slip resistance of all completed flooring and walkway surfaces both interior and exterior.
- B. Comply with the more stringent requirements of at least the following, either the latest edition or latest adopted edition of the locality, and all revisions and amendments thereto:
1. Uniform Federal Accessibility Standards (UFAS).
  2. Americans With Disabilities Act of 1990 (ADA) "Accessibility Guidelines" (ADA-AG), and all revisions and amendments thereto.
  3. American National Standards Institute (ANSI), ANSI A 117.1.
  4. U.S. Architectural & Transportation Barriers Compliance Board's ADA-ABA "Accessibility Guidelines" (ADA-AG), Published in the Federal Register July 23, 2004, and revisions and amendments thereto.
  5. International Building Code, as applicable at the project locale.

**1.21 CONTRACTOR PROGRAMS AND CONDUCT OF PERSONNEL:**

- A. The Contractor shall implement programs and make literature available to all construction and administration personnel to encourage making this project a safe place to work, including in part the following requirements: A project site free of any substance abuse, which does not allow any consumption of alcohol, and which does not allow any work to be performed while under the influence of any debilitating substance.
1. The Contractor and every Subcontractor shall have as part of their personnel, safety, substance abuse prevention, and/or quality programs, mandatory drug testing at pre-employment, post-accident, and at random during employees' tenure with their firms. Each such entity shall be prepared to provide non-confidential verification to the Owner that such testing is consistently on-going, upon Owner's request for same.
- B. Programs shall be as acceptable to or recommended by one or more of the following:
1. Contractor's Underwriter for Worker's Compensation or liability insurance.
  2. OSHA.
  3. Associated General Contractors.
  4. U.S. Department of Defense, Corps of Engineers, or Veterans Administration.
- C. Conduct of all personnel employed for the Work of this project shall be held to a high standard and shall not be offensive to others on or around the site, including in part, pedestrians, the public, the Owner, Owner's Consultants, etc.
1. The Contractor and their employees shall limit any discussion of the Work of this project to the Owner's representative named in the front of this Project Manual, inspecting authorities with jurisdiction, and the Architect; In no instance shall this project be discussed with others, except as may otherwise be indicated herein.
  2. The Contractor's personnel and Subcontractors shall not enter the Owner's building, nor use the Owner's telephones (except in emergencies), or the Owner's restrooms.
- D. The Contractor shall immediately dismiss and escort off of the project site, any personnel who are obviously under the influence of alcohol or other debilitating substance, and any personnel exhibiting offensive behavior as described above or by law or by local statute or regulations of authorities having jurisdiction.

**1.22 WORK BY OTHERS:**

- A. The following items of work are to be provided by others, and are Not in Contract (N.I.C.). The Contractor will be required to coordinate with the Owner as necessary to accommodate provisions for these items.
1. Movable furniture, furnishings, office equipment, library equipment, and movable library shelving unless otherwise indicated.
  2. Listed Equipment, residential appliances, and items of Alternate work not accepted at this time, and/or indicated "Not In Contract", "N.I.C.", "Future", and/or similar indication.
    - a. Unless otherwise indicated, coordination, locating, and providing rough-ins for all power, water supply, gas, drains, drain lines, condensate drain outlet, and other utilities required for such equipment, casework, etc., and preparation required for the

**TUSCALOOSA COUNTY DEPARTMENT OF HUMAN RESOURCES TUSCALOOSA, ALABAMA**  
**TUSCALOOSA COUNTY PUBLIC BUILDING AUTHORITY**

addition of future finishes (same as level of finish required for the finishes included in Bid, just prior to finishes being added), shall be included in Base Bid;

- B. Refer to Section 01 1000 - "Summary of The Work" for additional information and requirements.

**1.23 SELECTIVE DEMOLITION:**

- A. Section 02 4100 - "Demolition," is applicable to the entire Work of this project and not just to Division 2 where it occurs.


**1.24 INSPECTIONS:**

- A. See Section 01 3000 - Administrative Requirements for information on Scheduling of Inspections, and Minimum Requirements for Required Inspections.


**1.25 USER FEES:**

- A. The Contractor is hereby advised that, if applicable, any administrative fees in the form of a Permit Fee shall be paid by the Contractor.


**END OF SECTION**




DRAWING MARK	DESCRIPTION	U.L. #	N/A
OG	0 HR. - GYPSUM		
OGS	0 HR. - GYPSUM - SMOKE TIGHT		
OG2X	0 HR. - GYPSUM - 2ND LAYER GYP ONE SIDE		
OGL	0 HR. - GYPSUM - LEAD LINED		



DRAWING MARK	DESCRIPTION	U.L. #	N/A
IG	1 HR. - GYPSUM		
IGS	1 HR. - GYPSUM - SMOKE BARRIER		
IGL	1 HR. - GYPSUM - LEAD LINED		



DRAWING MARK	DESCRIPTION	U.L. #	N/A
2G	2 HR. - GYPSUM		
2GS	2 HR. - GYPSUM - SMOKE BARRIER		
2GL	2 HR. - GYPSUM - LEAD LINED		



DRAWING MARK	DESCRIPTION	U.L. #	N/A
OGF	0 HR. - GYPSUM - FURRED - INTERIOR		
OGFX	0 HR. - GYPSUM - FURRED - EXTERIOR		

### NUMBERED NOTES

- 1.1 METAL STUDS 1 1/2" OC. DOUBLE-STUD JAMBS FULL HT. AT DOOR OPENINGS
- 1.2 SHAFTWALL STUDS 24" OC
- 1.3 PLUMBING CHASE. 1 5/8" OR 4" METAL STUDS 16" OC IN TWO ROWS. WIDTH VARIES
- 1.4 DEFLECTION TRACK (0.0329" MTL. THICKNESS). MAINTAIN MIN. 1/2" STUD GAP
- 1.5 CONTINUOUS TOP TRACK (0.0329" METAL THICKNESS)
- 1.6 RESILIENT CHANNELS 24" OC VERTICAL
- 1.7 STUD BRACING MIN. 48 IN. OC (24" OC AT WALL-HUNG CABINETS)
- 1.8 STEEL STUD OR RUNNER BRACING, FULL WIDTH OF CAVITY, 48" OC VERT. MAX
- 1.9 NEW OR EXISTING SUBSTRATE
- 1.10 CMU (UL LISTED WHERE APPLICABLE). SEE STRUCTURAL FOR REINFORCING, UNTEL, AND TOP BRACING REQUIREMENTS
- 1.11 AT INTERIOR FURRING: 7/8 IN. HAT-SHAPED METAL FURRING
- 1.12 AT EXTERIOR (PERIMETER) FURRING: 2 IN. METAL Z-FURRING W/ MIN. R-8 BOARD INSUL.
- 2.1 ONE LAYER 5/8 IN. GYP. BD
- 2.2 ONE LAYER 5/8 IN. TYPE X GYP. BD
- 2.3 TWO LAYERS 5/8 IN. TYPE X GYP. BD
- 2.4 LEAD LINED GYP. BD. TO MIN. 7'-6" AFF ON ROOM SIDE
- 2.5 BASE LAYER LEAD-LINED GYP. BD. TO MIN. 7'-6" AFF ON ROOM SIDE
- 2.6 1 IN. THICK GYPSUM LINER PANEL
- 2.7 ONE LAYER 5/8 IN. TYPE X GYP. BD. EACH SIDE (ABOVE CEILING)
- 2.8 TWO LAYERS 5/8 IN. TYPE X GYP. BD. EACH SIDE (ABOVE CEILING)
- 2.9 NOT USED
- 2.10 NOT USED
- 2.11 ONE LAYER 5/8" TYPE X GLASS-MAT BACKER BOARD WITH THIN-SET TILE UP TO CEILING. TRANSITION TO 5/8" TYPE X MR GYP BOARD FROM ABOVE CEILING TO STRUCTURE ABOVE
- 2.12 ONE LAYER 5/8" TYPE X MR GYP. BD. PLUS ONE LAYER 5/8" TYPE X GLASS-MAT BACKER BOARD WITH THIN-SET TILE UP TO CEILING. TRANSITION TO 5/8" TYPE X MR GYP BOARD FROM ABOVE CEILING TO STRUCTURE ABOVE

### GENERAL NOTES - PARTITIONS

1. UL LISTED ASSEMBLIES
  - A. WHERE UL ASSEMBLY NUMBERS ARE REFERENCED ABOVE, PARTITIONS SHALL BE CONSTRUCTED IN STRICT COMPLIANCE WITH REQUIREMENTS SET FORTH BY THE UL FIRE RESISTANCE DIRECTORY. NO DEVIATION SHALL BE ALLOWED WITHOUT PRIOR WRITTEN APPROVAL BY THE ARCHITECT AND/OR BUILDING OFFICIAL.
2. FIRE BARRIERS, FIRE PARTITIONS, & SMOKE BARRIERS [FIRE-RATED]
  - A. ALL PERIMETER JOINTS MUST BE PROTECTED BY UL LISTED FIRE-RESISTANT JOINT SYSTEMS.
  - B. ALL PENETRATIONS OF RATED ASSEMBLIES MUST BE PROTECTED BY UL LISTED THROUGH-PENETRATION FIRESTOPPING ASSEMBLIES.
  - C. FIRE DAMPERS MUST PROTECT HVAC DUCT PENETRATIONS.
  - D. IDENTIFY FIRE WALLS, SMOKE BARRIERS, ETC., IN ACCESSIBLE CONCEALED FLOOR, FLOOR-CEILING OR ATTIC SPACES, BY STENCILING "X-HOUR FIRE AND/OR SMOKE BARRIER" IN 3-INCH HIGH CONTRASTING LETTERS, 3/8-INCH MINIMUM STROKE. LOCATE WITHIN 15 FEET OF END OF WALL, AND AT INTERVALS NOT EXCEEDING 30 FEET MEASURED HORIZONTALLY ALONG THE WALL OR PARTITION.
3. SMOKE PARTITIONS [NON-RATED]
  - A. ALL PERIMETER JOINTS MUST BE SEALED WITH AIRTIGHT SEALANT APPLICATION.
  - B. ALL PIPING, ELECTRICAL, AND DUCT PENETRATIONS MUST BE SEALED WITH AIRTIGHT SEALANT APPLICATION.
4. SOUND INSULATION
  - A. INSULATION THICKNESS SHALL MATCH CAVITY DEPTH UNLESS NOTED OTHERWISE.
  - B. INSULATE BEHIND RECESSED ITEMS IN ANY SCHEDULED ACOUSTIC PARTITIONS.
  - C. INSULATION MAY BE OMITTED AT CHASES NOT EXCEEDING 10 S.F. IN AREA.
5. ACOUSTICAL SEALANT
  - A. AT ALL GYP BOARD AND METAL STUD PARTITIONS: REQUIRED AT BOTTOM AND TOP RUNNERS AND AT WALL ANGLES WHERE DISSIMILAR MATERIALS MEET (SEE DETAILS).
  - B. AT SCHEDULED ACOUSTIC PARTITIONS: AIRTIGHT SEAL IS REQUIRED AT ALL PENETRATIONS.
  - C. ELECTRICAL AND OTHER BOXES TO BE WRAP-SEALED (SEE DETAILS).
6. PARTITION COORDINATION
  - A. COMPLY WITH "9.07 PARTITION COORDINATION WITH OTHER TRADES" REQUIREMENTS LOCATED UNDER "GENERAL NOTES" ON PROJECT INFORMATION DRAWING G1.02

### PARTITION KEY

TYPICAL PARTITION (SHOWN THUS)	VARIANT PARTITION (SHOWN THUS)																								
<table border="0"> <tr> <td>TYPE 1G 3 5/8" METAL STUDS</td> <td>1G</td> <td>TYPE 1G 6" METAL STUDS</td> <td>1G</td> </tr> <tr> <td>TYPE 1S 4" METAL CH STUDS</td> <td>1S</td> <td>TYPE 1S 2.5" METAL CH STUDS</td> <td>1S</td> </tr> <tr> <td>TYPE 0M 8" CMU</td> <td>0M</td> <td>TYPE 0M 4" CMU</td> <td>0M</td> </tr> </table>	TYPE 1G 3 5/8" METAL STUDS	1G	TYPE 1G 6" METAL STUDS	1G	TYPE 1S 4" METAL CH STUDS	1S	TYPE 1S 2.5" METAL CH STUDS	1S	TYPE 0M 8" CMU	0M	TYPE 0M 4" CMU	0M	<table border="0"> <tr> <td>TYPE 1G 6" METAL STUDS</td> <td>1G</td> <td>TYPE 1G 6" METAL STUDS</td> <td>1G</td> </tr> <tr> <td>TYPE 1S 2.5" METAL CH STUDS</td> <td>1S</td> <td>TYPE 1S 2.5" METAL CH STUDS</td> <td>1S</td> </tr> <tr> <td>TYPE 0M 4" CMU</td> <td>0M</td> <td>TYPE 0M 4" CMU</td> <td>0M</td> </tr> </table>	TYPE 1G 6" METAL STUDS	1G	TYPE 1G 6" METAL STUDS	1G	TYPE 1S 2.5" METAL CH STUDS	1S	TYPE 1S 2.5" METAL CH STUDS	1S	TYPE 0M 4" CMU	0M	TYPE 0M 4" CMU	0M
TYPE 1G 3 5/8" METAL STUDS	1G	TYPE 1G 6" METAL STUDS	1G																						
TYPE 1S 4" METAL CH STUDS	1S	TYPE 1S 2.5" METAL CH STUDS	1S																						
TYPE 0M 8" CMU	0M	TYPE 0M 4" CMU	0M																						
TYPE 1G 6" METAL STUDS	1G	TYPE 1G 6" METAL STUDS	1G																						
TYPE 1S 2.5" METAL CH STUDS	1S	TYPE 1S 2.5" METAL CH STUDS	1S																						
TYPE 0M 4" CMU	0M	TYPE 0M 4" CMU	0M																						

2400 5th Avenue South, Suite 200  
Birmingham, AL 35233  
T 205.879.4462  
GMCNETWORK.COM

**ISSUE DATE** 09/09/2024

**BID SET** ADDENDUM 6 10/17/2024

**DRAWN BY:** Author

**CHECKED BY:** Checker

**TUSCALOOSA COUNTY DHR**

PROJECT ADDRESS PENDING

GMC # ABHM220021

SBC # [ENTER VALUE]

6544

**PARTITION TYPES**

**G1.21**



Sheet of \_\_\_\_\_



10/17/2024 10:29:23 AM TEMPLATE VERSION: 20211

# A1 FLOOR PLANS - LEVEL 1

SCALE: 3/32" = 1'-0"



SPECIALTY EQUIPMENT SCHEDULE		
ID	DESCRIPTION	OF/CI / CFCI
51	RESIDENTIAL WASHER	CFCI
52	RESIDENTIAL DRYER	CFCI
53	COFFEE MAKER - BY OWNER	OF/CI
54	MICROWAVE	CFCI
58	REFRIGERATOR/FREEZER - SIDE BY SIDE	CFCI
59	ICE MAKER - COORDINATE PLUMBING & ELEC	CFCI
510	VENDING MACHINE - COORDINATE ELEC	CFCI
532	TV - WALL MOUNTED - OWNER FURNISHED - GC TO COORDINATE POWER, DATA, WALL BLOCKING	OF/CI
533	TV - WALL MOUNTED - OWNER FURNISHED - GC TO COORDINATE POWER, DATA, WALL BLOCKING	OF/CI
WB-1	WINDOW COVERINGS - MANUAL 2" FAUX WOOD BLIND	CFCI


### KEY NOTES - GENERAL CONSTRUCTION

KEY	KEYNOTE
G1	[ENTER INSTRUCTIONS]

Starter Note  
 ↓  
 G1  
 Copy/paste to plan if needed  
 Delete if not needed

### GENERAL NOTES

- FURNITURE SHOWN FOR REFERENCE ONLY. NOT IN CONTRACT.
- REFER TO FINISH LEGEND FOR PAINT COLORS CALLED OUT ON REFLECTED CEILING PLANS AND FINISH PLANS.
- UNLESS OTHERWISE NOTED, ALL FLOOR TILE SHALL BE CENTERED IN ROOM.
- UNLESS OTHERWISE NOTED, ALL CEILING GRID AND LIGHT FIXTURES SHALL BE CENTERED IN ROOM/OPENING.
- CONTRACTOR TO REVIEW WITH ARCHITECT, ON SITE, AREAS WITH MULTIPLE CEILING, WALL, AND FLOOR FINISHES BEFORE FINISH WORK BEGINS.
- REFER TO RCP LEGEND ON OVERALL REFLECTED CEILING PLANS FOR RCP ABBREVIATIONS AND FINISHES.
- WALL TILE AND BASE GROUT LINES SHALL ALIGN WITH FLOOR TILE.
- PROVIDE BLOCKING FOR GRAB BARS AND TOILET ACCESSORIES IN RESTROOMS.




2400 5th Avenue South, Suite 200  
 Birmingham, AL 35233  
 T 205.879.4462  
 GMCNETWORK.COM

---

**TUSCALOOSA COUNTY DHR**  
 PROJECT ADDRESS PENDING

GMC # ABHM220021  
 SBC # [ENTER VALUE]



6544  
 REGISTERED ARCHITECT


**FLOOR PLAN**  
 sheet\_of **A1.01**

ISSUE DATE	DATE
BID SET	09/09/2024
ADDENDUM 6	10/17/2024


DRAWN BY: Author  
 CHECKED BY: Checker




10/17/2024 10:29:34 AM TEMPLATE VERSION: 20211




**H1 NORTH**  
SCALE: 3/32" = 1'-0"





**F1 SOUTH**  
SCALE: 3/32" = 1'-0"



**C1 EAST**  
SCALE: 3/32" = 1'-0"



**A1 WEST**  
SCALE: 3/32" = 1'-0"



2400 5th Avenue South, Suite 200  
Birmingham, AL 35233  
T 205.879.4462  
GMCNETWORK.COM

ISSUE	DATE
BID SET	09/09/2024
ADDENDUM 6	10/17/2024
2	

DRAWN BY: Author  
CHECKED BY: Checker

TUSCALOOSA COUNTY DHR  
PROJECT ADDRESS PENDING

GMC # ABHM220021  
SBC # [ENTER VALUE]




EXTERIOR  
ELEVATIONS


**A4.01**  
sheet of




10/17/2024 10:29:37 AM TEMPLATE VERSION: 20211




**E1 MONUMENT SIGN SECTION**  
SCALE: 1 1/2" = 1'-0"




**A1 MONUMENT SIGN**  
SCALE: 1/2" = 1'-0"




**G8 COURTYARD - FACING EAST**  
SCALE: 3/32" = 1'-0"



**E8 COURTYARD - FACING WEST**  
SCALE: 3/32" = 1'-0"



**B6 COURTYARD - FACING SOUTH**  
SCALE: 3/32" = 1'-0"



2400 5th Avenue South, Suite 200  
Birmingham, AL 35233  
T 205.879.4462  
GMCNETWORK.COM

ISSUE	DATE
BID SET	09/09/2024
ADDENDUM 6	10/17/2024
2	

DRAWN BY: Author  
CHECKED BY: Checker

TUSCALOOSA COUNTY DHR  
PROJECT ADDRESS PENDING


GMC # ABHM220021  
SBC # [ENTER VALUE]




EXTERIOR  
ELEVATIONS

A4.03  
sheet of


# WALL SECTIONS




**A1 WALL SECTION**  
SCALE: 1"=1'-0"



**A4 WALL SECTION**  
SCALE: 1"=1'-0"



**A6 WALL SECTION**  
SCALE: 1"=1'-0"



**A9 ENTRANCE VESTIBULE**  
SCALE: 1"=1'-0"


ISSUE	DATE
BID SET	09/09/2024
ADDENDUM 6	10/17/2024
2	

**TUSCALOOSA COUNTY DHR**  
PROJECT ADDRESS PENDING

GMC # ABHM220021  
SBC # [ENTER VALUE]

**WALL SECTIONS**

**A5.11**  
sheet of



2400 5th Avenue South, Suite 200  
Birmingham, AL 35233  
T 205.879.4462  
GMCNETWORK.COM

ISSUE DATE  
BID SET 09/09/2024  
ADDENDUM 6 10/17/2024  
2

DRAWN BY: Author  
CHECKED BY: Checker



10/17/2024 10:29:39 AM TEMPLATE VERSION: 20211








10/17/2024 10:29:40 AM TEMPLATE VERSION: 20211


### G1 EXT WINDOW HEAD

SCALE: 3" = 1'-0"




### G4 STOREFRONT HEADER

SCALE: 3" = 1'-0"




### D1 EXT WINDOW JAMB

SCALE: 3" = 1'-0"




### D4 LOUVER HEAD @ FIBER CEMENT TRIM

SCALE: 3" = 1'-0"




### A1 EXT WINDOW SILL

SCALE: 3" = 1'-0"



### A4 EXT WINDOW HEAD / CAST STONE LINTEL

SCALE: 3" = 1'-0"



### GLASS SCHEDULE

GLASS TYPES INDICATED ON THE SCHEDULE ARE AS FOLLOWS (SEE SPECIFICATION SECTIONS 088000 "GLAZING" & 134900 "RADIATION PROTECTION"):


**MONOLITHIC:**  
G1 6.0mm CLEAR, TEMPERED  
G2 7.5mm CLEAR, LAMINATED, INTERLAYER COLOR: CLEAR  
G3 7.5mm CLEAR, LAMINATED, INTERLAYER COLOR: ARCTIC SNOW  
G4 8.0mm CLEAR, FIRE-RATED CERAMIC GLAZING, MATCH RATING OF OPNG.  
G5 4.0mm(x2) ULTRACLEAR, TEMPERED, 2 LITES + INTEGRAL BINDS  
G6 12.5mm SAFETY, LEAD BORATE GLASS, SEE SPECIFICATIONS  
G7 12.5mm SAFETY, LASER RATED, SEE SPECIFICATIONS

**INSULATING:**  
IG1 1 INCH INSULATING, VISION LITE  
IG2 1 INCH INSULATING, SPANDREL LITE

**SPECIALTY GLASS:**  
RG1 RF-SHIELDED GLASS AT MRI ROOM TO BE PROVIDED UNDER RF-SHIELDED ENCLOSURE PACKAGE


### H8 INT WIN HEAD - STUD

SCALE: 3" = 1'-0"




### F8 INT WIN SILL - STUD

SCALE: 3" = 1'-0"




### F10 INT WIN JAMB - STUD

SCALE: 3" = 1'-0"



### WINDOW LEGEND



TUSCALOOSA COUNTY DHR  
PROJECT ADDRESS PENDING

WINDOW DETAILS

GMC # ABHM220021  
SBC # [ENTER VALUE]




A6.11  
sheet of

ISSUE	DATE
BID SET	09/09/2024
ADDENDUM 6	10/17/2024
2	


DRAWN BY: Author  
CHECKED BY: Checker

2400 5th Avenue South, Suite 200  
Birmingham, AL 35233  
T 205.879.4462  
GMCNETWORK.COM





1 2 3 4 5 6 7 8 9 10 11 12




**H1 WOMEN 1206 / MEN 1207**  
SCALE: 1/4" = 1'-0"

**H5 RESTROOM 1101 / LAUNDRY 1100**  
SCALE: 1/4" = 1'-0"

**H7 RESTROOM 1101 - 1**  
SCALE: 3/8" = 1'-0"

**H9 LAUNDRY 1100**  
SCALE: 3/8" = 1'-0"

**H11 FAMILY RESTROOM 1084**  
SCALE: 1/4" = 1'-0"




**F1 WOMEN 1206 - 1**  
SCALE: 3/8" = 1'-0"

**F5 MEN 1301 / WOMEN 1302**  
SCALE: 1/4" = 1'-0"

**F8 FAMILY RESTROOM 1084 - 1**  
SCALE: 3/8" = 1'-0"

**F10 FAMILY RESTROOM 1084 - 2**  
SCALE: 3/8" = 1'-0"




**C1 WOMEN 1206 - 2**  
SCALE: 3/8" = 1'-0"

**C5 WOMEN 1302**  
SCALE: 3/8" = 1'-0"

**C8 DIRECTORS RR 1108 / STORAGE 1107**  
SCALE: 1/4" = 1'-0"

**C10 FAMILY RESTROOM 1084 - 3**  
SCALE: 3/8" = 1'-0"



**A1 MEN 1207**  
SCALE: 3/8" = 1'-0"

**A5 MEN 1301**  
SCALE: 3/8" = 1'-0"

**A7 DIRECTORS RR 1108**  
SCALE: 3/8" = 1'-0"

**A9 STORAGE 1107**  
SCALE: 3/8" = 1'-0"

TOILET ACCESSORIES SCHEDULE		
ID	DESCRIPTION	CFCI / CFCI
TA01	DOUBLE TOILET TISSUE DISPENSER	CFCI
TA06	PAPER TOWEL DISP	CFCI
TA11	WASTE RECEPTACLE, SURFACE MOUNT, LARGE	CFCI
TA15	SOAP DISPENSER, SURFACE-MOUNT	CFCI
TA20	1/8" VERTICAL GRAB BAR	CFCI
TA21	3/6" HORIZONTAL GRAB BAR	CFCI
TA22	42" HORIZONTAL GRAB BAR	CFCI
TA23	FRAMED MIRROR	CFCI
TA24	24" HORIZONTAL GRAB BAR	CFCI
TA25	12" HORIZONTAL GRAB BAR	CFCI
TA26	ROBE HOOK	CFCI
TA29	SANITARY NAPKIN RECEPTACLE	CFCI
TA45	URINAL PARTITION SCREEN	HIDE
TA50	ADA COMPLIANT HAND DRYER	CFCI
TA55	DIAPER CHANGING STATION, SURFACE-MOUNT	CFCI
TA56	UNDERLAVATORY GUARD	CFCI
TA60	1MOP & BROOM HOLDER WITH UTILITY SHELF	CFCI

ISSUE DATE	ISSUE
09/09/2024	BID SET
10/17/2024	ADDENDUM 6

DRAWN BY: Author  
CHECKED BY: Checker

TUSCALOOSA COUNTY DHR  
PROJECT ADDRESS PENDING

GMC # ABHM220021  
SBC # [ENTER VALUE]



INTERIOR  
ELEVATIONS


**A7.01**  
sheet\_of

10/17/2024 2:23:50 PM TEMPLATE VERSION: 20211




**FINISH NOTES**


<p><b>FLOORS:</b></p> <ul style="list-style-type: none"> <li>- REFER TO FLOOR FINISH PLANS FOR FLOOR PATTERN. CONTRACTOR TO NOTIFY INTERIOR DESIGNER BEFORE INSTALLATION OF FLOORING TO REVIEW DESIGN INTENT OF FLOOR PATTERN PLAN</li> <li>- ALL FLOORING TRANSITIONS INCLUDING TRANSITIONS TO SIMILAR MATERIAL OR REDUCER STRIPS AND OTHER THRESHOLDS TO DISSIMILAR MATERIAL SHALL BE LOCATED AT THE CENTERLINE OF DOOR WHEN IN CLOSED POSITION. COLORS SHALL BE SELECTED IN CA. REFER TO DETAILS FOR TRANSITIONS BETWEEN FLOORING MATERIAL. CONTRACTOR TO PROVIDE TRANSITION SIZES APPROPRIATE FOR THICKNESS</li> <li>- FLOORING MATERIALS ARE TO BE INSTALLED IN MANNER TO AVOID ALL SLIVER CUTS LESS THAN 4" WIDE @ WALL PERIMETERS &amp; MATERIAL TRANSITIONS. CONTACT DESIGNER IF JOBSITE CONDITIONS DIFFER.</li> <li>- INSTALL FLOORING UNDER ALL CASEWORK, MILLWORK, EQUIPMENT, &amp; FURNITURE</li> <li>- ALIGN VERTICAL GROUT LINES OF TILE BASE TO THOSE IN THE FLOOR TILE UNLESS NOTED OTHERWISE</li> </ul>	<p><b>WALLS:</b></p> <ul style="list-style-type: none"> <li>- REFER TO FINISH PLANS &amp; ELEVATIONS FOR LOCATION OF ACCENT PAINT COLORS</li> <li>- ALL HOLLOW METAL DOOR &amp; WINDOW FRAMES TO BE PAINTED (PNT-2) UNLESS OTHERWISE NOTED</li> <li>- ALL ACCESS PANELS AND MISCELLANEOUS METAL (RETURN AND AIR SUPPLY GRILLES, EXPANSION JOINTS, ETC.) LOCATED ON WALL SURFACES OR CEILING SURFACES TO BE PAINTED WALL OR CEILING COLOR U.N.O.</li> <li>- WALL BASE TO BE INSTALLED ON ALL WALLS, U.N.O. RESTROOMS U.N.O.</li> <li>- WALL TILE TO BE INSTALLED ON ALL WALLS IN RESTROOMS U.N.O.</li> <li>- INSTALL FINISH STRIP EQUAL TO SCHLUTER "JOLLY" AT ALL EXPOSED TILE EDGES &amp; SCHLUTER "QUADEC" AT CORNERS.</li> <li>- INSTALL COVE TRANSITION EQUAL TO SCHLUTER DILEX-AHK AT ALL TILE FLOOR TO TILE BASE/WALL CONDITIONS</li> <li>- INSTALL 3MM EDGE BAND ON ALL PLASTIC LAMINATE COUNTERTOPS AND CABINETS.</li> <li>- ALL WINDOWS TO HAVE SOLID SURFACE (SS-4) SILL U.N.O.</li> <li>- GROMMET LOCATIONS TO BE COORDINATED WITH OWNER</li> <li>- FIELD VERIFY ALL DIMENSIONS FOR MILLWORK PRIOR TO FABRICATION &amp; INSTALLATION</li> <li>- ALL EXPOSED ENDS AND EXPOSED INTERIORS OF MILLWORK TO RECEIVE MATCHING LAMINATES</li> <li>- ALL CABINETS IN RESTROOMS TO BE LOCKABLE</li> </ul>	<p><b>MISC:</b></p> <ul style="list-style-type: none"> <li>- DOOR LABELS ON RATED DOORS ARE TO REMAIN UNPAINTED</li> <li>- PROVIDE BLOCKING AS REQUIRED AT ALL TELEVISION LOCATIONS - COORDINATE WITH OWNER'S EQUIPMENT</li> <li>- PROVIDE BLOCKING FOR GRAB BARS AND TOILET ACCESSORIES IN RESTROOMS</li> <li>- REFER TO RCP FOR ACCENT PAINT COLOR LOCATIONS IN CEILING - WHERE CEILING ARE CALLED OUT TO BE PAINTED, BOTH CEILING AND SOFFIT/BULKHEAD WALLS ARE TO BE PAINTED ACCENT COLOR</li> <li>- BUNDS ARE TAGGED ON THE RCP</li> <li>- NON ADA TOILET FIXTURES TO BE CENTERED IN STALL</li> <li>- WALL TILE TO BE INSTALLED TO CEILING ON ALL WALLS</li> <li>- CAULK ALL DOOR FRAMES, MILLWORK, AND VIEW WINDOW FRAMES AFTER WALLCOVERING INSTALLATION IS COMPLETE. COLOR OF CAULK TO MATCH ADJACENT FINISH.</li> <li>- ALL PARTIES RESPONSIBLE FOR DELIVERING FINISHES TO THE SITE SHALL CHECK AVAILABILITY OF QUANTITIES AND DELIVERY DATES AS SOON AS BID IS AWARDED</li> </ul>	<p><b>RCP NOTES:</b></p> <ul style="list-style-type: none"> <li>- ALL SPRINKLER HEADS IN FINISHED CEILINGS ALL SHALL BE CENTERED IN CEILING TILE. SPRINKLER HEADS SHALL NOT BE PAINTED.</li> <li>- INTERIOR CEILING HEIGHTS AS INDICATED ON THE REFLECTED CEILING PLANS.</li> <li>- WHERE EXIT SIGNS ARE LOCATED ABOVE DOORWAYS, CENTER ABOUT DOOR, BUT MAINTAIN MINIMUM OVERHEAD CLEARANCE.</li> <li>- IN EXPOSED CEILINGS (EXP-2) ALL EXPOSED ELEMENTS NOT LIMITED TO TRUSS SYSTEM, ACOUSTICAL DECK, DUCTWORK, CONDUIT, AND PIPING TO BE PAINTED</li> <li>- ALL GYP CEILINGS TO BE PAINTED (PNT-3) UNLESS OTHERWISE NOTED IN RCP</li> <li>- DO NOT INSTALL CEILING TILE LESS THAN 6" IN ANY DIRECTION - WHEN POSSIBLE CENTER TILE IN ROOM.</li> <li>- PROVIDE 6% IN 2' X 4' SIZE FOR EACH TYPE OF CEILING TILE TO REMOVE SLIVER TILES FROM CEILINGS WHERE NECESSARY</li> </ul>
--	--	---	--




**E1 HARD TILE TO CARPET**  
SCALE: 3"=1'-0"




**E2 CARPET TO CONCRETE**  
SCALE: 3"=1'-0"




**E5 4.5 MM LVT TO CARPET**  
SCALE: 3"=1'-0"




**C1 HTF to HTB**  
SCALE: 3"=1'-0"



**C2 METAL COVE - HTW TO HTF**  
SCALE: 3"=1'-0"



**C5 5 MM LVT TO CARPET**  
SCALE: 3"=1'-0"



**A1 AT EXPOSED HTW CORNERS**  
SCALE: 12"=1'-0"

**FINISH LEGEND**

FLOOR			WALL			MISC		
NUMBER	TYPE	DETAIL DESCRIPTION	NUMBER	TYPE	DETAIL DESCRIPTION	NUMBER	TYPE	DETAIL DESCRIPTION
CPT-1	CARPET	MANUFACTURER: TARKETT STYLE NAME: FALLOW GROUND - 11598 COLOR: G2902 TOASTED TAUPE SIZE: 24" x 24" INSTALLATION: VERTICAL ASHLAR LOCATION: OFFICES & CORRIDORS	PNT-1	[GENERAL/MAIN PAINT]	MANUFACTURER: SHERWIN WILLIAMS COLOR: CRUSHED ICE LOCATION: MAIN	PL-1	PLASTIC LAMINATE [TYP. FACE]	MANUFACTURER: FORMICA COLOR: SMOKEY BROWN PEAR FINISH: OILED WOOD FINISH LOCATION: BREAKROOMS & WORKROOMS
CPT-2	CARPET	MANUFACTURER: EF CONTRACT STYLE NAME: VEIL COLOR: VLT57 - OVERCAST SIZE: 12" x 48" INSTALLATION: ASHLAR LOCATION: CONFERENCE ROOMS	PNT-2	[TRIM PAINT]	MANUFACTURER: SHERWIN WILLIAMS COLOR: PORPOISE LOCATION: TRIM	PL-2	PLASTIC LAMINATE [TYP TOP]	MANUFACTURER: WILSONART COLOR: WHITE CYPRESS LOCATION: RESTROOMS
LVT-1	LUXURY VINYL TILE	MANUFACTURER: INTERFACE STYLE NAME: STUDIO SET COLOR: A00706 MUSHROOM SIZE: 25CM x 1M INSTALLATION: 1/3 LAP LOCATION: FAMILY VISITATION	PNT-3	[MAIN CEILING/SOFFIT PAINT]	MANUFACTURER: SHERWIN WILLIAMS COLOR: PURE WHITE LOCATION: GYP CEILINGS	PL-3	PLASTIC LAMINATE [TYP TOP]	MANUFACTURER: WILSONART COLOR: GREY LOCATION: WORKROOMS
LVT-2	LUXURY VINYL TILE	MANUFACTURER: BENTLEY STYLE NAME: COLONNADE COLOR: BRUTALIST SIZE: 18" x 36" INSTALLATION: 1/3 LAP LOCATION: RESTROOMS	PNT-4	[PAINT]	MANUFACTURER: SHERWIN WILLIAMS COLOR: AMAZING GRAY LOCATION: CONFERENCE ROOMS	SS-1	SOLID SURFACE	MANUFACTURER: WILSONART COLOR: GOLDEN SAIL THICKNESS: 1/2" LOCATION: BREAKROOMS
HTF-1	HARD FLOOR TILE	MANUFACTURER: DAL TILE STYLE NAME: CONSULATE COLOR: PREMIER GREY SIZE: 12" x 24" INSTALLATION: BRICK GROUT: TBD LOCATION: RESTROOMS	HTW-1	HARD WALL TILE	MANUFACTURER: DAL TILE STYLE NAME: PORTFOLIO COLOR: ICE SIZE: 12" x 24" INSTALLATION: MONOLITHIC GROUT: TBD LOCATION: RESTROOMS	SS-2	SOLID SURFACE	MANUFACTURER: WILSONART COLOR: YUKON RIVERSTONE THICKNESS: 1/2" LOCATION: RESTROOMS
HTF-2	HARD FLOOR TILE	MANUFACTURER: ATLAS CONCORDE STYLE NAME: PATH COLOR: SILVER PEARL SIZE: 12" x 24" INSTALLATION: BRICK GROUT: TBD LOCATION: LOBBY & BREAK ROOM	HTW-2	HARD WALL TILE	MANUFACTURER: SOUTH CYPRESS STYLE NAME: POWDER COLOR: WOOL CRACKLE SIZE: 2.5" x 10" INSTALLATION: BRICK GROUT: TBD LOCATION: BREAKROOMS	SS-3	SOLID SURFACE	MANUFACTURER: Lx HAUGS HIMACS SOLID SURFACE COLOR: AURORA GREY M608 THICKNESS: 1/2" LOCATION: RECEPTION DESK
SC-1	SEALED CONCRETE	CLEAR SEALED ON CLEANED CONCRETE PROVIDED BY CONCRETE SUB-CONTRACTOR TYP.	HTW-3	HARD WALL TILE	MANUFACTURER: PORCELANOSA STYLE/COLOR: ELEMENTS PATTERN WIND SIZE: 12" x 12" MOSAIC GROUT: TBD LOCATION: BREAKROOMS	SS-4	SOLID SURFACE	MANUFACTURER: CORIAN COLOR: ASH CONCRETE THICKNESS: 1/2" LOCATION: WINDOW SILLS
WOC-1	WALK OFF CARPET TILE	MANUFACTURER: MANNINGTON STYLE: RUFFIAN II COLOR: BROWN BRANCHES SIZE: 24" x 24" LOCATION: VESTIBULE	HTW-4	HARD WALL TILE	MANUFACTURER: DAL TILE STYLE: MINUTE MOSAIX - NATURAL STONE COLOR: CARRARA WHITE M701 SIZE: RANDOM MOSAIC GROUT: TBD LOCATION: RESTROOM ACCENT	TS-1	TACKABLE SURFACE FABRIC	MANUFACTURER: CARNEGIE STYLE NAME: XOREL - METEOR COLOR: 766 INSTALLATION: ON 1/2" CORK LOCATION: RECEPTION DESK
			WP-1	WALL PROTECTION	MANUFACTURER: KOROSEAL STYLE: KOROGARD COLOR: RELAXED GRAY (5A) SHEET SIZE: 4' x 8' THICKNESS: 0.040" LOCATION: LOBBY WHERE NOTED ON FINISH PLAN	TP-1	TOILET PARTITIONS	MANUFACTURER: EQUAL TO: ASI GLOBAL STYLE NAME: BLACK CORE PHENOLIC TOILET PARTITIONS COLOR: SILVER GRAY 3000 LOCATION: RESTROOMS
						CG-1	CORNER GUARDS	MANUFACTURER: INFRO STYLE NAME: TAPE ON CORNER GUARD RIGID VINYL COLOR: SHARKSKIN SIZE: FULL HEIGHT LOCATION: LOBBY AND ALL EXPOSED GYP CORNERS IN CORRIDORS
						CR-1	CHAIR RAILS	MANUFACTURER: EQUAL TO: EF SAN JUAN STYLE NAME: C4047 COLOR: PNT-1 LOCATION: SEE FINISH SCHEDULE
						CRN-1	CROWN MOULDING	MANUFACTURER: EQUAL TO: EF SAN JUAN STYLE NAME: CR3001 COLOR: PNT-1 LOCATION: SEE FINISH SCHEDULE
						BLINDS	WINDOW BLINDS	PRODUCT EQUAL TO FAUX WOOD HORIZONTAL COLLECTION STYLE: 2" BLINDS COLOR: TBD LOCATION: TAGGED AS WB-1 IN RCP
						SCHLUTER	SCHLUTER COVE PROFILE	PRODUCT EQUAL TO: SCHLUTER DILEX-AHK LOCATION: ALL HTF TO HTB/HTW CONDITIONS
						SCHLUTER	SCHLUTER EDGE PROFILE	PRODUCT EQUAL TO: SCHLUTER JOLLY LOCATION: ALL EXPOSED TILE EDGES & CORNERS

**BASE**


NUMBER	TYPE	DETAIL DESCRIPTION
RB-1	RUBBER BASE	MANUFACTURER: TARKETT STYLE NAME: BASEWORKS THERMOSET COLOR: 29 MOON ROCK SIZE: 4" W COVE LOCATION: WHERE SCHEDULED
HTB-1	HARD TILE BASE	MANUFACTURER: ATLAS CONCORDE STYLE NAME: PATH COLOR: SILVER PEARL SIZE: 4" H WITH METAL SCHLUTER COVE TRANSITION PIECE GROUT: TBD LOCATION: LOBBY & BREAK ROOM
MB-1	METAL BASE	MANUFACTURER: SCHLUTER STYLE NAME: DESIGNBASE-SL COLOR: SATIN ANODIZED ALUMINUM SIZE: 3 1/8" H LOCATION: RECEPTION DESK

**SPECIALTY EQUIPMENT SCHEDULE**

ID	DESCRIPTION	OF CI / CFCI
51	RESIDENTIAL WASHER	CFCI
52	RESIDENTIAL DRYER	CFCI
53	COFFEE MAKER - BY OWNER	CFCI
54	MICROWAVE	CFCI
58	REFRIGERATOR/FREEZER - SIDE BY SIDE	CFCI
59	ICE MAKER - COORDINATE PLUMBING & ELEC	CFCI
510	VENDING MACHINE - COORDINATE ELEC	CFCI
532	TV - WALL MOUNTED - OWNER FURNISHED - GC TO COORDINATE POWER, DATA, WALL BLOCKING	CFCI
533	TV - WALL MOUNTED - OWNER FURNISHED - GC TO COORDINATE POWER, DATA, WALL BLOCKING	CFCI
WB-1	WINDOW COVERINGS - MANUAL 2" FAUX WOOD BLIND	CFCI

**TOILET ACCESSORIES SCHEDULE**

ID	DESCRIPTION	OF CI / CFCI
TA01	DOUBLE TOILET TISSUE DISPENSER	CFCI
TA08	PAPER TOWEL DISP	CFCI
TA11	WASTE RECEPTACLE, SURFACE MOUNT, LARGE	CFCI
TA15	SOAP DISPENSER, SURFACE-MOUNT	CFCI
TA20	18" VERTICAL GRAB BAR	CFCI
TA21	36" HORIZONTAL GRAB BAR	CFCI
TA22	42" HORIZONTAL GRAB BAR	CFCI
TA23	FRAMED MIRROR	CFCI
TA24	24" HORIZONTAL GRAB BAR	CFCI
TA25	12" HORIZONTAL GRAB BAR	CFCI
TA26	ROBE HOOK	CFCI
TA29	SANITARY NAPKIN RECEPTACLE	CFCI
TA45	URINAL PARTITION SCREEN	HIDE
TA50	ADA COMPLIANT HAND DRYER	CFCI
TA55	DIAPER CHANGING STATION, SURFACE-MOUNT	CFCI
TA58	UNDERLAVATORY GUARD	CFCI
TA60	MOP & BROOM HOLDER WITH UTILITY SHELF	CFCI



2400 5th Avenue South, Suite 200  
Birmingham, AL 35233  
T 205.879.4462  
GMCNETWORK.COM

**ISSUE DATE**

ISSUE DATE	BID SET	ADDENDUM
09/09/2024		
10/17/2024		2

DRAWN BY: Author  
CHECKED BY: Checker

TUSCALOOSA COUNTY DHR  
PROJECT ADDRESS PENDING



GMC # ABHM220021  
SBC # [ENTER VALUE]

FINISH LEGEND AND DETAILS  
A8.01  
sheet of

ROOM FINISH SCHEDULE							
ROOM #	ROOM NAME	FLOOR	BASE	WALL	CABINET	COUNTERTOP	COMMENTS
1000	VESTIBULE	WOC-1	RB-1	FNT-1	-	-	
1001	LOBBY	HTF-2	HTB-1	FNT-1, WP-1, HTW-1	PL-1	55-3	CHAIR RAIL ALL WALLS, CORNER GUARDS ALL EXPOSED GYP CORNERS
1002	CORRIDOR	CPT-1	RB-1	FNT-1	-	-	CORNER GUARDS ALL EXPOSED GYP CORNERS
1003	TRAINING	CPT-2	RB-1	FNT-4	PL-1	PL-3	CHAIR RAIL ALL WALLS
1004	STORAGE	LVT-2	RB-1	FNT-1	PL-1	-	
1005	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1006	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1007	WORKROOM	LVT-2	RB-1	FNT-1	PL-1	PL-3	
1008	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1009	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1010	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1011	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1012	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1013	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1014	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1015	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1016	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1017	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1018	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1019	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1020	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1021	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1022	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1023	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1024	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1025	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1026	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1027	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1028	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1029	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1030	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1031	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1032	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1033	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1034	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1035	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1036	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1037	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1038	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1039	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1040	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1041	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1042	CENTRAL SUPPLY	LVT-2	RB-1	FNT-1	PL-1	-	
1043	FIRE RISER	SC-1	RB-1	FNT-1	-	-	
1044	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1045	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1046	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1047	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1048	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1049	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1050	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1051	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1052	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1053	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1054	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1055	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1056	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1057	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1058	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1059	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1060	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1061	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1062	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1063	WORKROOM	LVT-2	RB-1	FNT-1	PL-1	PL-3	
1064	LEGAL OFFICE	CPT-1	RB-1	FNT-1	-	-	
1065	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1066	LEGAL OFFICE	CPT-1	RB-1	FNT-1	-	-	
1067	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1069	LEGAL OFFICE	CPT-1	RB-1	FNT-1	-	-	
1070	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1071	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1072	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1073	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1074	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1075	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1076	ILP STORAGE	LVT-2	RB-1	FNT-1	PL-1	-	
1077	IDF	SC-1	RB-1	FNT-1	-	-	
1078	CAR SEAT STORAGE	LVT-2	RB-1	FNT-1	PL-1	-	
1079	EL	SC-1	RB-1	FNT-1	-	-	
1080	FAMILY VISITATION 1	LVT-1	RB-1	FNT-1	PL-1	PL-3	
1081	OBSERVATION	CPT-1	RB-1	FNT-1	PL-1	PL-3	
1082	MEETING	CPT-2	RB-1	FNT-4	-	-	CHAIR RAIL ALL WALLS
1083	FAMILY VISITATION 2	LVT-1	RB-1	FNT-1	PL-1	PL-3	
1084	FAMILY RR	HTF-1	SCHLUTER COVE	HTW-1, HTW-4 ACCENT	PL-2	55-2	TILE # ACCENT STRIP ALL WALLS
1085	FAMILY VISITATION 3	LVT-1	RB-1	FNT-1	PL-1	PL-3	
1086	MECHANICAL	SC-1	RB-1	FNT-1	-	-	
1087	WORKROOM	LVT-2	RB-1	FNT-1	PL-1	PL-3	
1088	ELEC	SC-1	RB-1	FNT-1	-	-	
1089	JAN	SC-1	RB-1	FNT-1	-	-	
1090	SERVER	SC-1	RB-1	FNT-1	-	-	
1100	LAUNDRY	HTF-1	HTB-1	FNT-1	PL-2	55-2	TILE # ACCENT STRIP ALL WALLS
1101	RESTROOM	HTF-1	SCHLUTER COVE	HTW-1, HTW-4 ACCENT	PL-2	55-2	TILE # ACCENT STRIP ALL WALLS
1102	BREAK	HTF-2	HTB-1	FNT-1, HTW-2 # HTW-3 BACKSPLASH	PL-1	55-1	
1103	BOARD	CPT-2	RB-1	FNT-4	PL-1	55-3	CHAIR RAIL & CROWN MOULDING ALL WALLS
1104	ELEC	SC-1	RB-1	FNT-1	-	-	
1105	STORAGE	LVT-2	RB-1	FNT-1	PL-1	-	
1106	DIRECTOR'S OFFICE	CPT-1	RB-1	FNT-1	PL-1	55-3	CHAIR RAIL & CROWN MOULDING ALL WALLS
1107	STOR	CPT-1	RB-1	FNT-1	PL-1	-	

ROOM FINISH SCHEDULE							
ROOM #	ROOM NAME	FLOOR	BASE	WALL	CABINET	COUNTERTOP	COMMENTS
1108	DIR RR	HTF-1	SCHLUTER COVE	HTW-1, HTW-4 ACCENT	PL-2	55-2	TILE # ACCENT STRIP ALL WALLS
1109	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1110	STORAGE	LVT-2	RB-1	FNT-1	PL-1	-	
1111	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1112	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1113	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1114	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1115	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1116	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1117	FINANCIAL	CPT-1	RB-1	FNT-1	-	-	
1118	STORAGE	CPT-1	RB-1	FNT-1	-	-	
1119	OFFICE SDHR TANF	CPT-1	RB-1	FNT-1	-	-	
1120	OFFICE SDHR CS	CPT-1	RB-1	FNT-1	-	-	
1121	OFFICE SDHR QA	CPT-1	RB-1	FNT-1	-	-	
1122	OFFICE SDHR CS	CPT-1	RB-1	FNT-1	-	-	
1123	OFFICE SDHR AUDIT	CPT-1	RB-1	FNT-1	-	-	
1124	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1125	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1126	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1127	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1128	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1129	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1130	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1131	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1132	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1133	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1134	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1135	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1136	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1137	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1138	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1139	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1140	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1141	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1142	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1143	WORKROOM	LVT-2	RB-1	FNT-1	PL-1	PL-3	
1144	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1145	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1146	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1147	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1148	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1149	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1150	IDF	LVT-2	RB-1	FNT-1	-	-	
1151	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1152	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1153	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1154	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1155	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1156	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1157	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1158	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1159	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1160	WORK ROOM	LVT-2	RB-1	FNT-1	PL-1	PL-3	
1161	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1162	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1163	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1164	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1165	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1166	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1167	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1168	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1169	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1170	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1171	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1172	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1173	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1174	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1175	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1176	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1177	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1178	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1179	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1180	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1181	WORKROOM	LVT-2	RB-1	FNT-1	PL-1	PL-3	
1182	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1183	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1184	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1185	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1186	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1187	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1188	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1189	MEETING	CPT-2	RB-1	FNT-4	-	-	CHAIR RAIL ALL WALLS
1190	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1191	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1192	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1194	OFFICE	CPT-1	RB-1	FNT-1	-	-	
1195	OFFICE SUPR	CPT-1	RB-1	FNT-1	-	-	
1196	INTAKE	CPT-1	RB-1	FNT-1	-	-	
1197	JSP MTG	CPT-2	RB-1	FNT-4	-	-	CHAIR RAIL ALL WALLS
1200	CLERICAL/MAIL	LVT-2	RB-1	FNT-1	PL-1	PL-3	
1201	CS	LVT-2	RB-1	FNT-1	PL-1	PL-3	
1202	MAIL	LVT-2	RB-1	FNT-1	PL-1	PL-3	
1203	CENTRAL FILE ROOM	LVT-2	RB-1	FNT-1	PL-1	PL-3	
1204	CH FILE	LVT-2	RB-1	FNT-1	-	-	
1205	CS / CAN FILE	LVT-2	RB-1	FNT-1	-	-	
1206	WOMENS	HTF-1	SCHLUTER COVE	HTW-1, HTW-4 ACCENT	PL-2	55-2	TILE # ACCENT STRIP ALL WALLS
1206A	STOR	LVT-2	RB-1	FNT-1	-	-	
1207	MENS	HTF-1	SCHLUTER COVE	HTW-1, HTW-4 ACCENT	PL-2	55-2	TILE # ACCENT STRIP ALL WALLS
1301	MENS	HTF-1					