

1 A4.10 SOUTH ELEVATION
SCALE: 1/8" = 1'-0"



2 A4.10 SOUTH ELEVATION
SCALE: 1/8" = 1'-0"



3 A4.10 SOUTH ELEVATION
SCALE: 1/8" = 1'-0"



4 A4.10 WEST ELEVATION
SCALE: 1/8" = 1'-0"



5 A4.10 WEST ELEVATION
SCALE: 1/8" = 1'-0"

PEACOCK
ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30323
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERAN'S VILLAGE
CARROLLTON, GA 30117

STATE OF GEORGIA
CHRISTOPHER PEACOCK
CERTIFICATE NO. 020
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03/11	ADDENDUM 2

PROJECT NO.
429.01.00
DATE:
02/21/11
DRAWING TITLE:
EXTERIOR ELEVATIONS

A4.10

THIS DRAWING AND ANY REPRODUCTIONS ARE THE EXCLUSIVE AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET



1 / A4.11 NORTH ELEVATION
SCALE: 1/8" = 1'-0"



2 / A4.11 NORTH ELEVATION
SCALE: 1/8" = 1'-0"



3 / A4.11 NORTH ELEVATION
SCALE: 1/8" = 1'-0"



4 / A4.11 EAST ELEVATION
SCALE: 1/8" = 1'-0"



5 / A4.11 EAST ELEVATION
SCALE: 1/8" = 1'-0"

PEACOCK
ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404·214·5200 PHONE
404·214·5208 FAX

TRINKA DAVIS VETERANS VILLAGE
CARROLLTON, GA 30117

STATE OF GEORGIA
PEACOCK
CERTIFICATE OF REGISTERED ARCHITECT

	DATE	REVISION
	02/21/11	ISSUE FOR BID
1	03.11	ADDENDUM 2

PROJECT NO
229.01.00
DATE
02/21/11
DRAWING TITLE:
EXTERIOR ELEVATIONS

A4.11

THIS DRAWING AS C ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET



1 A4.12 CLC ELEVATION
SCALE: 1/8" = 1'-0"



2 A4.12 COURTYARD ELEVATION
SCALE: 1/8" = 1'-0"



3 A4.12 CLUBHOUSE ELEVATION
SCALE: 1/8" = 1'-0"



4 A4.12 COURTYARD ELEVATION
SCALE: 1/8" = 1'-0"



5 A4.12 ENGINEERING ELEVATION
SCALE: 1/8" = 1'-0"



6 A4.12 CLC ENTRY ELEVATION
SCALE: 1/8" = 1'-0"



7 A4.12 COURTYARD ELEVATION
SCALE: 1/8" = 1'-0"

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERAN'S VILLAGE
CARROLLTON GA 30117

STATE OF GEORGIA
ROBERT PEACOCK
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03/11/11	ADDENDUM 2

PROJECT NO:
224.01.00
DATE:
02/21/11
DRAWING TITLE:
EXTERIOR ELEVATIONS

A4.12

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET



1 A4.13 CBOC ELEVATION
SCALE: 1/8" = 1'-0"



2 A4.13 COVERED WALKWAY ELEVATION
SCALE: 1/8" = 1'-0"



3 A4.13 COVERED WALKWAY ELEVATION
SCALE: 1/8" = 1'-0"



4 A4.13 WALKWAY SECTION
SCALE: 1/2" = 1'-0"



5 A4.13 WALKWAY SECTION
SCALE: 1/2" = 1'-0"



6 A4.13 PLAN DETAIL
SCALE: 3/4" = 1'-0"



7 A4.13 PLAN DETAIL
SCALE: 3/4" = 1'-0"

PEACOCK
ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERAN'S VILLAGE
CARROLLTON GA 30117

STATE OF GEORGIA
H. DEAN PEACOCK
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03.11.11	ADDENDUM 2
03.18.11	ADDENDUM 3

PROJECT NO.
229.01.00
DATE
02/21/11
DRAWING TITLE:
EXTERIOR ELEVATIONS & DETAILS

A4.13

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER, WITHOUT THE EXPRESSED WRITTEN PERMISSION

teamwork://designserver/TDVV DD SET



1 A4.40 CBOC FRONT SECTION
SCALE: 1/4" = 1'-0"



2 A4.40 CBOC CANOPY SECTION
SCALE: 1/4" = 1'-0"



3 A4.40 CBOC FRONT SECTION
SCALE: 1/4" = 1'-0"



4 A4.40 CBOC FRONT SECTION
SCALE: 1/4" = 1'-0"

PEACOCK
ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE
CARROLLTON GA 30117

STATE OF GEORGIA
CHRISTOPHER PEACOCK
CERTIFICATE NO. 020
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03/11	ADDENDUM 2

PROJECT NO.
2230.00
DATE:
02/21/11
DRAWING TITLE:
BUILDING SECTIONS - CBOC

A4.40

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET



1 A4.41 **CBOC FRONT SECTION**
SCALE: 1/4" = 1'-0"



2 A4.41 **CBOC LOBBY SECTION**
SCALE: 1/4" = 1'-0"



3 A4.41 **CBOC FRONT SECTION**
SCALE: 1/4" = 1'-0"



4 A4.41 **CBOC FRONT SECTION**
SCALE: 1/4" = 1'-0"

PEACOCK
ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAG
CARROLLTON GA 30117

STATE OF GEORGIA
PEACOCK
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03/11	ADDENDUM 2

PROJECT NO:
229.0100
DATE:
02/21/11
DRAWING TITLE:
BUILDING SECTIONS-CBOC

A4.41

THIS DRAWING AND ANY REPRODUCTIONS ARE SOLE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET



1/A4.4 — 1/A4.42 CLC SECTION

SCALE: 1/4" = 1'-0"



2/A4.42 CLC SECTION

SCALE: 1/4" = 1'-0"



3/A4.42 CLC SECTION

SCALE: 1/4" = 1'-0"

PEACOCK
ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERAN'S VILLAGE
CARROLLTON GA 30117

STATE OF GEORGIA
REGISTERED ARCHITECT

	DATE	REVISION
	02/21/11	ISSUE FOR BID
1	03.11.11	ADDENDUM 2
2	11/21/11	REVISION 2

PROJECT NO: 2230100
DATE: 02/21/11
DRAWING TITLE: BUILDING SECTIONS - CLC

A4.42

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET



1 A4.43 ENGINEERING SECTION
SCALE: 1/4" = 1'-0"



2 A4.43 TOWER SECTION
SCALE: 1/4" = 1'-0"



3 A4.43 TOWER SECTION
SCALE: 1/4" = 1'-0"



4 A4.43 CORRIDOR SECTION
SCALE: 1/4" = 1'-0"



5 A4.43 CLUBHOUSE SECTION
SCALE: 1/4" = 1'-0"



6 A4.43 CLUBHOUSE SECTION
SCALE: 1/4" = 1'-0"



7 A4.43 LOBBY SECTION
SCALE: 1/4" = 1'-0"



8 A4.43 CLUBHOUSE SECTION
SCALE: 1/4" = 1'-0"



9 A4.43 LOBBY SECTION
SCALE: 1/4" = 1'-0"

PEACOCK
ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE

CARROLLTON GA 30117

STATE OF GEORGIA
CLINT PEACOCK
CERTIFICATE NUMBER
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03/1/11	ADDENDUM 2

PROJECT NO.
229.0160
DATE:
02/21/11
DRAWING TITLE:
BUILDING SECTIONS - COMMON AREA

A4.43

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS AND AS SUCH MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET



1 A4.44 CHAPEL 306-1
SCALE: 1/4" = 1'-0"



2 A4.44 CHAPEL 306-2
SCALE: 1/4" = 1'-0"



3 A4.44 CHAPEL 306-3
SCALE: 1/4" = 1'-0"



4 A4.44 CHAPEL 306-4
SCALE: 1/4" = 1'-0"



5 A4.44 CBOC WATER FEATURE
SCALE: 3/8" = 1'-0"



6 A4.44 CLUBHOUSE WATER FEATURE
SCALE: 3/8" = 1'-0"



7 A4.44 WAITING PARTITION
SCALE: 3/8" = 1'-0"



8 A4.44 SECTION
SCALE: 3/4" = 1'-0"



9 A4.44 SECTION
SCALE: 3/4" = 1'-0"



10 A4.44 SECTION
SCALE: 3/4" = 1'-0"



11 A4.44 MILLWORK SECTIONS
SCALE: 3/4" = 1'-0"

PEACOCK
ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERAN'S VILLAGE
CARROLLTON GA 30117

STATE OF GEORGIA
PEACOCK
CERTIFICATE NUMBER
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03/11	ADDENDUM 2

PROJECT NO.
229.01.00
DATE:
02/21/11
DRAWING TITLE:
INTERIOR BUILDING DETAILS

A4.44

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC

teamwork://designserver/TDVV DD SET



1 A4.45 — CLUBHOUSE COLUMN DETAIL
SCALE: 1" = 1'-0"



2 A4.45 — PLAN DETAIL
SCALE: 1" = 1'-0"



3 A4.45 — PLAN DETAIL
SCALE: 1" = 1'-0"



4 A4.45 — CLUBHOUSE COLUMN DETAIL
SCALE: 1" = 1'-0"



5 A4.45 — PLAN DETAIL
SCALE: 1" = 1'-0"



6 A4.45 — PANEL DETAIL
SCALE: 6" = 1'-0"



7 A4.45 — PLAN DETAIL
SCALE: 1" = 1'-0"



8 A4.45 — CBOC LOBBY
SCALE: 1 1/2" = 1'-0"



9 A4.45 — SECTION DETAIL
SCALE: 3" = 1'-0"



10 A4.45 — SECTION DETAIL
SCALE: 3" = 1'-0"



11 A4.45 — SECTION DETAIL
SCALE: 3" = 1'-0"



12 A4.45 — SECTION DETAIL
SCALE: 3" = 1'-0"



13 A4.45 — SECTION
SCALE: 3/4" = 1'-0"



14 A4.45 — SECTION
SCALE: 3/4" = 1'-0"



15 A4.45 — SECTION
SCALE: 3/4" = 1'-0"



16 A4.45 — SECTION
SCALE: 3/4" = 1'-0"



17 A4.45 — SECTION
SCALE: 3/4" = 1'-0"

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE
CARROLLTON GA 30117

STATE OF GEORGIA — JAMES PEACOCK — REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03/11/11	ADDENDUM 2
11/21/11	REVISION 2

PROJECT NO: 229.00
DATE: 02/21/11
DRAWING TITLE: INTERIOR BUILDING DETAILS

A4.45

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESS WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://dasignserver/TDVV DD SET



1 A4.46 CBOC WALL SECTION

SCALE: 1/2" = 1'-0"



2 A4.46 CLC WALL SECTION

SCALE: 1/2" = 1'-0"



3 A4.46 CLC WALL SECTION

SCALE: 1/2" = 1'-0"



4 A4.46 CLC WALL SECTION

SCALE: 1/2" = 1'-0"



5 A4.46 CBOC WALL SECTION

SCALE: 1/2" = 1'-0"



6 A4.46 ENGINEERING SECTION

SCALE: 1/2" = 1'-0"

PEACOCK
ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE

CARROLLTON GA 30117

STATE OF GEORGIA
H. DEAN PEACOCK
CERTIFICATE NO. 12225
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
3/8/11	ADDENDUM 2
03/18/11	ADDENDUM 3

DATE: 02/21/11

DRAWING TITLE: WALL SECTIONS

A4.46

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESS WRITTEN PERMISSION.

teamwork://designserver/TDVV DD SET



1 A4.47 **WATER FEATURE SECTION**

SCALE: 1/2" = 1'-0"



2 A4.47 **WATER FEATURE SECTION**

SCALE: 1/2" = 1'-0"



3 A4.47 **CBOC WALL SECTION**

SCALE: 1/2" = 1'-0"

4 A4.47 **CBOC WALL SECTION**

SCALE: 1/2" = 1'-0"

5 A4.47 **CBOC SECTION**

SCALE: 1/2" = 1'-0"



6 A4.47 **CLC WALL SECTION**

SCALE: 1/2" = 1'-0"

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE

CARROLLTON, GA 30117

DATE	REVISION
02/21/11	ISSUE FOR BID
03/11/11	ADDENDUM 2
03/18/11	ADDENDUM 3
10/27/11	REVISION 2

PROJECT NO: 2280100

DATE: 02/21/11

DRAWING TITLE: WALL SECTIONS

A4.47

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

J:\229.00.00 Veterans Administration\229.01.00 Carrollton Campus\CD's\TDVV CD SET SOLO.pln



1 A4.48 CLUB HOUSE WALL SECTION
SCALE: 1/2" = 1'-0"



2 A4.48 CBOC WALL SECTION
SCALE: 1/2" = 1'-0"



3 A4.48 ENGINEERING SECTION
SCALE: 1/2" = 1'-0"



4 A4.48 WATER FEATURE SECTION
SCALE: 1/2" = 1'-0"



5 A4.48 COURTYARD ELEVATION
SCALE: 1/2" = 1'-0"

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE
CARROLLTON, GA 30117

STATE OF GEORGIA — CHRISTOPHER PEACOCK — REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
3/11/11	ADDENDUM 2
03/18/11	ADDENDUM 3
10/27/11	REVISION 2

PROJECT NO: 229.01.00
DATE: 02/21/11
DRAWING TITLE: WALL SECTIONS

A4.48

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

J:\229.00.00 Veterans Administration\229.01.00 Carrollton Campus\CD's\TDVV CD SET SOLO.pln



1 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



2 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



3 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



4 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



5 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



6 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



7 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



8 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



9 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



10 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



11 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



12 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



13 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



14 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



15 A4.50 ENLARGED PLAN DETAIL
SCALE: 3/4" = 1'-0"



16 A4.50 PLAN DETAIL
SCALE: 3/4" = 1'-0"



17 A4.50 PLAN DETAIL
SCALE: 3/4" = 1'-0"



18 A4.50 PLAN DETAIL
SCALE: 3/4" = 1'-0"



19 A4.50 PLAN DETAIL
SCALE: 3/4" = 1'-0"



20 A4.50 PLAN DETAIL
SCALE: 3/4" = 1'-0"



21 A4.50 PLAN DETAIL
SCALE: 3/4" = 1'-0"



22 A4.50 PLAN DETAIL
SCALE: 3/4" = 1'-0"



23 A4.50 PLAN DETAIL
SCALE: 3/4" = 1'-0"



24 A4.50 PLAN DETAIL
SCALE: 3/4" = 1'-0"



25 A4.50 SECTION DETAIL
SCALE: 3/4" = 1'-0"

2

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERAN'S VILLAGE
CARROLLTON, GA 30117

STATE OF GEORGIA
PEACOCK
CERTIFICATE NO.
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03/11	

DRAWING TITLE: PLAN AND SECTION DETAILS

PROJECT NO: 228.01.00

DATE: 03/21/11

A4.50

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESS WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET



1 A4.51 CLUBHOUSE FIREPLACE SECTION

SCALE: 3/4" = 1'-0"



3 A4.51 CLUBHOUSE FIREPLACE PLAN DETAIL

SCALE: 3/4" = 1'-0"



6 A4.51 FIRE SHUTTER SECTION

SCALE: 3/4" = 1'-0"



2 A4.51 FIREPLACE SECTION

SCALE: 3/4" = 1'-0"



4 A4.51 CLC FIREPLACE PLAN DETAIL

SCALE: 3/4" = 1'-0"



5 A4.51 SECTION DETAIL

SCALE: 3/4" = 1'-0"

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERAN'S VILLAGE

CARROLLTON, GA 30117

STATE OF GEORGIA — JESSE PEACOCK — CERTIFICATE NO. — REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID

PROJECT NO: 229.0100

DATE: 02/21/11

DRAWING TITLE: PLAN AND SECTION DETAILS

A4.51

THE DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET



1 A4.52 WATER FEATURE PLAN DETAIL
SCALE: 1/2" = 1'-0"



2 A4.52 PLAN DETAIL
SCALE: 1/2" = 1'-0"



3 A4.52 WATER FEATURE DETAIL
SCALE: 1/2" = 1'-0"



6 A4.52 LOW ROOF SOFFIT DETAIL
SCALE: 1 1/2" = 1'-0"



4 A4.52 WEIR DETAIL
SCALE: 1 1/2" = 1'-0"



5 A4.52 SECTION DETAIL
SCALE: 1 1/2" = 1'-0"



7 A4.52 CLUBHOUSE SECTION DETAIL
SCALE: 1 1/2" = 1'-0"



8 A4.52 CLUBHOUSE SECTION DETAIL
SCALE: 1 1/2" = 1'-0"

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERAN'S VILLAGE
CARROLLTON, GA 30117

STATE OF GEORGIA
JAMES PEACOCK
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03/11	ADDENDUM 2
10/21/11	REVISION 2

PROJECT NO.
229.01.00
DATE
02/21/11
DRAWING TITLE
PLAN AND SECTION DETAILS

A4.52

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

J:\229.00.00 Veterans Administration\229.01.00 Carrollton Campus\CD's\1TDVV CD SET SOLO.pln



1 A4.53 **CBOC CAST STONE**
SCALE: 1 1/2" = 1'-0"



2 A4.53 **CBOC CAST STONE**
SCALE: 1 1/2" = 1'-0"



3 A4.53 **CBOC CAST STONE**
SCALE: 1 1/2" = 1'-0"

5-25-11





RFI 7

2 of 4

5-25-11





40 LB Per Linear Foot
32"+

RFI 7

4 of 4

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE

CARROLLTON GA 30117

STATE OF GEORGIA — JEFFREY PEACOCK — CERTIFICATE NO. 000000 — REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03.11.11	ADDENDUM 2

PROJECT NO
223.0.00

DATE:
02/21/11

DRAWING TITLE
PLAN AND SECTION DETAILS

A4.53

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET

GENERAL NOTES :

1. ALL BASE TO BE B-1 UNLESS OTHERWISE NOTED.
2. ALL WALLS TO BE P-1 WITHOUT WALL BORDER UNLESS OTHERWISE NOTED.
3. ALL INTERIOR FINISHES ARE IN COMPLIANCE WITH LIFE SAFETY CODE 39-3.3
4. ALL MILLWORK TO BE PLASTIC LAMINATE PL-1 ON VERTICAL SURFACES AND PL-2 ON ALL COUNTERTOPS AND BACKSPLASHES UNLESS OTHERWISE NOTED.
5. PROVIDE RUBBER FLOOR TRANSITION STRIPS UNDER DOORS AT CARPET TO RESILIENT FLOORING TRANSITIONS.
6. CONTRACTOR TO PATCH AND PREP FLOORING BEFORE CARPET IS INSTALLED.
7. QUARTER TURN CARPET TILE AT INSTALLATION.

KEY NOTES

1. INSTALL CUBICLE CURTAIN IN THIS LOCATION.
2. AT TILE TO CARPET TRANSITIONS, INSTALL SCHLUTER RENO-U TRANSITION, SATIN ANODIZED ALUMINUM FINISH.
3. PROVIDE BALI WOOD IMAGES 2" PREMIUM FAUX WOOD BLINDS IN THIS LOCATION. COLOR: MAPLE.
4. PROVIDE MOTORIZED MECHOSHADE IN THIS LOCATION (INCLUDING CLERESTORY WINDOWS ABOVE). SURFACE MOUNTED WITH THERMOVEIL 0900 FABRIC; COLOR: 0907 BEIGE.

FINISH LEGEND

C-1
TL-1
LVT-2
LVT-3
NTL-1
NTL-2

PROJECT NORTH
FOR FINISH
SCHEDULE



2 A5.10 EXAM FLOOR PATTERN
SCALE: 1/2" = 1'-0"
TYPICAL FLOOR PATTERN FOR ALL EXAM ROOMS



3 A5.10 WALL TILE DETAIL
SCALE: 1/2" = 1'-0"



4 A5.10 ENLARGED FLOOR PATTERN
SCALE: 1/2" = 1'-0"



1 A5.10 FINISH PLAN-CBOC
SCALE: 1/8" = 1'-0"

PEACOCK
architects
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE

CARROLLTON, GA 30117

STATE OF GEORGIA
JEFFREY PEACOCK
CERTIFICATE NO. 009
REGISTERED ARCHITECT

DATE	REVISION
02/2/18	ISSUE FOR BID
03/9/18	ADDENDUM 3

PROJECT NO: 229.010.0
DATE: 02/2/18
DRAWING TITLE: FINISH PLAN - CBOC

A5.10

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET

GENERAL NOTES :

1. ALL BASE TO BE B-1 UNLESS OTHERWISE NOTED.
2. ALL WALLS TO BE P-1 WITHOUT WALL BORDER UNLESS OTHERWISE NOTED.
3. ALL INTERIOR FINISHES ARE IN COMPLIANCE WITH LIFE SAFETY CODE 39-3.3
4. ALL MILLWORK TO BE PLASTIC LAMINATE PL-1 ON VERTICAL SURFACES AND PL-2 ON ALL COUNTERTOPS AND BACKSPLASHES UNLESS OTHERWISE NOTED.
5. PROVIDE RUBBER FLOOR TRANSITION STRIPS UNDER DOORS AT CARPET TO RESILIENT FLOORING TRANSITIONS.
6. CONTRACTOR TO PATCH AND PREP FLOORING BEFORE CARPET IS INSTALLED.
7. QUARTER TURN CARPET TILE AT INSTALLATION.

KEY NOTES

1. INSTALL CUBICLE CURTAIN IN THIS LOCATION.
2. AT TILE TO CARPET TRANSITIONS, INSTALL SCHLUTER RENO-U TRANSITION, SATIN ANODIZED ALUMINUM FINISH.
3. PROVIDE BALI WOOD IMAGES 2" PREMIUM FAUX WOOD BLINDS IN THIS LOCATION. COLOR: MAPLE.
4. PROVIDE MOTORIZED MECHOSHADE IN THIS LOCATION (INCLUDING CLERESTORY WINDOWS ABOVE). SURFACE MOUNTED WITH THERMOVEIL 0300 FABRIC, COLOR: 0907 BEIGE.

FINISH LEGEND




FULL
BEDROOM 6 238
FOYER 236
BATH 230
BEDROOM 5 233
FOYER 232
BATH 225
BEDROOM 4 228
FOYER 227
BEDROOM 3 223
FOYER 219
BATH 220
BEDROOM 2 218
FOYER 217
BATH 215
BEDROOM 1 213
FOYER 212
BATH 210
CORR. 208
KITCHEN 209
DINING 204
LAUNDRY 207
PANTRY 206
MEDICATION 280
SOIL 210
STAFF TOILET
CORR. 282
CORR. 281
MED CART STORAGE 216
BREAK 283
EQUIP. & SUPPLIES 214
CLEAN 211
PERSONAL CARE 213
CORR. 203
FOYER 202
BATH 200
BEDROOM 1 248
FOYER 247
BATH 245
BEDROOM 2 258
FOYER 257
BATH 255
BEDROOM 3 268
FOYER 267
BATH 265
BEDROOM 4 278
FOYER 277
BATH 275
BEDROOM 5 288
FOYER 287
BATH 285
BEDROOM 6 298
FOYER 297
BATH 295
CLG NURSE OFFICE 346
CLG NURSE OFFICE 315
CORR. 345
CORR. 314
CORR. 313
CORR. 312
CORR. 311
CORR. 310
CORR. 309
CORR. 308
CORR. 307
CORR. 306
CORR. 305
CORR. 304
CORR. 303
CORR. 302
CORR. 301
CORR. 300
CORR. 299
CORR. 298
CORR. 297
CORR. 296
CORR. 295
CORR. 294
CORR. 293
CORR. 292
CORR. 291
CORR. 290
CORR. 289
CORR. 288
CORR. 287
CORR. 286
CORR. 285
CORR. 284
CORR. 283
CORR. 282
CORR. 281
CORR. 280
CORR. 279
CORR. 278
CORR. 277
CORR. 276
CORR. 275
CORR. 274
CORR. 273
CORR. 272
CORR. 271
CORR. 270
CORR. 269
CORR. 268
CORR. 267
CORR. 266
CORR. 265
CORR. 264
CORR. 263
CORR. 262
CORR. 261
CORR. 260
CORR. 259
CORR. 258
CORR. 257
CORR. 256
CORR. 255
CORR. 254
CORR. 253
CORR. 252
CORR. 251
CORR. 250
CORR. 249
CORR. 248
CORR. 247
CORR. 246
CORR. 245
CORR. 244
CORR. 243
CORR. 242
CORR. 241
CORR. 240
CORR. 239
CORR. 238
CORR. 237
CORR. 236
CORR. 235
CORR. 234
CORR. 233
CORR. 232
CORR. 231
CORR. 230
CORR. 229
CORR. 228
CORR. 227
CORR. 226
CORR. 225
CORR. 224
CORR. 223
CORR. 222
CORR. 221
CORR. 220
CORR. 219
CORR. 218
CORR. 217
CORR. 216
CORR. 215
CORR. 214
CORR. 213
CORR. 212
CORR. 211
CORR. 210
CORR. 209
CORR. 208
CORR. 207
CORR. 206
CORR. 205
CORR. 204
CORR. 203
CORR. 202
CORR. 201
CORR. 200
CORR. 199
CORR. 198
CORR. 197
CORR. 196
CORR. 195
CORR. 194
CORR. 193
CORR. 192
CORR. 191
CORR. 190
CORR. 189
CORR. 188
CORR. 187
CORR. 186
CORR. 185
CORR. 184
CORR. 183
CORR. 182
CORR. 181
CORR. 180
CORR. 179
CORR. 178
CORR. 177
CORR. 176
CORR. 175
CORR. 174
CORR. 173
CORR. 172
CORR. 171
CORR. 170
CORR. 169
CORR. 168
CORR. 167
CORR. 166
CORR. 165
CORR. 164
CORR. 163
CORR. 162
CORR. 161
CORR. 160
CORR. 159
CORR. 158
CORR. 157
CORR. 156
CORR. 155
CORR. 154
CORR. 153
CORR. 152
CORR. 151
CORR. 150
CORR. 149
CORR. 148
CORR. 147
CORR. 146
CORR. 145
CORR. 144
CORR. 143
CORR. 142
CORR. 141
CORR. 140
CORR. 139
CORR. 138
CORR. 137
CORR. 136
CORR. 135
CORR. 134
CORR. 133
CORR. 132
CORR. 131
CORR. 130
CORR. 129
CORR. 128
CORR. 127
CORR. 126
CORR. 125
CORR. 124
CORR. 123
CORR. 122
CORR. 121
CORR. 120
CORR. 119
CORR. 118
CORR. 117
CORR. 116
CORR. 115
CORR. 114
CORR. 113
CORR. 112
CORR. 111
CORR. 110
CORR. 109
CORR. 108
CORR. 107
CORR. 106
CORR. 105
CORR. 104
CORR. 103
CORR. 102
CORR. 101
CORR. 100
CORR. 99
CORR. 98
CORR. 97
CORR. 96
CORR. 95
CORR. 94
CORR. 93
CORR. 92
CORR. 91
CORR. 90
CORR. 89
CORR. 88
CORR. 87
CORR. 86
CORR. 85
CORR. 84
CORR. 83
CORR. 82
CORR. 81
CORR. 80
CORR. 79
CORR. 78
CORR. 77
CORR. 76
CORR. 75
CORR. 74
CORR. 73
CORR. 72
CORR. 71
CORR. 70
CORR. 69
CORR. 68
CORR. 67
CORR. 66
CORR. 65
CORR. 64
CORR. 63
CORR. 62
CORR. 61
CORR. 60
CORR. 59
CORR. 58
CORR. 57
CORR. 56
CORR. 55
CORR. 54
CORR. 53
CORR. 52
CORR. 51
CORR. 50
CORR. 49
CORR. 48
CORR. 47
CORR. 46
CORR. 45
CORR. 44
CORR. 43
CORR. 42
CORR. 41
CORR. 40
CORR. 39
CORR. 38
CORR. 37
CORR. 36
CORR. 35
CORR. 34
CORR. 33
CORR. 32
CORR. 31
CORR. 30
CORR. 29
CORR. 28
CORR. 27
CORR. 26
CORR. 25
CORR. 24
CORR. 23
CORR. 22
CORR. 21
CORR. 20
CORR. 19
CORR. 18
CORR. 17
CORR. 16
CORR. 15
CORR. 14
CORR. 13
CORR. 12
CORR. 11
CORR. 10
CORR. 9
CORR. 8
CORR. 7
CORR. 6
CORR. 5
CORR. 4
CORR. 3
CORR. 2
CORR. 1
CORR. 0
CORR. -1
CORR. -2
CORR. -3
CORR. -4
CORR. -5
CORR. -6
CORR. -7
CORR. -8
CORR. -9
CORR. -10
CORR. -11
CORR. -12
CORR. -13
CORR. -14
CORR. -15
CORR. -16
CORR. -17
CORR. -18
CORR. -19
CORR. -20
CORR.

GENERAL NOTES :

1. ALL BASE TO BE B-1 UNLESS OTHERWISE NOTED.
2. ALL WALLS TO BE P-1 WITHOUT WALL BORDER UNLESS OTHERWISE NOTED.
3. ALL INTERIOR FINISHES ARE IN COMPLIANCE WITH LIFE SAFETY CODE 39-3.3
4. ALL MILLWORK TO BE PLASTIC LAMINATE PL-1 ON VERTICAL SURFACES AND PL-2 ON ALL COUNTERTOPS AND BACKSPLASHES UNLESS OTHERWISE NOTED.
5. PROVIDE RUBBER FLOOR TRANSITION STRIPS UNDER DOORS AT CARPET TO RESILIENT FLOORING TRANSITIONS.
6. CONTRACTOR TO PATCH AND PREP FLOORING BEFORE CARPET IS INSTALLED.
7. QUARTER TURN CARPET TILE AT INSTALLATION.

KEY NOTES

1. INSTALL CUBICLE CURTAIN IN THIS LOCATION.
2. AT TILE TO CARPET TRANSITIONS, INSTALL SCHLUTER RENO-U TRANSITION, SATIN ANODIZED ALUMINUM FINISH.
3. PROVIDE BALI WOOD IMAGES 2" PREMIUM FAUX WOOD BLINDS IN THIS LOCATION, COLOR: MAPLE.
4. PROVIDE MOTORIZED MECHOSHADE IN THIS LOCATION (INCLUDING CLERESTORY WINDOWS ABOVE), SURFACE MOUNTED WITH THERMOVEIL 0900 FABRIC, COLOR: 0907 BEIGE.

FINISH LEGEND



PROJECT NORTH FOR FINISH SCHEDULE



1 / A5.12 FINISH PLAN - PHYSICAL PLANT

SCALE: 1/8" = 1'-0"



2 / A5.12 FINISH PLAN

SCALE: 1/8" = 1'-0"

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE

CARROLLTON, GA 30117

STATE OF GEORGIA
H. DEAN PEACOCK
CERTIFICATE NO. 8880
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
A 03/18/11	ADDENDUM 3

PROJECT NO: 2290.00

DATE: 02/21/11

DRAWING TITLE: FINISH PLAN-COMMON AREA

A5.12

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION

teamwork://designserver/TDVV DD SET

FINISH SCHEDULE - CBOC

ROOM NUMBER	ROOM NAME	FLOOR	BASE	WALL FINISH NORTH	WALL FINISH SOUTH	WALL FINISH EAST	WALL FINISH WEST	KEY NOTES
001	ENTRY VESTIBULE	C-2	TL-1	WC-1	WC-1	WC-1	WC-1	
002	CHECK-IN	TL-1		P-1	P-1	P-1	P-1	2
003	WAITING	C-1/TL-1		P-1	P-1	P-1	P-1	2
004	CORR.	C-1	B-1	P-1	P-1	P-1	P-1	
005	FAMILY TOILET	TL-2	B-2	P-1/TL-3	P-1/TL-3	P-1/TL-3	P-1/TL-3	1, 4
006	PATIENT TOILET	TL-2	B-2	P-1/TL-3	P-1/TL-3	P-1/TL-3	P-1/TL-3	1, 4
007	CORR.	LVT-1/LVT-2	B-1	P-1	P-3	P-1	P-1	11
008	CUST SERVICE	C-1	B-1	P-1	P-1	P-5	P-1	
009	CORR.	LVT-2	B-1	P-1	P-1	P-1	P-1	11
010	STOR.	LVT-1	B-1	P-1	P-1	P-1	P-1	
011	JAN	LVT-1	B-1	P-1	P-1	P-1	P-1	
012	CLERICAL SUPER.	C-1	B-1	P-1	P-1	P-5	P-1	
013	RECEPTION	LVT-1	B-1	P-1	P-1	P-1	P-1	
014	CHECK-OUT	LVT-1	B-1	P-3	P-1	P-1	P-1	
015	CORR.	LVT-2	B-1	P-1	P-1	P-1	P-1	11
016	VSO REP. OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
017	ADMIN OFFICE	C-1	B-1	P-1	P-1	P-1	P-5	
018	ADMIN OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
019	WAITING	C-1/TL-1	B-1	P-1	P-1	P-1	P-1	2
020	MULTI-PURPOSE	C-1	B-1	P-1	P-5	P-1	P-1	
021	CORR.	C-1	B-1	P-1	P-1	P-1	P-1	
022	FAMILY TOILET	TL-2	B-2	P-1/TL-3	P-1/TL-3	P-1/TL-3	P-1/TL-3	1, 4
023	PATIENT TOILET	TL-2	B-2	P-1/TL-3	P-1/TL-3	P-1/TL-3	P-1/TL-3	1, 4
024	CORR.	LVT-1/2/3	B-1	P-1	P-1/P-3	P-1	P-1	11
025	ADMIN OFFICE	C-1	B-1	P-1	P-1	P-1	P-5	
026	CORR.	LVT-1/LVT-2	B-1	P-1/P-5	P-1	P-1	P-1	11
027	R.N.	LVT-1	B-1	P-1	P-1	P-1	P-4	
028	SHARED LPN OFFICE	C-1	B-1	P-1	P-1	P-1	P-5	
029	MD OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
030	SUP.	LVT-1	B-1	P-1	P-1	P-1	P-1	
031	EXAM	LVT-1/LVT-2	B-1	P-1	P-1	P-4	P-1	6
032	EXAM	LVT-1/LVT-2	B-1	P-1	P-1	P-1	P-4	6
033	P.C./M.H. OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
034	GROUP CONFERENCE	C-1	B-1	P-1	P-5	P-1	P-1	
035	CORR.	LVT-1/2/3	B-1	P-1	P-1	P-1	P-1/P-3	11
036	PATIENT TOILET	TL-2	B-2	P-1/TL-3	P-1/TL-3	P-1/TL-3	P-1/TL-3	1, 4
037	CORR.	LVT-1/LVT-2	B-1	P-1/P-5	P-1	P-1	P-1	11
038	R.N.	LVT-1	B-1	P-1	P-1	P-1	P-4	
039	TELERETINAL EYE	LVT-1/LVT-2	B-1	P-1	P-1	P-4	P-1	6
040	MD OFFICE	LVT-1	B-1	P-1	P-1	P-5	P-1	
041	SUP.	LVT-1	B-1	P-1	P-1	P-1	P-1	
042	SOCIAL WORKER	LVT-1	B-1	P-1	P-1	P-5	P-1	
043	EXAM	LVT-1/LVT-2	B-1	P-1	P-1	P-4	P-1	6
044	EXAM	LVT-1/LVT-2	B-1	P-1	P-1	P-1	P-4	6
045	CORR.	LVT-1	B-1	P-1	P-3	P-1	P-1	11
046	GROUP ROOM	C-1	B-1	P-1	P-5	P-1	P-1	
047	CORR.	LVT-1/LVT-2	B-1	P-1	P-1/P-5	P-1	P-1	11
048	EXAM	LVT-1/LVT-2	B-1	P-1	P-1	P-1	P-4	6
049	EXAM	LVT-1/LVT-2	B-1	P-1	P-1	P-4	P-1	6
050	DIETICIAN OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
051	SUP.	LVT-1	B-1	P-1	P-1	P-1	P-1	
052	SOCIAL WORKER	C-1	B-1	P-1	P-1	P-5	P-1	
053	MD OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
054	R.N.	LVT-1	B-1	P-1	P-1	P-1	P-4	
055	CLEAN UTILITY	WSF-1	WSF-1	P-1	P-1	P-1	P-1	10
056	CORR.	LVT-1	B-1	P-1	P-1	P-1	P-1	11
057	SHARED OFFICE	C-1	B-1	P-1	P-1	P-1	P-5	
058	STRETCHER ROOM	WSF-1	WSF-1	P-1	P-1	P-4	P-1	
059	ELECTRICAL	LVT-1	B-1	P-1	P-1	P-1	P-1	
060	BIO.	WSF-1	WSF-1	P-1	P-1	P-1	P-1	10
061	SOILED UTILITY	WSF-1	WSF-1	P-1	P-1	P-1	P-1	10
062	C.C.H.T. OFFICE	C-1	B-1	P-1	P-1	P-1	P-5	
063	CORR.	LVT-1/LVT-2	B-1	P-1	P-1	P-1	P-1	11
064	M.H. OFFICE	LVT-1	B-1	P-1	P-1	P-5	P-1	
065	M.H. OFFICE	LVT-1	B-1	P-1	P-1	P-1	P-5	
066	M.H. OFFICE	LVT-1	B-1	P-1	P-1	P-1	P-5	
067	M.H. OFFICE	LVT-1	B-1	P-1	P-1	P-5	P-1	
068	CORR.	LVT-1/2/3	B-1	P-1	P-1	P-1/P-3	P-1	11
069	LPN	LVT-2	B-1	P-1	P-1	P-1	P-1	11
070	OMNI CELL	LVT-1	B-1	P-1	P-1	P-1	P-1	
071	TELE MED	LVT-1	B-1	P-1	P-4	P-1	P-1	
072	TAP	LVT-1	B-1	P-1	P-1	P-1	P-1	
073	MEDICATION	LVT-1	B-1	P-1	P-1	P-1	P-1	
074	PATIENT TOILET	TL-2	B-2	P-1/TL-3	P-1/TL-3	P-1/TL-3	P-1/TL-3	1, 4
075	CORR.	LVT-1/LVT-2	B-1	P-1	P-3	P-1	P-1	11
076	SUPPLY	LVT-1	B-1	P-1	P-1	P-1	P-1	
077	OFFICE	C-1	B-1	P-1	P-1	P-3	P-1	
078	SUBWAIT	LVT-1/LVT-3	B-1	P-1	P-1	P-1	P-1	
079	LAB/RAD. CHECK-IN	LVT-2	B-1	P-1	P-1	P-1	P-1	
080	BLOOD DRAW	LVT-1	B-1	P-4	P-1	P-1	P-1	
081	PATIENT TOILET	TL-2	B-2	P-1/TL-3	P-1/TL-3	P-1/TL-3	P-1/TL-3	1, 4
082	LAB	LVT-1	B-1	P-1	P-1	P-1	P-1	
083	RADIOLOGY	LVT-1	B-1	P-1	P-1	P-1	P-1	
084	PATIENT TOILET	TL-2	B-2	P-1/TL-3	P-1/TL-3	P-1/TL-3	P-1/TL-3	1, 4
085	SUP.	LVT-1	B-1	P-1	P-1	P-1	P-1	
086	CORR.	LVT-1	B-1	P-3	P-1	P-1	P-1	11
087	EYE EXAM	LVT-1	B-1	P-1	P-1	P-1	P-1	
088	EYE DISP.	LVT-1	B-1	P-1	P-1	P-4	P-1	
089	EYE EXAM	LVT-1	B-1	P-1	P-1	P-1	P-1	
090	VISUAL FIELD	LVT-1	B-1	P-1	P-1	P-1	P-1	
092	PHYSICAL THERAPY	LVT-1/2	B-1	P-1	P-4	P-1	P-1	
093	SUPPLY	LVT-1	B-1	P-1	P-1	P-1	P-1	
095	OPERATORY	LVT-1	B-1	P-1	P-1	P-3	P-1	
096	OPERATORY	LVT-1	B-1	P-1	P-4	P-1	P-4	
097	CORR.	LVT-1	B-1	P-1	P-4	P-1	P-1	11
098	DENTIST OFFICE	LVT-1	B-1	P-1	P-1	P-1	P-4	
099	LAB	LVT-1	B-1	P-1	P-1	P-1	P-1	
100	CORR.	LVT-1/2/3	B-1	P-1	P-1	P-1	P-1/P-3	11
101	ADMIN OFFICE	C-1	B-1	P-1	P-1	P-1	P-5	
102	NURSE WORK	LVT-3	B-1	P-1	P-3	P-1	P-1	
103	CORR.	LVT-1/LVT-2	B-1	P-1	P-1	P-1	P-1	11
104	EXAM	LVT-1/LVT-2	B-1	P-1	P-1	P-4	P-1	6
105	EXAM	LVT-1/LVT-2	B-1	P-1	P-1	P-1	P-4	6
106	STOR.	LVT-1	B-1	P-1	P-1	P-1	P-1	
107	MD OFFICE	C-1	B-1	P-1	P-1	P-1	P-5	
108	SHARED OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
109	CORR.	LVT-1/LVT-2	B-1	P-1	P-1	P-5	P-1	11
110A	EQUIP.	LVT-1	B-1	P-1	P-1	P-1	P-1	
110B	NITRO.	LVT-1	B-1	P-1	P-1	P-1	P-1	
111	TAP ROOM	LVT-1	B-1	P-1	P-1	P-1	P-1	
112	CORR.	LVT-1	B-1	P-3	P-1	P-1	P-1	11
113	PATIENT TLT.	TL-2	B-2	P-1/TL-3	P-1/TL-3	P-1/TL-3	P-1/TL-3	1, 4
114	PATIENT TLT.	TL-2	B-2	P-1/TL-3	P-1/TL-3	P-1/TL-3	P-1/TL-3	1, 4
115	SUPPLY	LVT-1	B-1	P-1	P-1	P-1	P-1	
116	CORR.	LVT-1/LVT-2	B-1	P-1	P-1	P-1	P-1	11

FINISH SCHEDULE- CBOC

ROOM NUMBER	ROOM NAME	FLOOR	BASE	WALL FINISH NORTH	WALL FINISH SOUTH	WALL FINISH EAST	WALL FINISH WEST	KEY NOTES
117	AUDIO							3
118	CONTROL							3
119	CONTROL							3
120	AUDIO							3
121	AUDIOLOGY EXAM	LVT-1/LVT-2	B-1	P-1	P-1	P-4	P-1	
122	CLINICAL PSY.	C-1	B-1	P-1	P-1	P-1	P-5	
123	HBPC OFFICE	C-1	B-1	P-5	P-1	P-1	P-1	
124	ADMIN OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
125	HBPC DIRECTOR OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
126	SHARED OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
127	CORR.	LVT-1	B-1	P-1	P-1	P-1	P-1	
128	PROSTHETIC STOR.	LVT-1	B-1	P-1	P-1	P-1	P-1	
129	PROD. STER. SUPPLY	LVT-1	B-1	P-1	P-1	P-1	P-1	
130	PROD. EXAM	LVT-1/LVT-2	B-1	P-1	P-4	P-1	P-1	6
131	PROD. EXAM	LVT-1/LVT-2	B-1	P-4	P-1	P-1	P-1	6
132	CORR.	LVT-1	B-1	P-1	P-5	P-1	P-1	
133	SOILED UTILITY	LVT-1	B-1	P-1	P-1	P-1	P-1	10
134	CLEAN UTILITY	WSF-1	WSF-1	P-1	P-1	P-1	P-1	10
135	STORAGE	LVT-1	B-1	P-1	P-1	P-1	P-1	
136	I.T.	LVT-1	B-1	P-1	P-1	P-1	P-1	
137	HK	WSF-1	WSF-1	P-1	P-1	P-1	P-1	10
138	ARMORY	LVT-1	B-1	P-1	P-1	P-1	P-1	
139	BREAK	LVT-1/LVT-2	B-1	P-1	P-3	P-1	P-1	
140	LOCKERS	LVT-1	B-1	P-1	P-1	P-1	P-1	
141	MECH	LVT-1	B-1	P-1	P-1	P-1	P-1	
142	STAFF TLT.	TL-2	B-2	P-1/TL-2	P-1/TL-2	P-1/TL-2	P-1/TL-2	1, 4
143	STAFF TLT.	TL-2	B-2	P-1/TL-2	P-1/TL-2	P-1/TL-2	P-1/TL-2	1, 4
144	LOCKERS	LVT-1	B-1	P-1	P-1	P-1	P-1	
145	MECH	LVT-1	B-1	P-1	P-1	P-1	P-1	
146	STAFF TLT.	TL-2	B-2	P-1/TL-2	P-1/TL-2	P-1/TL-2	P-1/TL-2	1, 4
147	STAFF TLT.	TL-2	B-2	P-1/TL-2	P-1/TL-2	P-1/TL-2	P-1/TL-2	1, 4
148	WATER/SPRINKLER	LVT-1	B-1	P-1	P-1	P-1	P-1	
149	CORR.	C-1	B-1	P-1	P-1	P-1	P-1	
150	AUD. WORK	C-1	B-1	P-1	P-1	P-1	P-1	
151	SUPPLY	LVT-1	B-1	P-1	P-1	P-1	P-1	
152	STER.	LVT-1	B-1	P-1	P-1	P-1	P-1	
153	SCURS	LVT-1	B-1	P-1	P-1	P-1	P-1	
154	CORR.	LVT-1/2/3	B-1	P-1	P-1	P-1	P-1	11

FINISH LEGEND

MISCELLANEOUS FINISHES (CONTINUED)

WALL PROTECTION

INPRO CORP; BIOPOLY PETG+(G2-SERIES) ITEM #G2405 - .040 THICK, 4' X 8', G2401 - 8 TOP CAP, COLOR: OATMEAL

FLOORING

CARPET

C-1 SHAW CONTRACT; 24" X 24" CARPET TILE; REED-59523, COLOR: SWEET CLOVER 23309; 1/4 TURNED, 21.7% PRE-CONSUMER 12% POST-CONSUMER RECYCLED CONTENT.

C-2 MATS INC. WALK OFF MAT, NUWAY; SEM1 RECESSED INSTALLATION (UPPER STRIPS-CHARCOAL; ALUMINUM SCRAPER BARS.

LUXURY VINYL TILE

LVT-1 CENTIVA RAYS; COLOR: FE-0784-C AMBER, SURFACE: FROST, 31% PRE-CONSUMER, 6% POST CONSUMER RECYCLED CONTENT, 12" X 12" STANDARD EDGE.

LVT-2 CENTIVA RIGMA; COLOR: FE-0748-C FLINT, SURFACE: FROST, 31% PRE-CONSUMER, 6% POST-CONSUMER RECYCLED CONTENT, 12" X 12", STANDARD EDGE.

LVT-3 CENTIVA VICTORY- MAGICS, COLOR: MG-8042-V JASPER, SLATE SURFACE, 12" X 12", STANDARD EDGE.

LVT-4 AMTICO; WT31 WILD CHERRY.

PORCELLIAN & CERAMIC TILE

GROUT LINES SHALL BE 1/8" UNLESS NOTED OTHERWISE. LATICRETE GROUT, COLOR: 56 DESERT KHAKI. GROUT & SEALANT TYPE AS RECOMMENDED BY MANUFACTURER.

TL-1 SPECIALITY TILE PRODUCTS; RAGNO, STYLE: ARTE, COLOR: BG- 12" X 24" TILE (10.8% RECYCLED CONTENT)

TL-2 SPECIALITY TILE PRODUCTS; FLORIM USA; STYLE: USH, COLOR: IVORY - 12" X 12" TILE (40% PRE CONSUMER RECYCLED CONTENT)

TL-3 SPECIALITY TILE PRODUCTS; FLORIM USA, STYLE: USH, COLOR: IVORY - 6" X 6" TILE (40% PRE CONSUMER RECYCLED CONTENT)- WALL TILE

TL-4 SPECIALITY TILE PRODUCTS; FLORIM USA, STYLE: ANTELOPE CANYON, COLOR: MS8A- 2" X 2" MOSAIC- (40% PRE CONSUMER RECYCLED CONTENT)- WALL TILE AT KITCHEN BACKSPLASH- CLC

NATURAL STONE TILE

NTL-1 DACO STONE 2'-0" X 2'-0" X 2" HONED FINISH NATURAL STONE PAVER SET IN AT MORTAR BED

NTL-2 DACO STONE 2'-0" X 2'-0" X 3" HONED FINISH NATURAL STONE PAVER SET IN AT MORTAR BED

HEAT WELDED SHEET FLOORING

WSF-1 MANNINGTON ASSURANCE II- COLOR: WASABI 16321. HEAT WELD SEAMS. USE V-82 ADHESIVE.

COVE BASE

B-1 JOHNSONITE 4" RUBBER BASE, COLOR: 66 EITHER ORE, 14% PRE-CONSUMER RECYCLED CONTENT.

B-2 TILE TO EXTEND TO FLOOR.

B-3 JOHNSONITE REVEAL 4.25" MILLWORK BASE, COLOR: 66 EITHER ORE, 14% PRE-CONSUMER RECYCLED CONTENT.

B-4 WSF-1 FLASH COVE 4" MIN. HEAT WELD SEAMS.

B-5 4" PLASTIC LAMINATE BASE (PL-1) SEE DETAIL 1 ON SHEET A5.13.

TR RESILIENT TRANSITION STRIP, MATCH BASE COLOR.

WALLS

PAINT

MINIMUM ONE (1) PRIMER COAT AND TWO (2) FINISH COATS AS RECOMMENDED BY MANUFACTURER.

P-1 BENJAMIN MOORE ECOSPEC INTERIOR LATEX EGGSHELL. COLOR: OC-96 GENTLE CREAM FIELD PAINT

P-2 BENJAMIN MOORE ECOSPEC UB INTERIOR LATEX SEMI-GLOSS. COLOR: TO MATCH SHERWIN WILLIAMS SW 6102 PORTABELLO. TRIM PAINT

P-3 BENJAMIN MOORE ECOSPEC INTERIOR LATEX EGGSHELL. COLOR: HC-110 WETHERSFIELD MOSS ACCENT PAINT

P-4 BENJAMIN MOORE ECOSPEC INTERIOR LATEX EGGSHELL. COLOR: HC-145 VAN COURTLAND BLUE ACCENT PAINT

P-5 BENJAMIN MOORE ECOSPEC INTERIOR LATEX EGGSHELL. COLOR: HC-9 SPRINGFIELD TAN. ACCENT PAINT

P-6 BENJAMIN MOORE ECOSPEC INTERIOR LATEX FLAT. COLOR: HC-92 WHEELING NUETRAL SOFFIT PAINT.

WALL COVERING

WC-1 EYKON; TOILER WALL COVERING WITH RECORE. STYLE: TRAPEANG; COLOR: TARRAGON; TYPE I WITH 25% RECYCLED CONTENT.

AT ANY LOCATION WHERE WALL COVERING ENDS AT AN OUTSIDE CORNER, APPLY SPECTRY CORNER PROTECTORS, ST-200 AVAILABLE THROUGH SPECTRUM WALL COVERINGS, 1-(770)-454-8737.

MISCELLANEOUS FINISHES

PLASTIC LAMINATE

PL-1 WILSONART; AMBER CHERRY 7919-38 SHALL BE APPLIED TO ALL VERTICAL SURFACES UNLESS OTHERWISE NOTED. 20% POST-CONSUMER RECYCLED CONTENT.

PL-2 PIONITE; GRIDLOCK IN L.A. IFAB1 SUEDE. SHALL BE APPLIED TO ALL HORIZONTAL SURFACES UNLESS OTHERWISE NOTED.

PL-3 NEVAMAR; PAINTED WOODLANDS PDG0027. SHALL BE APPLIED TO HORIZONTAL SURFACES AS NOTED.

SOLID SURFACE

SS-1 CORIAN; RICE PAPER, SEMI-POLISHED FINISH, EASED EDGE. SHALL BE APPLIED TO RECEPTION/NURSE STATION DESKS AS NOTED. 13% PRE CONSUMER RECYCLED CONTENT.

SS-2 ZODIAQ; MOSSY GREEN, EASED EDGE. SHALL BE APPLIED TO HORIZONTAL SURFACES IN CLC. 25% POST CONSUMER RECYCLED CONTENT.

MOULDINGS

CM-1 COVE-MOULD. SEE DETAIL 1, SHEET A5.14

CUBICLE CURTAINS

MESH BY: INPRO CORPORATION; EZE-MESH, COLOR: TUSK, TRACK: INPRO CORPORATION; ULTRA CUBE CUBICLE TRACK WITH CER2108 CARRIER.

CC-1 MAHARAM; POSY 8144; 20, COLOR: 003 PLACID. 38% POST-CONSUMER RECYCLED CONTENT.

CORNER & END GUARD

CG CORNER GUARD, INPRO CORP, BIOPOLY PETG+ G2 SERIES ITEM # G2E3F - 3' X 3' X 90 DEGREE, COLOR: OATMEAL. PROVIDE FIRE RATED GUARD ON FIRE RATED WALLS, ITEM # G2E5SFR1 - 3' L X 9' R, 90 DEGREE. REFER TO THE REFERENCE PLANS FOR WALL TYPES.

EG END GUARD, INPRO CORP, BIOPOLY PETG+ G2 SERIES ITEM # G2148D-9, FLUSH MOUNT END WALL PROTECTOR. COLOR: OATMEAL

HANDRAIL; INPRO CORP, HRB NORTHERN HARDWOODS HANDRAIL. COLOR TBD.



1 / A5.13 P-LAM BASE DETAIL

SCALE: 3/4" = 1'-0"

KEY NOTES

1. INSTALL TL-3 TO 4'-0" AFF. SEE DETAIL 3, SHEET A5.10
2. BASE 4 WALLS TO HAVE PLASTIC LAMINATE PANELING.
3. ROOMS TO COME PRE-FINISHED WITH FLOORING AND WALL FINISHES FROM MANUFACTURER.
4. SEE DETAIL 5, SHEET A5.10 FOR FLOOR TILE PATTERN.
5. ROOM TO RECEIVE COVE MOULDING, CM-1. SEE DETAIL 1, SHEET A5.14.
6. SEE DETAIL 2, SHEET A5.10 FOR FLOOR PATTERN.
7. INSTALL TL-3 TO 4'-0" AFF WITH 3" X 12" BULLNOSE TRIM PIECE. AROUND SHOWER, INSTALL TL-3 TO CEILING. SEE ELEVATIONS 2-6 ON SHEET A5.11
8. INSTALL TL-4 ON ENTIRE WALL BEHIND STOVE FROM COUNTERTOP TO UNDERSIDE OF UPPER CABINETS.
9. USE BENJAMIN MOORE #532 AURA BATH & SPA MATTE FLAT FINISH PAINT IN THIS LOCATION.
10. USE BENJAMIN MOORE #538 AURA SEMI-GLOSS INTERIOR PAINT IN THIS LOCATION.
11. INSTALL WALL PROTECTION TO 4'-0" AFF IN THIS AREA. SEE FINISH PLAN FOR EXACT LOCATIONS.

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE

CARROLLTON GA 30117

STATE OF GEORGIA
H. DEAN PEACOCK
CERTIFICATE NO. 009
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
03/18/11	ADDENDUM 3

PROJECT NO: 1228.01.00

DATE: 02/21/11

DRAWING TITLE: FINISH SCHEDULE & LEGEND - CBOC

A5.13

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET

FINISH SCHEDULE - CLC6

ROOM NUMBER	ROOM NAME	FLOOR	BASE	WALL FINISH NORTH	WALL FINISH SOUTH	WALL FINISH EAST	WALL FINISH WEST	KEY NOTES
202	LIVING ROOM	C-1	B-5	WC-1	WC-1	WC-1	WC-1	
203	COMP. AREA	C-1	B-5	WC-1	WC-1	WC-1	WC-1	
204	DINING	LVT-4	B-5	WC-1	WC-1	WC-1	WC-1	
205	KITCHEN	LVT-4	B-5	WC-1	WC-1	WC-1	WC-1	8
206	PANTRY	LVT-4	B-3	P-1	P-1	P-1	P-1	
207	LAUNDRY	LVT-4	B-3	P-1	P-1	P-1	P-1	
208	CORR.	LVT-4	B-3	P-1	P-1	P-1	P-1	
209	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
210	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
211	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
212	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
213	BEDROOM 1	LVT-4	B-3	P-1	P-1	P-1	P-1	5
214	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
215	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
216	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
217	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
218	BEDROOM 2	LVT-4	B-3	P-1	P-1	P-1	P-1	5
219	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
220	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
221	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
222	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
223	BEDROOM 3	LVT-4	B-3	P-1	P-1	P-1	P-1	5
224	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
225	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
226	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
227	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
228	BEDROOM 4	LVT-4	B-3	P-1	P-1	P-1	P-1	5
229	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
230	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
231	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
232	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
233	BEDROOM 5	LVT-4	B-3	P-1	P-1	P-1	P-1	5
234	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
235	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
236	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
237	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
238	BEDROOM 6	LVT-4	B-3	P-1	P-1	P-1	P-1	5
239	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
240	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
241	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
242	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
243	BEDROOM 12	LVT-4	B-3	P-1	P-1	P-1	P-1	5
244	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
245	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
246	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
247	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
248	BEDROOM 11	LVT-4	B-3	P-1	P-1	P-1	P-1	5
249	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
250	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
251	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
252	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
253	BEDROOM 10	LVT-4	B-3	P-1	P-1	P-1	P-1	5
254	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
255	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
256	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
257	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
258	BEDROOM 9	LVT-4	B-3	P-1	P-1	P-1	P-1	5
259	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
260	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
261	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
262	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
263	BEDROOM 8	LVT-4	B-3	P-1	P-1	P-1	P-1	5
264	FOYER	LVT-4	B-3	P-1	P-1	P-1	P-1	5
265	BATH	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
266	LIN.	LVT-4	B-3	P-1	P-1	P-1	P-1	
267	CL.	LVT-4	B-3	P-1	P-1	P-1	P-1	
268	BEDROOM 7	LVT-4	B-3	P-1	P-1	P-1	P-1	5
269	CORR.	LVT-4	B-3	P-1	P-1	P-1	P-1	
270	SOIL	LVT-4	B-1	P-1	P-1	P-1	P-1	10
271	CORR.	LVT-4	B-1	P-1	P-1	P-1	P-1	
272	CLEAN	LVT-4	B-1	P-1	P-1	P-1	P-1	10
273	PERSONAL CARE	WBF-1	B-4	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	7,9
274	EQUIP. STOR./RME	LVT-4	B-1	P-1	P-1	P-1	P-1	10
275	STAFF TOILET	LVT-4	B-1	P-1	P-1	P-1	P-1	
276	MED CART STORAGE	LVT-4	B-1	P-1	P-1	P-1	P-1	
279	IT	LVT-4	B-1	P-1	P-1	P-1	P-1	
280	ELEC.	LVT-4	B-1	P-1	P-1	P-1	P-1	
281	CORR.	LVT-4	B-1	P-1	P-1	P-1	P-1	
282	HK	LVT-4	B-1	P-1	P-1	P-1	P-1	10
283	BREAK	LVT-4	B-1	P-1	P-1	P-3	P-1	
284	CORR.	LVT-4	B-1	P-1	P-1	P-1	P-1	
285	MEDICATION	LVT-4	B-1	P-1	P-1	P-1	P-1	

FINISH SCHEDULE - COMMON AREAS

ROOM NUMBER	ROOM NAME	FLOOR	BASE	WALL FINISH NORTH	WALL FINISH SOUTH	WALL FINISH EAST	WALL FINISH WEST	KEY NOTES
301	CORR.	C-1	B-3	WC-1	WC-1	WC-1	WC-1	
302	VESTIBULE	C-1	B-3	WC-1	WC-1	WC-1	WC-1	
303	CORR.	C-1	B-3	WC-1	WC-1	WC-1	WC-1	
304	VESTIBULE	C-1	B-3	WC-1	WC-1	WC-1	WC-1	
305	CORR.	C-1	B-3	WC-1	WC-1	WC-1	WC-1	
306	CHAPEL/QUIET ROOM	C-1	B-5	WC-1	WC-1	WC-1	WC-1	
307	CORR.	C-1	B-3	WC-1	WC-1	WC-1	WC-1	
308	OFFICE	C-1	B-1	P-1	P-5	P-1	P-1	
309	LOBBY	TL-1/C-2	B-5	WC-1	WC-1	WC-1	WC-1	
310	OFFICE	C-1	B-1	P-1	P-1	P-1	P-5	
311	CORR.	C-1	B-3	WC-1	WC-1	WC-1	WC-1	
312	OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
313	CELEBRATION	LVT-4	B-3	WC-1	WC-1	WC-1	WC-1	
314	GALLEY	LVT-4	B-1	P-1	P-1	P-1	P-1	
315	TOILET	TL-2	B-2	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	14
316	CLC NURSE OFFICE	C-1	B-1	P-1	P-1	P-1	P-1	
317	LOBBY	TL-1/C-2	B-2	WC-1	WC-1	WC-1	WC-1	
318	CLUBHOUSE	C-1	B-3	WC-1	WC-1	WC-1	WC-1	
319	CLC NURSE OFFICE	C-1	B-1	P-1	P-1	P-1	P-1	
320	TOILET	TL-2	B-2	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	14
321	FITNESS	C-1	B-1	P-1	P-1	P-1	P-5	
322	OFFICE	C-1	B-1	P-1	P-1	P-1	P-5	
323	CORR.	C-1	B-3	WC-1	WC-1	WC-1	WC-1	
324	OFFICE	C-1	B-1	P-1	P-1	P-5	P-1	
325	LOBBY	TL-1/C-2	B-5	WC-1	WC-1	WC-1	WC-1	
326	RECYCLING CENTER	LVT-4	B-1	P-1	P-1	P-1	P-1	10
327	CORR.	C-1	B-3	WC-1	WC-1	WC-1	WC-1	
328	BULK SHIPPING	LVT-4	B-1	P-1	P-1	P-1	P-1	10
400	CAMPUS MECHANICAL & ELECTRICAL	SEALED CONC	B-1	P-1	P-1	P-1	P-1	
401	MAINTENANCE SHOP	SEALED CONC	B-1	P-1	P-1	P-1	P-1	
402	MAINTENANCE OFFICE	C-1	B-1	P-1	P-1	P-1	P-1	
403	STAFF TOILET	TL-2	B-2	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	FP-1/TL-3	14
404	EQUIPMENT YARD	SEALED CONC	B-1	P-1	P-1	P-1	P-1	
405	CORR.	SEALED CONC	B-1	P-1	P-1	P-1	P-1	
406	MAINTENANCE SUPPLY	SEALED CONC	B-1	P-1	P-1	P-1	P-1	

SEE SHEET A5.13 FOR FINISH LEGEND.

KEY NOTES:

1. INSTALL TL-3 TO 4'-0" AFF. SEE DETAIL 3, SHEET A5.10
2. BASE 4 WALLS TO HAVE PLASTIC LAMINATE PANELING.
3. ROOMS TO COME PRE-FINISHED WITH FLOORING AND WALL FINISHES FROM MANUFACTURER.
4. SEE DETAIL 5, SHEET A5.10 FOR FLOOR TILE PATTERN.
5. ROOM TO RECEIVE COVE MOULDING, CM-1. SEE DETAIL 1 SHEET A5.14.
6. SEE DETAIL 2, SHEET A5.10 FOR FLOOR PATTERN.
7. INSTALL TL-3 TO 4'-0" AFF WITH 3" X 12" BULLNOSE TRIM PIECE. AROUND SHOWER, INSTALL TL-3 TO CEILING. SEE ELEVATIONS 2-6 ON SHEET A5.11.
8. INSTALL TL-4 ON ENTIRE WALL BEHIND STOVE FROM COUNTERTOP TO UNDERSIDE OF UPPER CABINETS.
9. USE BENJAMIN MOORE #532 AURA BATH & SPA MATTE FLAT FINISH PAINT IN THIS LOCATION.
10. USE BENJAMIN MOORE #528 AURA SEMI-GLOSS INTERIOR PAINT IN THIS LOCATION.



1 / A5.14 MOULDING DETAILS

SCALE: 3" = 1'-0"

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE
CARROLLTON GA 30117

STATE OF GEORGIA
H. DEAN PEACOCK
CERTIFICATE NUMBER
REGISTERED ARCHITECT

	DATE	REVISION
	02/21/11	ISSUE FOR BID
A	03/18/11	ADDENDUM 3

PROJECT NO: 2293.01.00

DATE: 02/21/11

DRAWING TITLE: FINISH SCHEDULE & LEGEND- CLC & COMMON AREA

A5.14

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION AND/OR CONSENT OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET

DOOR AND FRAME SCHEDULE - GBOC

NO.	TYPE	MATL	SIZE W	SIZE HT	SIZE THK	GLZ	FRAME TYPE	FRAME MATL	DETAIL HEAD	DETAIL JAMB	DETAIL SILL	FIRE RATING	HARDWARE FUNCTION	HARDWARE CLOSER	FINISH DOOR	FINISH FRAME	REMARKS
001A	D	ALUM	16'-0	8'-0	0'-1 1/4"			ALUM	6/A5.20	6/A5.20	5/A5.20		EXIT	Y	ALUM	ALUM	
001B	D	ALUM	16'-0	8'-0	0'-1 1/4"			ALUM	5/A5.20	6/A5.20	5/A5.20		EXIT	Y	ALUM	ALUM	
002			8'-0	8'-0	0'-2 1/4"								CR/ES		STN	ALUM/STN	4,6
004	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	4		PA		FL	PNT	
005	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
006	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
008	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
009	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
010	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
011	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
012	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		CL		FL	PNT	
014A	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
014B	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
015	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
016	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
017	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
018	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
020A			8'-0	8'-0	0'-2 1/4"								CR/ES		STN	ALUM/STN	4,6
020B			8'-0	8'-0	0'-2 1/4"								CL		STN	STN	4,6
021	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		2	2	4		PA		FL	PNT	
022	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
023	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
025	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
027	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
028	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
029	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
030	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
031	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
032	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
033	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
034	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		CL		FL	PNT	
036	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
038	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
039	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
040	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
041	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
042	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
043	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
044	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
046	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		CL		FL	PNT	
048	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
049	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
050	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
051	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
052	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
053	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
054	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
055	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3	45	CR/ES	YES	FL	PNT	
057	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
058A	A	SCLID	4'-0	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	3
058B	A	SCLID	4'-0	7'-10	0'-1 3/4"		HM		1	2	3		PB		FL	PNT	
059	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	4	45	BL	YES	FL	PNT	
060	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3	45	CR/ES	YES	FL	PNT	
061	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3	45	CR/ES	YES	FL	PNT	
062	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
063	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		PB		FL	PNT	
064	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
065	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
066	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
067	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		CR/ES		FL	PNT	
070	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		CR/ES		FL	PNT	
071	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
072	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
073	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
074	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
076	A	SCLID	6'-0	7'-10	0'-1 3/4"	2	HM		1	2	3		BL		FL	PNT	
077	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
080	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		CL		FL	PNT	
081	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		FR		FL	PNT	
083	A	SCLID	4'-0	7'-10	0'-1 3/4"		HM		1	2	3		UL		FL	PNT	1
084A	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		FR		FL	PNT	
084B	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		FR		FL	PNT	1
085	A	SCLID	5'-0	7'-10	0'-1 3/4"	2	HM		1	2	3		BL		FL	PNT	
087	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
088	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
089	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
090	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		CL		FL	PNT	
092	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		CL		FL	PNT	
093	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
095	-	-	3'-6	7'-10	0'-1 3/4"	3	HM	5	6	3			CO		-	PNT	
096	-	-	3'-6	7'-10	0'-1 3/4"	3	HM	5	6	3			CO		-	PNT	
097	-	-	3'-6	7'-10	0'-1 3/4"	3	HM	5	6	3			CO		-	PNT	
097	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		CL		FL	PNT	
098	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
101	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
104	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
105	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
106	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
107	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
108	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
108A	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3	45	BL	YES	FL	PNT	
108B	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3	45	BL	YES	FL	PNT	
11	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
113	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		FR		FL	PNT	
114	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		FR		FL	PNT	
115	A	SCLID	6'-0	7'-10	0'-1 3/4"	2	HM		1	2	3		BL		FL	PNT	
121	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	4		PA		FL	PNT	
122	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
123	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
124	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
125	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
126	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
127	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		PB		FL	PNT	
128	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3	45	BL	YES	FL	PNT	
129	A	SCLID	6'-0	7'-10	0'-1 3/4"	2	HM		1	2	3		BL		FL	PNT	
130	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
131	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
133	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3	45	CR/ES	YES	FL	PNT	
134	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3	45	CR/ES	YES	FL	PNT	3
135	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3	45	BL	YES	FL	PNT	
136	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3	45	CR/ES	YES	FL	PNT	3
137	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3	45	PB	YES	FL	PNT	
138	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		CR/ES		FL	PNT	
139	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
140	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
141	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
142	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
143	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
144	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
145	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
146	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
147	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
148	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	4		BL		FL	PNT	
150	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		OL		FL	PNT	
151	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3		BL		FL	PNT	
152	A	SCLID	2'-0	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
153	A	SCLID	2'-0	7'-10	0'-1 3/4"		HM		1	2	3	45	PB	YES	FL	PNT	
206	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3	45	PA	YES	FL	PNT	
207	A	SCLID	3'-0	7'-10	0'-1 3/4"		HM		1	2	3	45	PA	YES	FL	PNT	
209	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3	30	GC	YES	FL	PNT	2
210	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	
211	A	SCLID	1'-8	7'-10	0'-1 3/4"		HM		1	2	3		PA		FL	PNT	
212	A3	SCLID	4'-0	7'-10	0'-1 3/4"	2	HM		1	2	3		PA		FL	PNT	
214	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3	30	GC	YES	FL	PNT	2
215	A	SCLID	3'-6	7'-10	0'-1 3/4"		HM		1	2	3		PR		FL	PNT	

DOOR AND FRAME SCHEDULE - GLCS

NO.	TYPE	MATL	SIZE W	SIZE HT	SIZE THK	GLZ	FRAME TYPE	FRAME MATL	DETAIL HEAD	DETAIL JAMB	DETAIL SILL	FIRE RATING	HARDWARE FUNCTION	HARDWARE CLOSER	FINISH DOOR	FINISH FRAME	REMARKS
216	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
217	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
218	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4	30	GC	YES	FL	PNT	2
220	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PR		FL	PNT	
221	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
222	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
224	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3	30	GC	YES	FL	PNT	2
225	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4		PR		FL	PNT	
226	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
227	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
228	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4	30	GC	YES	FL	PNT	2
230	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PR		FL	PNT	
231	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
232	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
234	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4	30	GC	YES	FL	PNT	2
235	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PR		FL	PNT	
236	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
237	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
238	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4	30	GC	YES	FL	PNT	2
240	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PR		FL	PNT	
241	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
242	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
244	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4	30	GC	YES	FL	PNT	2
245	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PR		FL	PNT	
246	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
247	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
248	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4	30	GC	YES	FL	PNT	2
250	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PR		FL	PNT	
251	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
252	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
254	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4	30	GC	YES	FL	PNT	2
255	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PR		FL	PNT	
256	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
257	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
258	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3	30	GC	YES	FL	PNT	2
260	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PR		FL	PNT	
261	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
262	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
264	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3	30	GC	YES	FL	PNT	2
265	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PR		FL	PNT	
266	A	SCLID	1'-6"	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
267	Aa	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PA		FL	PNT	
210	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3	45	CR/ES	YES	FL	PNT	3
211	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		CR/ES		FL	PNT	6
212	A	SCLID	4'-0	7'-10	0'-1 3/4"		2	HM	1	2	3		PB	YES	FL	PNT	3
213	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		CL	YES	FL	PNT	3
214A	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PB/SL	YES	FL	PNT	3
214B	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PB/SL	YES	FL	PNT	3
215	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PR		FL	PNT	
219	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		SL		FL	PNT	
280	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3	45	SL	YES	FL	PNT	
281	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	1		CR/ES	YES	FL	PNT	6
282	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		SL		FL	PNT	3
283	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		PA		FL	PNT	
284	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		CR/ES		FL	PNT	6
285	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		CR/ES	YES	FL	PNT	
301A	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3	90	PA	YES	FL	PNT	
301B	B	HM	8'-0	7'-10	0'-1 3/4"		2	HM	1	2	1		CR/ES	YES	FNT	PNT	6
302A	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4		CR/ES		FL	PNT	6
302B			1'-0	8'-0	0'-1 3/4"								CR/ES		STN	ALUM/STN	4
304A	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4		CR/ES		FL	PNT	
304B			1'-0	8'-0	0'-1 3/4"								CR/ES		STN	ALUM/STN	4
305A	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3	90	PA	YES	FL	PNT	
305B	A	HM	8'-0	7'-10	0'-1 3/4"		2	HM	1	2	1		CR/ES		FNT	PNT	6
306	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		CL	YES	FL	PNT	
307			8'-0	8'-0	0'-2 1/4"								CR/ES		STN	STN	4
308	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		OL		FL	PNT	
309			1'-0	8'-0	0'-1 3/4"								CR/ES		STN	ALUM/STN	4,6
310	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		OL		FL	PNT	
311			8'-0	8'-0	0'-2 1/4"								CR/ES		STN	STN	4
312	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		OL		FL	PNT	
313	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		OL		FL	PNT	
314A	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		OL		FL	PNT	
314B	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4		OL		FL	PNT	
315	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4		FR		FL	PNT	
316	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		OL		FL	PNT	
317			8'-0	8'-0	0'-2 1/4"								CR/ES		STN	ALUM/STN	4,6
318A			8'-0	8'-0	0'-2 1/4"								CR/ES		STN	ALUM/STN	4
318B			8'-0	8'-0	0'-2 1/4"								CR/ES		STN	ALUM/STN	4
319	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		OL		FL	PNT	
320	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	4		FR		FL	PNT	
321	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		CL		FL	PNT	
322	A	SCLID	3'-6	7'-10	0'-1 3/4"		1	HM	1	2	3		OL		FL	PNT	
323			8'-0	8'-0	0'-2 1/4"								CR/ES		STN	STN	4
324	A	SCLID	3'-0	7'-10	0'-1 3/4"		1	HM	1	2	3		OL		FL	PNT	
325			1'-0	8'-0	0'-1 3/4"								CR/ES		STN	ALUM/STN	4,6
326	A	SCLID	3'-6	7'-







1 A5.30 EXTERIOR WINDOW TYPES
SCALE: 3/8" = 1'-0"



2 A5.30 INTERIOR WINDOW TYPES
SCALE: 3/8" = 1'-0"

PEACOCK ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERAN'S VILLAGE
CARROLLTON, GA 30117

STATE OF GEORGIA
JEFFREY PEACOCK
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID

PROJECT NO: 229.01.00
DATE: 02/21/11
DRAWING TITLE: WINDOW SCHEDULE

A5.30

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED OR REPRODUCED WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET



1 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



2 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



3 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



4 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



5 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



6 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



7 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



8 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



9 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



10 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



11 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



12 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



13 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



14 A5.31 SILL/HEAD DETAIL
SCALE: 1 1/2" = 1'-0"



15 A5.31 HEAD DETAIL
SCALE: 1 1/2" = 1'-0"



16 A5.31 HEAD DETAIL
SCALE: 1 1/2" = 1'-0"



17 A5.31 HEAD DETAIL
SCALE: 1 1/2" = 1'-0"



18 A5.31 HEAD DETAIL
SCALE: 1 1/2" = 1'-0"



19 A5.31 HEAD DETAIL
SCALE: 1 1/2" = 1'-0"



20 A5.31 HEAD DETAIL
SCALE: 1 1/2" = 1'-0"



21 A5.31 HEAD DETAIL
SCALE: 1 1/2" = 1'-0"



22 A5.31 SILL DETAIL
SCALE: 1 1/2" = 1'-0"



23 A5.31 SILL DETAIL
SCALE: 1 1/2" = 1'-0"



24 A5.31 SILL DETAIL
SCALE: 1 1/2" = 1'-0"



25 A5.31 SILL DETAIL
SCALE: 1 1/2" = 1'-0"



2 26 A5.31 SILL DETAIL
SCALE: 1 1/2" = 1'-0"



27 A5.31 SILL DETAIL
SCALE: 1 1/2" = 1'-0"



28 A5.31 SILL DETAIL
SCALE: 1 1/2" = 1'-0"



29 A5.31 SILL DETAIL
SCALE: 1 1/2" = 1'-0"



30 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



31 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



32 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



33 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



34 A5.31 JAMB DETAIL
SCALE: 1 1/2" = 1'-0"



35 A5.31 SILL DETAIL
SCALE: 1 1/2" = 1'-0"

PEACOCK
ARCHITECTS
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE
CARROLLTON GA 30117

STATE OF GEORGIA
CHRIS PEACOCK
REGISTERED ARCHITECT

DATE	REVISION
02/21/11	ISSUE FOR BID
A 03/11/11	ADDENDUM 2

PROJECT NO: 229.01.00
DATE: 02/21/11
DRAWING TITLE: WINDOW DETAILS

A5.31

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

teamwork://designserver/TDVV DD SET

GENERAL NOTES :

1. THE STANDARD DRYWALL PARTITIONS WILL BE CONSTRUCTED OF 3-5/8"20 GAUGE METAL STUDS WITH 5/8" DRYWALL ON EACH SIDE.
2. THE TENANT DEMISING OR CORRIDOR OR TENANT SEPARATING PARITION WILL BE CONSTRUCTED OF 3-5/8"20 GAUGE METAL STUDS 24"O.C. WITH 5/8" FIRE RATED DRYWALL ON BOTH SIDES TO THE UNDERSIDE OF THE SLAB OR DECK ABOVE AT 5'0" +/-.
3. CAULKING WILL BE PROVIDED BETWEEN THE TOP OF THE DRYWALL PARTITION AND THE CEILING WHERE APPLICABLE.
4. INTERIOR PARTITIONS TO BE TYPE 1 UNLESS NOTED OTHERWISE.
5. CONTRACTOR SHALL PERMANENTLY IDENTIFY ALL FIRE-RESISTANCE-RATED WALLS (AND CORRESPONDING FIRE-RESISTANCE RATING) INCLUDING FIRE BARRIER WALLS, SMOKE BARRIER WALLS, FIRE PARTITIONS, FIRE WALLS, AND SHAFT ENCLOSURES EITHER BY INSTALLING SIGNS OR BY STENCILING IN CONCEALED SPACES THE FOLLOWING: (1 HOUR FIRE AND SMOKE BARRIER - PROTECTED OPENINGS. IDENTIFICATION SHALL BE SPACED NO MORE THAN TWELVE FEET ON CENTER WITH A MINIMUM LETTER SIZE OF TWO INCHES IN HEIGHT ON A CONTRASTING BACKGROUND. (SBC SECTION 703.5 OF THE 2002 GA STATE AMENDMENTS).
6. INSULATING MATERIALS INSTALLED IN BUILDINGS OF ANY TYPE OF CONSTRUCTION SHALL HAVE A FLAME SPREAD INDEX OF NOT MORE THAN 25 AND A SMOKE DEVELOPED INDEX OF NOT MORE THAN 450 AS DETERMINED IN ACCORDANCE WITH ASTM E84.
7. COORDINATE RATED PARTITION TYPES WITH LIFE SAFETY PLANS.
8. WATER RESISTANT GYP. BD. SHALL BE USED AROUND ALL PLUMBING FIXTURES. ALL GYPSUM BOARD WITHIN 5'-0" OF A PLUMBING FIXTURE TO BE WATER RESISTANT.
9. WHERE STEEL BEAMS AND/OR JOISTS PENETRATE FIRE AND/OR SMOKE RATED WALLS, PROVIDE FIRE SAFING AT INTERSECTION OF BEAM AND/OR JOISTS AND METAL ROOF DECK.
10. AT THE INTERSECTION OF RATED WALLS, THE HIGHER PRIORITY WALL SHALL PASS THRU THE LESSER PRIORITY WALL.
11. SEAL ALL CONDUITS, PIPES, DUCTWORK, ETC., PASSING THRU FIRE RATED WALLS WITH APPROVED FIRE RATED MATERIALS AS PER THE REQUIRED ASSEMBLIES. ALL PENETRATIONS SHALL CONFORM TO ASTM E-84.

PEACOCK
architects
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE
CARROLLTON, GA 30117



8 — NON RATED PARTITION



7 — PAINTED CONCRETE BLOCK WALLS



1 — NON-RATED



2 — NON-RATED W/ SOUND ATTENUATION BLANKET



3 — NON-RATED W/ SOUND ATTENUATION BLANKET

3A — 1HOUR RATED UL DES 465 W/ SOUND ATTENUATION BLANKET

3C — 1HOUR FIRE/SMOKE RATED UL DES 465 W/ SOUND ATTENUATION BLANKET

3D — 30 MIN. RATED W/ SOUND ATTENUATION BLANKET

3E — NON-RATED W/ SOUND ATTENUATION BLANKET & STEEL SECURITY SCREEN MESH

3F — 1HOUR RATED UL DES 465 W/ SOUND ATTENUATION BLANKET & STEEL SECURITY SCREEN MESH



3B — 2 HOUR RATED W/ SOUND ATTENUATION BLANKET



4 — NON-RATED LEAD LINED PARTITION

4A — 1HOUR RATED UL DES 465 W/ SOUND ATTENUATION BLANKET, LEAD LINED PARTITION WITH 6" METAL STUDS

4B — 1HOUR RATED UL DES 465 W/ SOUND ATTENUATION BLANKET, LEAD LINED PARTITION



5 — 30 MIN. RATED W/ 6" METAL STUDS W/ SOUND ATTENUATION BLANKET

5A — 1HOUR RATED UL DES 465 W/ 6" METAL STUDS W/ SOUND ATTENUATION BLANKET

5B — NON-RATED WITH 6" METAL STUDS W/ SOUND ATTENUATION BLANKET

5C — NON-RATED WITH 6" METAL STUDS W/ SOUND ATTENUATION BLANKET & STEEL SECUTIY SCREEN MESH



6 — NON-RATED

DATE	REVISION
02/21/11	ISSUE FOR BID
03/9/11	ADDENDUM 2
03/16/11	ADDENDUM 3

PROJECT NO: 220010.0

DATE: 02/21/11

DRAWING TITLE: PARTITION TYPES AND DETAILS

A5.40

THIS DRAWING AND ANY REPRODUCTIONS ARE THE PROPERTY AND COPYRIGHT OF PEACOCK ARCHITECTS, INC. AND MAY NOT BE USED IN ANY MANNER WITHOUT THE EXPRESSED WRITTEN PERMISSION OF PEACOCK ARCHITECTS, INC.

1 / A5.40 PARTITION TYPES
SCALE: 3/4" = 1'-0"

teamwork://designserver/TDVV DD SET