



**PEACOCK
ARCHITECTS**
2000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA, GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

**DAVID E. STONE
ARCHITECTS**
1000 RIVEREDGE PARKWAY
SUITE SEVEN HUNDRED
ATLANTA, GEORGIA 30328
404-214-5200 PHONE
404-214-5208 FAX

TRINKA DAVIS VETERANS VILLAGE
CARROLLTON, GA 30111

DATE	REVISION
02/21/11	ISSUED FOR BID
03/04/11	ADD SHEET #1
03/11/11	ADD SHEET #2

PROJECT NO.	2250100
DATE	SEPTEMBER 1, 2000
DRAWING TITLE	CLC ROOF FRAMING PLAN

\$2.05

THIS DRAWING IS THE PROPERTY OF
DAVID E. STONE ARCHITECTS, INC.
IT IS TO BE USED ONLY FOR THE PROJECT
AND SITE SPECIFICALLY IDENTIFIED HEREON.



**CLC PARTIAL ROOF
FRAMING PLAN**
SCALE: 1/8" = 1'-0"

CLC ROOF FRAMING PLAN 1
SCALE: 1/8" = 1'-0"

- NOTES:
1. DRINKERS 11/2" x 27 GAUGE WIDE RIB METAL ROOF DECK
MINIMUM DECK PROPERTIES:
Sp = 6955 IN/FT
Sn = 6733 IN/FT
 2. DENOTES 11/2" x 27 GAUGE WIDE RIB METAL ROOF DECK OVER
MINIMUM DECK PROPERTIES:
Sp = 6955 IN/FT
Sn = 6733 IN/FT
 3. DENOTES 3" REG. UT. CONC. SLAB ON 9/16" x 20 GAUGE METAL FORTH DECK
MINIMUM DECK PROPERTIES:
Sp = 6955 IN/FT
Sn = 6733 IN/FT
 4. DENOTES INSULATED CONCRETE FORMS SYSTEM WITH #4 CONCRETE
CAVITY WALL BELOW
 5. SEE ARCH. FOR ALL DIMENSIONS NOT SHOWN
 6. T/STEEL = C/COC - SEE PLAN (STEEL FRAMING SLOPES)
T/STEEL = C/COC - SEE PLAN (STEEL FRAMING SLOPES)
T/STEEL = C/COC - SEE PLAN (STEEL FRAMING SLOPES)
T/STEEL = C/COC - SEE PLAN (STEEL FRAMING SLOPES)
 7. INSTALL MISC. H80 1/2x2 1/2x1/2 TO RAISE T/STEEL AS NEEDED.
 8. DENOTES MOMENT CONNECTION (SEE DETAIL 5/83/23)
 9. SEE 4/83/23 FOR TYP. JOINT CHORD SUPPORT DETAIL
 10. CENTER BEAM ON CURTAIN WALL BELOW
 11. SEE 5/83/23 FOR TYPICAL STEEL BEAM TO CONCRETE WALL CONNECTION DETAIL.
 12. TRUSS DESIGNER TO SIZE TRUSSES FOR 400 LBS POINT LOAD FROM 1/2x10 PENDAN
(SEE ARCH. FOR INFO.)
 13. COORDINATE T/STEEL W/ STORE FRONT DETAILS (SEE ARCH.)