



**US Army Corps  
of Engineers®**  
Savannah District

---

# **Military Working Dog Kennel Hunter Army Airfield Savannah, Georgia**



## **Veterinary Equipment Ready to Advertise (RTA)**

Project Number: PN 69262  
27 April 2023


TABLE OF CONTENTS

<b>SECTION 01</b>	<b>ITEM CODES INDEX AND COST ESTIMATE - Not Included</b>
<b>SECTION 02</b>	<b>MEDICAL EQUIPMENT</b>
<b>SECTION 03</b>	<b>DRAWINGS</b>


**ITEM CODES INDEX AND COST ESTIMATE  
Not Included**

**ORDER DATA SHEETS FOR  
VETERINARY EQUIPMENT**



MWD KENNEL HUNTER ARMY AIRFIELD  
HUNTER ARMY AIRFIELD, GEORGIA

<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>			<b>PAGE</b>	
		<b>HUNTER ARMY AIRFIELD</b>			<b>2</b>	
		GEORGIA			<b>ITEM CODE</b>	
		PROJECT NUMBER: 69262			<b>LE-1 and LE-14</b>	
FURNITURE ITEM: DIGITAL X-RAY AND VIEWER					DATE: 4/27/2023	
FSC GROUP	PART	SIN	MOL	EXPIRATION DATE	GSA CONTRACT NUMBER	
SOURCE:						
MFGR:						
Point of Contact:						
PRODUCT NAME:					<b>PHOTO:</b>	
MODEL NUMBER:						
<b>ITEM DESCRIPTION: <i>Salient Characteristics</i></b>						
<ul style="list-style-type: none"> <li>* Digital X-ray Table and Viewer</li> <li>* Table <ul style="list-style-type: none"> <li>* Table top type 4 way float type</li> <li>* Table top length Standard 5-ft</li> <li>* Maximum load patient weight 210 lb.</li> <li>* Brakes Electromagnetic</li> <li>* Ultra-compact High Frequency X-ray generator that fits inside the table base.</li> <li>* Generator is a 32kW, 400 mA, 125 kVp and 500 mAs Single Phase 220VAC</li> <li>* Hands Free Collimator Light Control</li> </ul> </li> <li>*Dual Independent Monitors - Single Touch system <ul style="list-style-type: none"> <li>* 17" Console monitor provides patient information, technique settings and static images from RAD mode.</li> <li>* 24" Monitor displays dynamic images from "Cine" (video) the Dynamic mode</li> </ul> </li> <li>* Diagnostic and Image Review</li> <li>* Mini-Pacs software and viewer</li> <li>* Extensive measurement tools for both static and dynamic evaluation</li> <li>* Specifications: Constant Potential kW ratings 32 kW, kVp Range 40-125 kVp, mAs Range 0.1 – 500 mAs, mA Range, 10/12.5/16/20/25/32/40/50/64/80/100/125/, 160/200/250/320/400, X-Ray tube Rotating Anode (0.6 / 1.2 mm), X-Ray generator Line Powered 208-240 VAC Single Phase or 3 Phase, Exposure time 0,001 – 10 seg</li> <li>* 17" Flat Panel Detector Specifications: Panel – Amorphous silicon active TFT-diode array, Scintillator – Direct deposition CsI TI, Pixel Matrix – 4288 x 4288, Pixel Pitch – 100 micron, ADC – 16 bit, Image Transfer Rate – 600 ms, Physical Size – 17 inch x 17 inch, Housing – Aluminum Frame with Carbon Fiber Window</li> </ul>						
<b>DIMENSIONS:</b>						
Overall: 60" L						





<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>		PAGE	
		<b>HUNTER ARMY AIRFIELD</b>		3	
		GEORGIA PROJECT NUMBER: 69262		ITEM CODE <b>LE-1 and LE-14</b>	
FURNITURE ITEM: DIGITAL X-RAY AND VIEWER				DATE: 4/27/2023	
FINISHES:					
Manufacturer Standard Finishes					
<b>LOCATION OF ITEM / QUANTITY (BY ROOM):</b>				<b>TOTAL QUANTITY 1</b>	
<b>RM #</b>	<b>ROOM NAME</b>	<b>QTY</b>	<b>UNIT PRICE</b>	<b>EXT. PRICE</b>	
111	Veterinary Treatment	1			
				<b>TOTAL PRICE</b>	
REMARKS:				SPECIAL INSTRUCTIONS:	



MWD KENNEL HUNTER ARMY AIRFIELD  
HUNTER ARMY AIRFIELD, GEORGIA

<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>			PAGE 4		
		<b>HUNTER ARMY AIRFIELD</b>			ITEM CODE		
		GEORGIA			<b>LE-3</b>		
PROJECT NUMBER: 69262							
FURNITURE ITEM: TREATMENT TABLE					DATE: 4/27/2023		
FSC GROUP	PART	SIN	MOL	EXPIRATION DATE	GSA CONTRACT NUMBER		
SOURCE:							
MFGR:							
Point of Contact:							
PRODUCT NAME:					PHOTO:		
MODEL NUMBER:							
<b>ITEM DESCRIPTION: <i>Salient Characteristics</i></b>							
<ul style="list-style-type: none"> <li>* Provide a exam and treatment table constructed of Stainless Steel.</li> <li>* To have one door and three drawers.</li> <li>* Table top to be stainless steel.</li> <li>* Provide left hand knee space.</li> </ul>							
							
DIMENSIONS:							
Overall: 60" L x 25" D x 36" H							
FINISHES: Coded to finish color boards							
Stainless Steel							
LOCATION OF ITEM / QUANTITY (BY ROOM):					TOTAL QUANTITY 1		
<b>RM #</b>	<b>ROOM NAME</b>				<b>QTY</b>	<b>UNIT PRICE</b>	<b>EXT. PRICE</b>
111	Veterinary Treatment				1		
					<b>TOTAL PRICE</b>		
REMARKS:					SPECIAL INSTRUCTIONS:		



MWD KENNEL HUNTER ARMY AIRFIELD  
HUNTER ARMY AIRFIELD, GEORGIA

<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>			PAGE 5	
		<b>HUNTER ARMY AIRFIELD</b>			ITEM CODE <b>LE-4</b>	
		GEORGIA PROJECT NUMBER: 69262				
FURNITURE ITEM: SURGERY TABLE				DATE: 4/27/2023		
FSC GROUP	PART	SIN	MOL	EXPIRATION DATE	GSA CONTRACT NUMBER	
SOURCE:						
MFGR:						
Point of Contact:						
PRODUCT NAME:				<b>PHOTO:</b>		
MODEL NUMBER:						
<b>ITEM DESCRIPTION: <i>Salient Characteristics</i></b>						
* Provide heated v-top surgery table with hydraulic base.						
* Provide high-quality, Stainless Steel table surfaces.						
* Two polymer five-lobe ergonomic knobs that open to a tray and allow the tops to open to 270 degree for access to remove surgical waste.						
* Directional tilt lock secures the top in almost any position, from horizontal to near vertical.						
* The thermostatic control mounted on the frame for temperature monitoring.						
* Built in alarm and shut-off to alert you to an overheating situation.						
* Factory-set temperature is maintained at 98.8 degrees F.						
* Controlled heating temperature with even heat distribution.						
* Four sliding, quick-release, cam cleat tie-down attachments come with the table, allowing tighten in any position along the rail.						
* 3 inch Stainless Steel trough permits fluid runoff into a drain outlet.						
* Table can be lifted from 28.75 inch to 39.75 inch via hydraulic mechanism.						
* Top rotates 360 degrees or can be stationary.						
* Solid stainless steel base.						
* V-Top 19 inch wide by 58 in long.						
* Each panel has an 8.25 inch wide by 44 inch long heated area on the table.						
* The overall heated area is 16.5 inch by 44 inch.						
* Unit requires 120V.						
<b>DIMENSIONS:</b>						
Overall: 60" L x 25" W x 36" H						
<b>FINISHES:</b>						
Stainless Steel						
<b>LOCATION OF ITEM / QUANTITY (BY ROOM):</b>				<b>TOTAL QUANTITY</b> 1		
<b>RM #</b>	<b>ROOM NAME</b>			<b>QTY</b>	<b>UNIT PRICE</b>	<b>EXT. PRICE</b>
112	Surgery			1		
				<b>TOTAL PRICE</b>		
<b>REMARKS:</b>				<b>SPECIAL INSTRUCTIONS:</b>		


MWD KENNEL HUNTER ARMY AIRFIELD  
HUNTER ARMY AIRFIELD, GEORGIA

<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>			PAGE 6	
		<b>HUNTER ARMY AIRFIELD</b>			ITEM CODE	
		GEORGIA			<b>LE-5</b>	
			PROJECT NUMBER: 69262			
FURNITURE ITEM: RECOVERY CAGE				DATE: 4/27/2023		
FSC GROUP	PART	SIN	MOL	EXPIRATION DATE	GSA CONTRACT NUMBER	
SOURCE:						
MFGR:						
Point of Contact:						
PRODUCT NAME:				PHOTO:		
MODEL NUMBER:						
<b>ITEM DESCRIPTION: <i>Salient Characteristics</i></b>						
<ul style="list-style-type: none"> <li>* 6' Stainless Steel cage</li> <li>* 72" W bottom double door cape with two cages on top.</li> <li>* Top Row: two 36"W x 30"H cages; Bottom Row: one 72"W x 36"H double door cage.</li> <li>* Type 304 Stainless Steel, all heavy gauge Stainless Steel</li> <li>* Stainless Steel 1"-square tube frame</li> <li>* One-piece door made with welds</li> <li>* One piece of Stainless Steel cage sides</li> <li>* Rounded corners</li> <li>* Fluid-retaining lip</li> <li>* (6) Casters</li> <li>* Made in the USA</li> </ul>						
						
DIMENSIONS:						
Overall: 72" W x 28.25" D x 66" H						
FINISHES:						
Manufacturer Standard Finishes						
<b>LOCATION OF ITEM / QUANTITY (BY ROOM):</b>				<b>TOTAL QUANTITY</b> 1		
<b>RM #</b>	<b>ROOM NAME</b>			<b>QTY</b>	<b>UNIT PRICE</b>	<b>EXT. PRICE</b>
111	Veterinary Treatment			1		
				<b>TOTAL PRICE</b>		
REMARKS:				SPECIAL INSTRUCTIONS:		

MWD KENNEL HUNTER ARMY AIRFIELD  
HUNTER ARMY AIRFIELD, GEORGIA



<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>			PAGE 7	
		<b>HUNTER ARMY AIRFIELD</b>			ITEM CODE <b>LE-6</b>	
		GEORGIA PROJECT NUMBER: 69262				
FURNITURE ITEM: SCALE				DATE: 4/27/2023		
FSC GROUP	PART	SIN	MOL	EXPIRATION DATE	GSA CONTRACT NUMBER	
SOURCE:						
MFGR:						
Point of Contact:						
PRODUCT NAME:				<b>PHOTO:</b> 		
MODEL NUMBER:						
<b>ITEM DESCRIPTION: Salient Characteristics</b>						
<ul style="list-style-type: none"> <li>* Digital Floor Scale</li> <li>* Standard features include lbs, kg and lb/oz weighing modes, weight hold feature, stable weight indication and auto power off to extend battery life.</li> <li>* Provide rubber slip reducing mat</li> <li>* Indicator bracket for stand or wall mounting, and a RS-232 cable</li> <li>* Stainless Steel top</li> <li>* Accuracy- 0.2% of full capacity</li> <li>* Capacity- 550 lb</li> <li>* Construction- Low profile stainless steel platform with mild steel understructure and stainless steel / ABS indicator.</li> <li>* Protocol - Standard NCI interfaces to most common shipping software, including UPS™ Worldship Online and FedEx®.</li> <li>* Display- Five 0.625" digits LCD</li> <li>* Power- Battery or AC power</li> <li>* Operator Keys- On/Off/Zero, Tare, Units (lb/kg), Hold/Print</li> <li>* Display: 1", 7 segment LCD</li> <li>* RS-232: 10 interface cable (DB-9)</li> <li>* Keyboard: Three 6 digit 0.56" high 7 segment red LED display</li> <li>* Indicator: 6.5" L x 3.2" H x 1.2" W</li> <li>* Battery Life- 20 hours</li> <li>* Certifications: Full FCC compliance, UL/CUL power adapter</li> <li>* Operating Temperature: 41° F to 95° F (5° C to 35° C)</li> </ul>						
<b>DIMENSIONS:</b>						
Overall: 42" L x 22" W x 2" H						
<b>FINISHES:</b>						
Manufacturer Standard Finishes						
<b>LOCATION OF ITEM / QUANTITY (BY ROOM):</b>				<b>TOTAL QUANTITY</b> 1		
<b>RM #</b>	<b>ROOM NAME</b>			<b>QTY</b>	<b>UNIT PRICE</b>	<b>EXT. PRICE</b>
111	Veterinary Treatment			1		
				<b>TOTAL PRICE</b>		
<b>REMARKS:</b>				<b>SPECIAL INSTRUCTIONS:</b>		

MWD KENNEL HUNTER ARMY AIRFIELD  
HUNTER ARMY AIRFIELD, GEORGIA




<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>			PAGE 8	
		<b>HUNTER ARMY AIRFIELD</b>			ITEM CODE	
		GEORGIA			<b>LE-10</b>	
PROJECT NUMBER: 69262					DATE: 4/27/2023	
FURNITURE ITEM: MOBILE ANESTHETIC GASE MACHINE					GSA CONTRACT NUMBER	
FSC GROUP	PART	SIN	MOL	EXPIRATION DATE		
SOURCE:						
MFGR:						
Point of Contact:						
PRODUCT NAME:					<b>PHOTO:</b>	
MODEL NUMBER:						
<b>ITEM DESCRIPTION: <i>Salient Characteristics</i></b>						
<ul style="list-style-type: none"> <li>* Anesthesia Machine with oxygen concentrator</li> <li>* Extracts medical-grade oxygen (USP93%)</li> <li>* Delivers on demand up to 5 lpm</li> <li>* Quiet operation at 40 dBA</li> <li>* Energy efficient</li> <li>* Accepts industry standard vaporizers</li> <li>* FDA approved, UL tested</li> <li>* Meets 13485:2016 ISO &amp; 60601-1 IE Standards</li> <li>* Oxygen flow and Purity safety alarms</li> <li>* 0-4 lpm precision flow meter</li> <li>* Easy on/off; controls are large and easily accessible</li> <li>* Stable "A" Frame chassis with a low center of gravity</li> <li>* Includes one high pressure "E" tank for backup and oxygen flush use.</li> <li>* Made in the USA</li> </ul>						
<b>DIMENSIONS:</b>						
Overall: 18" L x 18" W						
<b>FINISHES:</b>						
Manufacturer Standard Finishes						
<b>LOCATION OF ITEM / QUANTITY (BY ROOM):</b>					<b>TOTAL QUANTITY</b>	
<b>RM #</b>	<b>ROOM NAME</b>				<b>QTY</b>	<b>UNIT PRICE</b>
111	Veterinary Treatment				1	
					<b>TOTAL PRICE</b>	
<b>REMARKS:</b>					<b>SPECIAL INSTRUCTIONS:</b>	




included.

<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>			PAGE 9	
		<b>HUNTER ARMY AIRFIELD</b>			ITEM CODE <b>LE-11</b>	
		GEORGIA PROJECT NUMBER: 69262				
FURNITURE ITEM: DENTAL MACHINE				DATE: 4/27/2023		
FSC GROUP	PART	SIN	MOL	EXPIRATION DATE	GSA CONTRACT NUMBER	
SOURCE:						
MFGR:						
Point of Contact:						
PRODUCT NAME:				<b>PHOTO:</b>		
MODEL NUMBER:						
<b>ITEM DESCRIPTION: Salient Characteristics</b>						
* Dental Station System						
* Internal Storage						
* Telescopic pneumatic arm height adjustment from 38" down to 28.5"						
* Fiber optic push button high speed hand piece						
* Low speed hand piece						
* Piezo LED lighted scaler						
* Three way syringe						
* Variable speed foot control						
* 2 – 2 liter bottle system						
* Quick disconnect pressurized water connection						
* Silent air compressor 1/2 HP Internal powder-coated air tank						
* Dual filtration system for the cleanest air						
* Dental Vet Package: 10 Friction Grip High Speed Burs, SS Prophy Angle, Vetcare Prophy Paste (250gm jar), Prophy Cups (box of 144) and DCL 90 Cleaner Lubricant						
* 2 year warranty						
<b>DIMENSIONS:</b>						
Overall: 22" L x 25" W x X" H						
<b>FINISHES:</b>						
Manufacturer Standard Finishes						
<b>LOCATION OF ITEM / QUANTITY (BY ROOM):</b>				<b>TOTAL QUANTITY</b> 1		
<b>RM #</b>	<b>ROOM NAME</b>			<b>QTY</b>	<b>UNIT PRICE</b>	<b>EXT. PRICE</b>
111	Veterinary Treatment			1		
				<b>TOTAL PRICE</b>		
<b>REMARKS:</b>				<b>SPECIAL INSTRUCTIONS:</b>		



MWD KENNEL HUNTER ARMY AIRFIELD  
HUNTER ARMY AIRFIELD, GEORGIA

<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>			PAGE 10	
		<b>HUNTER ARMY AIRFIELD</b>			ITEM CODE <b>LE-12</b>	
		GEORGIA PROJECT NUMBER: 69262				
FURNITURE ITEM: DENTAL DIGITAL X-RAY				DATE: 4/27/2023		
FSC GROUP	PART	SIN	MOL	EXPIRATION DATE	GSA CONTRACT NUMBER	
SOURCE:						
MFGR:						
Point of Contact:						
PRODUCT NAME:				<b>PHOTO:</b>		
MODEL NUMBER:						
<b>ITEM DESCRIPTION: <i>Salient Characteristics</i></b>						
<ul style="list-style-type: none"> <li>* Handheld, rechargeable, battery-powered intraoral x-ray system <ul style="list-style-type: none"> <li>* Battery: Lithium Polymer, 22.2V, 1.25 Ahr</li> <li>* Anode voltage: 60 kV true DC</li> <li>* Anode current: 2.5 mA</li> <li>* Exposure time range: 0.02 – 1.00 s</li> <li>* Focal spot: 0.4 mm</li> <li>* Quality Equivalent Filtration: &gt;1.5 mm Al</li> <li>* Source to skin distance: 20 cm</li> <li>* X-ray field: 60 mm round</li> <li>* Maximum duty cycle: 1:60</li> <li>* Total weight: 5.5 lbs.</li> </ul> </li> <li>* DEXIS Titanium Sensor and Software Bundle <ul style="list-style-type: none"> <li>* single-sensor solution</li> <li>* consistent, extraordinary, high-quality images with improved tissue contrast across a broad spectrum of radiation levels, especially at lower doses</li> </ul> </li> </ul>						
 						
<b>DIMENSIONS:</b>						
Overall:						
<b>FINISHES:</b>						
Manufacturer Standard Finishes						
<b>LOCATION OF ITEM / QUANTITY (BY ROOM):</b>				<b>TOTAL QUANTITY</b> 1		
<b>RM #</b>	<b>ROOM NAME</b>			<b>QTY</b>	<b>UNIT PRICE</b>	<b>EXT. PRICE</b>
111	Veterinary Treatment			1		
				<b>TOTAL PRICE</b>		
<b>REMARKS:</b>				<b>SPECIAL INSTRUCTIONS:</b>		

MWD KENNEL HUNTER ARMY AIRFIELD  
HUNTER ARMY AIRFIELD, GEORGIA

<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>			PAGE 11		
		<b>HUNTER ARMY AIRFIELD</b>			ITEM CODE		
		GEORGIA			<b>LE-13</b>		
					PROJECT NUMBER: 69262		
FURNITURE ITEM: PROTECTIVE GARMENTS AND HANGER					DATE: 4/27/2023		
FSC GROUP	PART	SIN	MOL	EXPIRATION DATE	GSA CONTRACT NUMBER		
SOURCE:							
MFGR:							
Point of Contact:							
PRODUCT NAME:					<b>PHOTO:</b>		
MODEL NUMBER:							
<b>ITEM DESCRIPTION: <i>Salient Characteristics</i></b>							
(Qty 1) Wall Mounted Lead Apron Rack with 8 Pegs - 19" W x 3" H							
* Each peg can hold an apron weighing up to 12 pounds.							
* Steel construction for durability and stability.							
* Pegs tilt upward at the ends to prevent aprons from sliding off the rack and to provide added safety.							
* Durable Steel Construction							
* Electromagnetic power coated							
* Pegs are 4" Long x 1/2" Diameter							
* 1 year warranty							
(Qty 2) Maxi-Guard Lead Protective Collar - Blue							
(Qty 2) Maxi-Guard X-ray apron lead technician style - Grey							
* All-vinyl aprons that have a 0.3mm lead equivalent.							
* Easy to clean with most disinfecting liquids.							
DIMENSIONS:							
FINISHES:							
Manufacturer Standard Finishes							
<b>LOCATION OF ITEM / QUANTITY (BY ROOM):</b>					<b>TOTAL QUANTITY</b> 1		
<b>RM #</b>	<b>ROOM NAME</b>				<b>QTY</b>	<b>UNIT PRICE</b>	<b>EXT. PRICE</b>
111	Veterinary Treatment				1		
					<b>TOTAL PRICE</b>		
REMARKS:					SPECIAL INSTRUCTIONS:		



<b>ORDER DATA SHEET</b>		<b>MWD KENNEL HUNTER ARMY AIRFIELD</b>			PAGE 12	
		<b>HUNTER ARMY AIRFIELD</b>			ITEM CODE	
		GEORGIA			<b>LE-15</b>	
		PROJECT NUMBER: 69262				
FURNITURE ITEM: PATIENT MONITOR				DATE: 4/27/2023		
FSC GROUP	PART	SIN	MOL	EXPIRATION DATE	GSA CONTRACT NUMBER	
SOURCE:						
MFGR:						
Point of Contact:						
PRODUCT NAME:				<b>PHOTO:</b>		
MODEL NUMBER:						
<b>ITEM DESCRIPTION: <i>Salient Characteristics</i></b>						
* Multiparameter Monitor						
* Voltage: AC 100 - 240 V						
* Parameters:						
* NIBP: Cardell® BP Technology						
* Pulse Oximetry (SpO2): Nellcor® Oximax®						
* CO2 Monitoring:						
* Respirationics® CAPNOSTAT® 5 Mainstream						
* Respirationics® LoFlo™ Sidestream						
* ECG: 3-Lead Standard, 5-Lead Optional						
* HR/PR: ECG HR/SpO2 and NIBP PR						
* Temperature: 2-Channel						
* Respiration Method: Indirect: Impedance						
* Anesthetic Gas: Masimo® Multigas Mainstream						
* Display: 12.1" LCD Resistive Touch Screen						
* Waveform Display: 6 Channel with IBP and Multigas Options 3-4 Channel Standard Display						
* ECG Vector Waveform Display: 7-Channel with 5-Lead Option 1-Channel with 3-Lead Option						
* ECG Gain: Auto, x0.25, x0.5, x1, x2, x4						
* HR/PR Range: ECG HR = 15-350 bpm, SpO2 PR = 20-300 bpm						
* NIBP Modes: Manual, Auto, Continuous, Screen						
* Graphical Trends: 168 hours						
* Tabular Trends: 168 hours						
* Parameter Alarms: User-Defined High/Low with 4 Defaults (cat, dog, horse, other)						
* Download to PC: USB Drive						
* 2 year limited warranty						
DIMENSIONS:						
Overall: 5.09" x 13.00" x 10.96"						
FINISHES:						
Manufacturer Standard Finishes						
<b>LOCATION OF ITEM / QUANTITY (BY ROOM):</b>				<b>TOTAL QUANTITY</b> 1		
<b>RM #</b>	<b>ROOM NAME</b>			<b>QTY</b>	<b>UNIT PRICE</b>	<b>EXT. PRICE</b>
111	Veterinary Treatment			1		
				<b>TOTAL PRICE</b>		
REMARKS:				SPECIAL INSTRUCTIONS:		

MWD KENNEL HUNTER ARMY AIRFIELD  
HUNTER ARMY AIRFIELD, GEORGIA

# DRAWINGS

MWD KENNEL HUNTER ARMY AIRFIELD  
HUNTER ARMY AIRFIELD, GEORGIA

