



2200 EAST 31ST STREET, SHEFFIELD, AL 35660




BID DOCUMENTS
08/26/26


STANDARD ABBREVIATIONS		INDEX OF DRAWINGS		PROJECT TEAM		VICINITY MAP	
STANDARD ABBREVIATIONS: ABI - AMERICAN BRICK INSTITUTE AC-PNL - ACOUSTICAL PANEL AFF - ABOVE FINISH FLOOR ALUM - ALUMINUM BR - BACKER-ROD BLKG - BLOCKING BD - BOARD BTM - BOTTOM BLDG - BUILDING BRZ - BRONZE CAB - CABINET CAFW - COLD FLUID APPLIED WATERPROOFING CLG - CEILING CLR - CLEAR CT - CERAMIC TILE COL - COLUMN CONC - CONCRETE CMU - CONCRETE MASONRY UNIT CONST - CONSTRUCTION CPT - CARPET CJ - CONTROL JOINT DETL - DETAIL DS - DOWNSPOUT EA - EACH EW - EACH WAY EWC - ELECTRICAL WATER COOLER EJ - EXPANSION JOINT EXT - EXTERIOR EXIST - EXISTING FAMAB - FLUID APPLIED MEMBRANE AIR BARRIER FIN - FINISH FEC - FIRE EXTINGUISHER AND CABINET FEWM- FIRE EXTINGUISHER-WALL MOUNTED FE - FIRE EXTINGUISHER FLR - FLOOR FD - FLOOR DRAIN GALV - GALVANIZED GA - GAUGE GWB - GYPSUM WALL BOARD HT - HEIGHT HM - HOLLOW METAL HOR - HORIZONTAL INSUL - INSULATION INT - INTERIOR MFR - MANUFACTURER MTL - METAL MIN - MINIMUM MAX - MAXIMUM NIC - NOT IN CONTRACT NTS - NOT TO SCALE OC - ON CENTER OPNG - OPENING OH - OVERHEAD PTD - PAINTED PLAM - PLASTIC LAMINATE PL - PROPERTY LINE PLMG - PLUMBING PLYWD - PLYWOOD R - RADIUS RB - RUBBER BASE REC - RECEPTACLE REINF - REINFORCED (ING) RD - ROOF DRAIN RM - ROOM RO - ROUGH OPENING SCHED - SCHEDULED SECT - SECTION SIM - SIMILAR SPEC - SPECIFICATION SS - SANITARY SEWER STD - STANDARD STRUCT - STRUCTURAL THK - THICK (NESS) TOC - TOP OF CURB TOS - TOP OF STEEL TOW - TOP OF WALL TYP - TYPICAL VERT - VERTICAL VCT - VINYL COMP. TILE VTR - VENT THRU ROOF VWC - VINYL WALL COVERING WP - WATERPROOFING WF - WIDE FLANGE W/ - WITH W/O - WITHOUT WD - WOOD WWF - WELDED WIRE FABRIC WIN - WINDOW UNO - UNLESS NOTED OTHERWISE		GENERAL G101 COVER SHEET ARCHITECTURAL A001 STOREFRONT SCHEDULE A091 OVERALL DEMO PLAN - GROUND FLOOR A092 OVERALL DEMO PLAN - SECOND FLOOR A093 ENLARGED DEMO PLANS - GROUND FLOOR A094 OVERALL REFLECTED CEILING PLAN - GROUND FLOOR DEMO A095 ENLARGED RCP'S - GROUND FLOOR DEMO A101 OVERALL NEW CONSTRUCTION PLAN - GROUND FLOOR A102 OVERALL NEW CONSTRUCTION PLAN - SECOND FLOOR A103 ENLARGED NEW CONSTRUCTION PLANS - GROUND FLOOR A104 OVERALL REFLECTED CEILING PLAN - GROUND FLOOR NEW CONSTRUCTION A105 ENLARGED RCP'S - GROUND FLOOR NEW CONSTRUCTION A201 EXTERIOR ELEVATIONS - GYM A202 EXTERIOR ELEVATIONS - CLASSROOM BUILDING A311 WALL SECTIONS		ARCHITECT WARD SCOTT ARCHITECTURE, INC. 802 SHONEY DRIVE SW SUITE, E HUNTSVILLE, ALABAMA 35801 (256) 268-5544		STATE OF ALABAMA WILLSON ELEMENTARY SCHOOL SHEFFIELD 2200 EAST 31ST STREET	
				SHEET NUMBER SYSTEM			
				DISCIPLINE DESIGNATOR G-GENERAL C-CIVIL L-LANDSCAPE S-STRUCTURAL AC-ARCHITECTURAL SITE A-ARCHITECTURAL I-INTERIORS FP-FIRE PROTECTION P-PLUMBING M-MECHANICAL E-ELECTRICAL AV-AUDIO-VISUAL T-DATA/TELECOMMUNICATIONS A121 PLAN VIEWS DIVISION + FLOOR LEVEL OTHER VIEWS DRAWING SEQUENCE DRAWING TYPE DESIGNATOR 0 GEN. INFO., SCHEDULES, & NOTES 1 FLOOR PLANS 2 EXTERIOR ELEVATIONS 3 SECTIONS AND DETAILS 4 INTERIOR ELEV. & DETAILS 5 REFLECTED CEILING PLANS 6 FLOOR COVERING PATTERNS AND DETAILS		STATE OF ALABAMA WILLSON ELEMENTARY SCHOOL SHEFFIELD 2200 EAST 31ST STREET	




18 WINDOW ASSEMBLY 18
1/4" = 1'-0" 2 TOTAL





17 WINDOW ASSEMBLY 17
1/4" = 1'-0" 1 TOTAL




16 WINDOW ASSEMBLY 16
1/4" = 1'-0" 2 TOTAL




15 WINDOW ASSEMBLY 15
1/4" = 1'-0" 2 TOTAL




14 WINDOW ASSEMBLY 14
1/4" = 1'-0" 2 TOTAL




13 WINDOW ASSEMBLY 13
1/4" = 1'-0" 7 TOTAL




12 WINDOW ASSEMBLY 12
1/4" = 1'-0" 1 TOTAL




11 WINDOW ASSEMBLY 11
1/4" = 1'-0" 1 TOTAL




10 WINDOW ASSEMBLY 10
1/4" = 1'-0" 11 TOTAL




9 WINDOW ASSEMBLY 09
1/4" = 1'-0" 7 TOTAL




6 WINDOW ASSEMBLY 06
1/4" = 1'-0" 7 TOTAL




5 WINDOW ASSEMBLY 05
1/4" = 1'-0" 2 TOTAL




4 WINDOW ASSEMBLY 04
1/4" = 1'-0" 1 TOTAL




3 WINDOW ASSEMBLY 03
1/4" = 1'-0" 1 TOTAL



2 WINDOW ASSEMBLY 02
1/4" = 1'-0" 2 TOTAL



7 WINDOW ASSEMBLY 07
1/4" = 1'-0" 1 TOTAL




1 WINDOW ASSEMBLY 01
1/4" = 1'-0" 25 TOTAL

DOOR SCHEDULE											
DOOR NUMBER	FIRE RATING	DOOR WIDTH	DOOR HEIGHT	DOOR ELEV.	DOOR MATERIAL	DOOR GLAZING	FRAME ELEV.	FRAME MATERIAL	FRAME GLAZING	HARDWARE	DOOR NUMBER
101	-	3'-6 1/4"	7'-3 3/4"	D2	ALUM.	G1	SF 12	ALUM.	-	-	101
102	-	3'-6 1/4"	7'-3 3/4"	D2	ALUM.	G1	SF 12	ALUM.	-	-	102
103	-	3'-0"	7'-0"	D1	SCW	-	F2	HM	-	-	103


DOOR SCHEDULE LEGEND:
ALUM - ALUMINUM
HM - HOLLOW METAL
MFR - MANUFACTURER'S STANDARD
WD - WOOD

GLAZING LEGEND:
G1 - CLEAR TEMPERED GLASS

DOOR SCHEDULE COMMENTS:
1. PAIR OF DOORS
2.



FRAME ELEVATIONS
1/4" = 1'-0"




DOOR ELEVATIONS
1/4" = 1'-0"

KEYNOTES - DEMOLITION PLAN:


- 1
- REMOVE EXISTING PLUMBING FIXTURES, TOILET PARTITIONS, URINAL SCREENS & TOILET ACCESSORIES.
- 2
- REMOVE EXISTING LOCKERS, CONCRETE BASE AND FINISH TILE AT BASE. PATCH AND REPAIR EXISTING CONCRETE SLAB TO PREPARE FOR NEW FINISH FLOOR.
- 3
- REMOVE EXISTING SHOWERS (HEADS), HANDLES, BUILT-IN SEATING AND SHOWER PARTITIONS. INFILL DEPRESSED FLOOR/SLAB AREAS AT SHOWERS TO HAVE FLUSHED FINISH WITH EXISTING TOP OF SLAB IN SPACE.
- 4
- REMOVE EXISTING FINISH FLOOR, SMOOTH, PATCH AND REPAIR EXISTING SLAB AS NEEDED TO PREPARE FOR NEW FLOOR FINISH.
- 5
- EXISTING CURB TO BE REMOVED. SMOOTH, PATCH AND REPAIR EXISTING SLAB AS NEEDED TO PREPARE FOR NEW FLOOR FINISH.
- 6
- EXISTING TO REMAIN
- 7
- EXISTING TO BE REMOVED
- 8
- EXISTING WINDOWS TO BE REMOVED

GENERAL NOTES - DEMOLITION PLAN:

- REMOVE EXISTING EQUIPMENT AND FURNITURE AND TURN OVER TO OWNER (UNLESS NOTED OTHERWISE)
- EXISTING WINDOWS AT CAFETERIA, KITCHEN AND LIBRARY TO REMAIN. NEW WINDOWS PROVIDED SHALL MATCH EXISTING WINDOWS AT CAFETERIA, KITCHEN AND LIBRARY FOR REFERENCE.
- EXISTING EXTERIOR CANOPIES (COVERED WALKWAYS) TO REMAIN.



1 GROUND LEVEL - OVERALL EXISTING PLAN
1/16" = 1'-0"




KEYNOTES - DEMOLITION PLAN:


- 1
- REMOVE EXISTING PLUMBING FIXTURES, TOILET PARTITIONS, URINAL SCREENS & TOILET ACCESSORIES.
- 2
- REMOVE EXISTING LOCKERS, CONCRETE BASE AND FINISH TILE AT BASE. PATCH AND REPAIR EXISTING CONCRETE SLAB TO PREPARE FOR NEW FINISH FLOOR.
- 3
- REMOVE EXISTING SHOWERS (HEADS), HANDLES, BUILT-IN SEATING AND SHOWER PARTITIONS. INFILL DEPRESSED FLOOR/SLAB AREAS AT SHOWERS TO HAVE FLUSHED FINISH WITH EXISTING TOP OF SLAB IN SPACE.
- 4
- REMOVE EXISTING FINISH FLOOR, SMOOTH, PATCH AND REPAIR EXISTING SLAB AS NEEDED TO PREPARE FOR NEW FLOOR FINISH.
- 5
- EXISTING CURB TO BE REMOVED. SMOOTH, PATCH AND REPAIR EXISTING SLAB AS NEEDED TO PREPARE FOR NEW FLOOR FINISH.
- 6
- EXISTING TO REMAIN
- 7
- EXISTING TO BE REMOVED
- 8
- EXISTING WINDOWS TO BE REMOVED


GENERAL NOTES - DEMOLITION PLAN:

- REMOVE EXISTING EQUIPMENT AND FURNITURE AND TURN OVER TO OWNER (UNLESS NOTED OTHERWISE)
- EXISTING WINDOWS AT CAFETERIA, KITCHEN AND LIBRARY TO REMAIN. NEW WINDOWS PROVIDED SHALL MATCH EXISTING WINDOWS AT CAFETERIA, KITCHEN AND LIBRARY FOR REFERENCE.
- EXISTING EXTERIOR CANOPIES (COVERED WALKWAYS) TO REMAIN.



① SECOND FLOOR - OVERALL DEMO PLAN
1/16" = 1'-0"





DEMOLITION LEGEND:

===== WALL TO BE REMOVED


DOOR & FRAME TO BE REMOVED (U.N.O.)
SEE NOTES & OPENING SCHEDULE FOR SCOPE

[] FIXTURE AND/OR MILL-WORK TO BE REMOVED

KEYNOTES - DEMOLITION PLAN:

- 1 REMOVE EXISTING PLUMBING FIXTURES, TOILET PARTITIONS, URINAL SCREENS & TOILET ACCESSORIES.
- 2 REMOVE EXISTING LOCKERS, CONCRETE BASE AND FINISH TILE AT BASE. PATCH AND REPAIR EXISTING CONCRETE SLAB TO PREPARE FOR NEW FINISH FLOOR.
- 3 REMOVE EXISTING SHOWERS (HEADS), HANDLES, BUILT-IN SEATING AND SHOWER PARTITIONS. INFILL DEPRESSED FLOOR/SLAB AREAS AT SHOWERS TO HAVE FLUSHED FINISH WITH EXISTING TOP OF SLAB IN SPACE.
- 4 REMOVE EXISTING FINISH FLOOR. SMOOTH, PATCH AND REPAIR EXISTING SLAB AS NEEDED TO PREPARE FOR NEW FLOOR FINISH.
- 5 EXISTING CURB TO BE REMOVED. SMOOTH, PATCH AND REPAIR EXISTING SLAB AS NEEDED TO PREPARE FOR NEW FLOOR FINISH.
- 6 EXISTING TO REMAIN
- 7 EXISTING TO BE REMOVED
- 8 REPAIR AND REPLACE EXISTING CEILING TILE AND GRID (AS NEEDED) IF DAMAGED WITH NEW WORK

1 ENLARGED DEMO PLAN - GYM LOCKER ROOMS
1/4" = 1'-0"



WARD | SCOTT | MORRIS
ARCHITECTURE
TUSCALOOSA | HUNTSVILLE
1606 PAUL W. BRYANT DRIVE, TUSCALOOSA, ALABAMA 35401
www.wardscottmorriscorp.com

L.E. WILLSON ELEMENTARY SCHOOL - RENOVATION
SHEFFIELD CITY SCHOOLS
2200 EAST 31ST STREET, SHEFFIELD, AL 35660



BID DOCUMENTS







DATE: 08/26/26
PROJ NO: 26-026

#	DESC	DATE
---	------	------

ENLARGED DEMO
PLANS - GROUND
FLOOR

A093

REFLECTED CEILING PLAN LEGEND:

-  2' X 2' ACOUSTICAL CEILING TILE
-  GYPSUM BOARD CEILING
-  2' X 4' LIGHT FIXTURE
-  2' X 2' LIGHT FIXTURE
-  CAN LIGHT FIXTURE
-  PENDANT LIGHT
-  WALL MOUNTED LIGHT FIXTURE
-  FLUORESCENT LIGHT FIXTURE
-  RECESSED LIGHT FIXTURE
-  MECHANICAL SUPPLY DIFFUSER
-  MECHANICAL RETURN DIFFUSER
-  AIR VENT


NOTE: LIGHT FIXTURES SHOWN ON ARCHITECTURAL PLANS ARE FOR COORDINATION AND LOCATION PURPOSES BASED ON CEILING GRID LAYOUT AS SHOWN. ALL FIXTURES TYPES AND CIRCUITRY BY ELECTRICAL ENGINEER. NOTIFY ARCHITECT IF DISCREPANCY IS NOTED FROM FIELD CONDITION AND CEILING GRID SYSTEM INSTALLED.

GENERAL NOTES - DEMO RCP:


- EXISTING AREAS NOT SHOWING CEILINGS ARE TO REMAIN (NO DEMO OR NEW WORK IN THESE AREAS)
- NEW CEILING HEIGHTS TO BE CONSISTENT WITH EXISTING CEILING HEIGHTS, U.N.O

KEYNOTES - DEMO RCP:

- 1 REMOVE EXISTING CEILING, CEILING GRID. RETAIN LIGHT FIXTURES AND CEILING MOUNTED EQUIPMENT FOR INSTALLATION INTO NEW CEILING WHERE APPLICABLE.
- 2 EXISTING CEILING TO REMAIN




1 ENLARGED DEMO RCP - GYM LOCKER ROOMS
1/4" = 1'-0"




KEYNOTES - NEW CONSTRUCTION:

- 1 EXISTING TO REMAIN (NOT IN CONTRACT - N.I.C.)
- 2 REPLACE ALL GRASS WITH NEW SOD AT AREAS DISTURBED BY DEMOLITION OR NEW CONSTRUCTION
- 3 NEW CONCRETE SLAB INFILL AT SHOWER AND LOCKER PEDISTAL REMOVAL. TOP OF INFILL SLAB TO BE FLUSHED WITH TOP OF EXISTING SLAB IN SPACE.




1 GROUND LEVEL - OVERALL NEW CONSTRUCTION
1/16" = 1'-0"




KEYNOTES - NEW CONSTRUCTION:

- 1 EXISTING TO REMAIN (NOT IN CONTRACT - N.I.C.)
2 PROVIDE NEW PAINT FINISH OVER EXISTING



1 SECOND FLOOR - OVERALL NEW CONSTRUCTION PLAN
1/16" = 1'-0"



BID DOCUMENTS

DATE: 08/26/26
PROJ NO: 26-026


REVISIONS
| DESC | DATE

OVERALL NEW
CONSTRUCTION
PLAN - SECOND
FLOOR

- 1 EXISTING TO REMAIN (NOT IN CONTRACT - N.I.C)
- 2 PROVIDE NEW PAINT FINISH OVER EXISTING WALLS
- 3 NEW CONCRETE SLAB INFILL. TOP OF INFILL
SLAB TO BE FLUSHED WITH TOP OF EXISTING
SLAB IN SPACE.
- 4 INFILL EXISTING OPENING TO MATCH EXISTING WALL
- 5 ALL NEW FLOOR FINISHES TO BE SEALED CONCRETE

WARD | SCOTT | MORRIS
ARCHITECTURE
TUSCALOOSA | HUNTSVILLE
1606 PAUL W. BRYANT DRIVE TUSCALOOSA, ALABAMA 35401
www.wardscottmorrison.com

L.E. WILLSON ELEMENTARY SCHOOL - RENOVATION
SHEFFIELD CITY SCHOOLS
2200 EAST 31ST STREET, SHEFFIELD, AL 35660




BID DOCUMENTS

DATE: 08/26/26
PROJ NO: 26-026


REVISIONS		
#	DESC	DATE

ENLARGED NEW
CONSTRUCTION
PLANS - GROUND
FLOOR


A103




1 ENLARGED NEW PLAN - MULTI PURPOSE ROOM 1106
1/4" = 1'-0"




⑥ **SOUTHEAST ELEVATION - GYM**
1/8" = 1'-0"




④ **WEST ELEVATION - GYM**
1/8" = 1'-0"



③ **SOUTH ELEVATION - GYM**
1/8" = 1'-0"







⑤ **NORTHEAST ELEVATION - GYM**
1/8" = 1'-0"




② **EAST ELEVATION - GYM**
1/8" = 1'-0"




① **NORTH ELEVATION - GYM**
1/8" = 1'-0"






② WALL DETAIL @ CR CURTAIN WALL - 2ND FLOOR WALL BASE/SILL
3" = 1'-0"



③ WALL DETAIL @ CR CURTAIN WALL - HEAD
3" = 1'-0"



① WALL DETAIL @ CR CURTAIN WALL - WALL BASE/SILL
3" = 1'-0"